

ETSI GS NFV-SOL 011 V3.7.1 (2022-12)



Network Functions Virtualisation (NFV) Release 3; Protocols and Data Models; RESTful protocols specification for the Or-Or Reference Point

ETSI GS NFV-SOL 011 V3.7.1 (2022-12)

<https://standards.iteh.ai/catalog/standards/sist/5f12841a-fee4-42b0-a88f-72c61fef1f66/etsi-gs-nfv-sol-011-v3-7-1-2022-12>

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

ReferenceRGS/NFV-SOL011ed371

KeywordsAPI, data, management, model, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards.iteh.ai/> <https://portal.etsi.org/People/CommitteeSupportStaff.aspx> f-72c61fef1f66/etsi-

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definition of terms, symbols and abbreviations.....	7
3.1 Terms.....	7
3.2 Symbols.....	7
3.3 Abbreviations	8
4 General aspects.....	8
4.1 Overview	8
4.2 Common data types.....	8
5 NSD Management interface	8
6 NS Lifecycle Management interface.....	9
7 NS Lifecycle Operation Granting interface.....	9
7.1 Description	9
7.2 API version.....	9
7.3 Resource structure and method	9
7.4 Sequence diagrams (informative).....	10
7.4.1 Flow of requesting a grant	10
7.5 Resources	10
7.5.1 Introduction.....	10
7.5.2 Resource: API versions.....	10
7.5.3 Resource: Grants.....	10
7.5.3.1 Description	10
7.5.3.2 Resource definition	11
7.5.3.3 Resource methods	11
7.5.3.3.1 POST	11
7.5.3.3.2 GET	12
7.5.3.3.3 PUT	12
7.5.3.3.4 PATCH.....	12
7.5.3.3.5 DELETE	12
7.5.4 Resource: Individual grant.....	12
7.5.4.1 Description	12
7.5.4.2 Resource definition	12
7.5.4.3 Resource methods	12
7.5.4.3.1 POST	12
7.5.4.3.2 GET	12
7.5.4.3.3 PUT	13
7.5.4.3.4 PATCH.....	13
7.5.4.3.5 DELETE.....	13
7.6 Data model	13
7.6.1 Introduction.....	13
7.6.2 Resource and notification data types	13
7.6.2.1 Introduction.....	13
7.6.2.2 Type: GrantNsLifecycleOperationRequest	13
7.6.2.3 Type: Grant	14
7.6.3 Referenced structured data types	14
7.6.4 Referenced simple data types and enumerations	14
7.6.4.1 Introduction.....	14

7.6.4.2	Simple data types	14
7.6.4.3	Enumeration: NsLcmOperation	15
8	NS Instance Usage Notification interface	15
8.1	Description	15
8.2	API version.....	15
8.3	Resource structure and method	15
8.4	Sequence diagrams (informative).....	16
8.4.1	Flow of managing subscriptions	16
8.4.2	Flow of sending notifications.....	18
8.5	Resources	19
8.5.1	Introduction.....	19
8.5.2	Resource: API versions.....	19
8.5.3	Resource: Subscriptions.....	19
8.5.3.1	Description	19
8.5.3.2	Resource definition	19
8.5.3.3	Resource methods	20
8.5.3.3.1	POST	20
8.5.3.3.2	GET	21
8.5.3.3.3	PUT	22
8.5.3.3.4	PATCH.....	22
8.5.3.3.5	DELETE	22
8.5.4	Resource: Individual subscription.....	23
8.5.4.1	Description	23
8.5.4.2	Resource definition	23
8.5.4.3	Resource methods	23
8.5.4.3.1	POST	23
8.5.4.3.2	GET	23
8.5.4.3.3	PUT	24
8.5.4.3.4	PATCH.....	24
8.5.4.3.5	DELETE	24
8.5.5	Resource: Notification endpoint	24
8.5.5.1	Description	24
8.5.5.2	Resource definition	24
8.5.5.3	Resource methods	25
8.5.5.3.1	POST	25
8.5.5.3.2	GET	25
8.5.5.3.3	PUT	26
8.5.5.3.4	PATCH.....	26
8.5.5.3.5	DELETE	26
8.6	Data model	26
8.6.1	Introduction.....	26
8.6.2	Resource and notification data types	26
8.6.2.1	Introduction.....	26
8.6.2.2	Type: NsInstanceUsageSubscriptionRequest.....	26
8.6.2.3	Type: NsInstanceUsageSubscription.....	26
8.6.2.4	Type: NsInstanceUsageNotification	27
8.6.3	Referenced structured data types	27
8.6.3.1	Type: NsInstanceUsageNotificationsFilter	27
8.6.4	Referenced simple data types and enumerations	28
8.6.4.1	Introduction.....	28
8.6.4.2	Simple data types	28
8.6.4.3	Enumeration: NsInstanceUsageStatusType	28
9	NS Performance Management interface.....	28
10	NS Fault Management interface.....	28
Annex A (informative):	Mapping operations to protocol elements.....	29
A.1	Overview	29
A.2	NSD Management interface	29

A.3	NS lifecycle management interface.....	29
A.4	NS lifecycle operation granting interface.....	30
A.5	NS instance usage notification interface	30
A.6	NS performance management interface	30
A.7	NS fault management interface	31
Annex B (informative):	Change History	32
History		33

ITh STANDARD PREVIEW
(standards.iteh)

ETSI - GS SOLNFV3V. 7. 1 (2 0 2 2
https://standards.iteh.ai/cat
gs-nfv-v3o-17--011-2022-1

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies a set of RESTful protocol and data models fulfilling the requirements specified in ETSI GS NFV-IFA 030 [1] for the interfaces used over the Or-Or reference point.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI GS NFV-IFA 030: "Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Multiple Administrative Domain Aspect Interfaces Specification".
- [2] ETSI GS NFV-SOL 013: "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; Specification of common aspects for RESTful NFV MANO APIs".
- [3] ETSI GS NFV-SOL 005: "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfvo Reference Point".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI GR NFV 003: "Network Functions Virtualisation (NFV); Terminology for Main Concepts in NFV".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI GR NFV 003 [i.1] and ETSI GS NFV-IFA 030 [1] apply.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI GR NFV 003 [i.1] and the following apply:

HTTP	HyperText Transfer Protocol
------	-----------------------------

4 General aspects

4.1 Overview

The present document defines the protocol and data model for the following interfaces, in the form of RESTful Application Programming Interface (APIs) specifications:

- NSD Management interface (as produced by the NFVO-N towards the NFVO-C).
- NS Lifecycle Management interface (as produced by the NFVO-N towards the NFVO-C).
- NS Lifecycle Operation Granting interface (as produced by the NFVO-N towards the NFVO-C).
- NS Instance Usage Notification interface (as produced by the NFVO-N towards the NFVO-C).
- NS Performance Management interface (as produced by the NFVO-N towards the NFVO-C).
- NS Fault Management interface (as produced by the NFVO-N towards the NFVO-C).

The design of the protocol and data model for the above interfaces is based on the information model and requirements defined in ETSI GS NFV-IFA 030 [1].

In the subsequent clauses, the protocol and data model for the individual interfaces are specified. Per interface, the resource structure with associated HTTP methods is defined and applicable flows are provided. Further, the resources and the data model are specified in detail.

Annex A provides the mapping of the combination of resources and methods defined in the present document to the operations defined in ETSI GS NFV-IFA 030 [1].

Even though the various interfaces defined in the present document are related, implementations shall not assume a particular order of messages that arrive via different interfaces.

4.2 Common data types

The structured data types and simple data types defined in clause 7 of ETSI GS NFV-SOL 013 [2] shall apply in the present document.

5 NSD Management interface

This interface allows the NFVO-C to invoke management operations of NSDs towards the NFVO-N.

The interface shall follow the provisions specified in the clause 5 of ETSI GS NFV-SOL 005 [3] for the NSD management interface, except that the producer is NFVO-N and the consumer is NFVO-C.

Only the "query NSD info" operation as defined in clause 5 of ETSI GS NFV-SOL 005 [3] is supported on the Or-Or reference point, i.e. only the "NS Descriptors" and "Individual NS Descriptor" resources with the GET method are supported for the present interface, and the API producer shall return a "405 Method Not Allowed" response for other methods requested on the "NS Descriptors" and "Individual NS Descriptor" resources, as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

6 NS Lifecycle Management interface

This interface allows the NFVO-C to invoke NS lifecycle management operations of NS instances towards the NFVO-N, and to subscribe to notifications regarding NS lifecycle changes provided by the NFVO-N.

The interface shall follow the provisions specified in the clause 6 of ETSI GS NFV-SOL 005 [3] for the NS lifecycle management interface, except that the producer is NFVO-N and the consumer is NFVO-C.

The "update NS" as defined in clause 6 of ETSI GS NFV-SOL 005 [3] is not supported on the Or-Or reference point, i.e. the "Update NS task" resource and related methods are not supported for the present interface, and the API producer shall return a "404 Not Found" response for all methods requested on the "update NS" resource, as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7 NS Lifecycle Operation Granting interface

7.1 Description

This interface allows the NFVO-N to obtain from the NFVO-C permission for an NS lifecycle operations. This interface also allows API version information retrieval.

The operations provided through this interface are:

- Grant NS Lifecycle Operation.

7.2 API version

For the NS lifecycle operation granting interface as specified in the present document, the MAJOR version field shall be 1, the MINOR version field shall be 0 and the PATCH version field shall be 0 (see clause 9.1 of ETSI GS NFV-SOL 013 [2] for a definition of the version fields). Consequently, the {apiMajorVersion} URI variable shall be set to "v1".

7.3 Resource structure and method

All resource URIs of the API shall use the base URI specification defined in clause 4.1 of ETSI GS NFV-SOL 013 [2]. The string "nslcog" shall be used to represent {apiName}. All resource URIs in the clauses below are defined relative to the above base URI.

Figure 7.3-1 shows the overall resource URI structure defined for the NS lifecycle operation granting interface.




Figure 7.3-1: Resource URI structure of the NS lifecycle operation granting interface

Table 7.3-1 lists the individual resources defined, and the applicable HTTP methods.

The NFVO-C shall support responding to requests for all HTTP methods on the resources in table 7.3-1 that are marked as "M" (Mandatory) in the "Cat" column. The NFVO-C shall also support the "API versions" resource as specified in clause 9.3.2 of ETSI GS NFV-SOL 013 [2].


Table 7.3-1: Resources and methods overview of the NS lifecycle operation granting interface

Resource name	Resource URI	HTTP Method	Cat	Meaning
Grants	/grants	POST	M	Request a grant
Individual grant	/grants/{grantId}	GET	M	Read a grant

7.4 Sequence diagrams (informative)

7.4.1 Flow of requesting a grant

This clause describes a sequence for requesting a grant.

**Figure 7.4.1-1: Flow of requesting a grant**

The grant request procedure, as illustrated in figure 7.4.1-1, consists of the following steps:

- 1) The NFVO-N sends a POST request to the "Grants" resource, including one data structure of type "GrantNsLifecycleOperationRequest" in the payload body.
- 2) The NFVO-C checks whether the consistency of the composite NS is impacted by the nested NS lifecycle operation.
- 3) The NFVO-C returns a "201 Created" response with a "Grant" data structure in the body.

Error handling: In case of failure or rejection of the grant request, appropriate error information is provided in the response.

7.5 Resources

7.5.1 Introduction

This clause defines all the resources and methods provided by the NS lifecycle operation granting interface.

7.5.2 Resource: API versions

The "API versions" resources, as defined in clause 9.3.3 of ETSI GS NFV-SOL 013 [2], are part of the NS lifecycle operation granting interface.

7.5.3 Resource: Grants

7.5.3.1 Description

This resource represents grants. The NFVO-N can use this resource to request a grant.

7.5.3.2 Resource definition

The resource URI is:

{apiRoot}/nslcog/{apiMajorVersion}/grants

This resource shall support the resource URI variables defined in table 7.5.3.2-1.

Table 7.5.3.2-1: Resource URI variables for this resource

Name	Definition
apiRoot	See clause 4.1 of ETSI GS NFV-SOL 013 [2]
apiMajorVersion	See clause 7.2

7.5.3.3 Resource methods

7.5.3.3.1 POST

The POST method requests a grant for a particular NS lifecycle operation.

This method shall follow the provisions specified in the tables 7.5.3.3.1-1 and 7.5.3.3.1-2 for URI query parameters, request and response data structures, and response codes.

As the result of successfully processing this request, a new "Individual grant" resource shall be created.

Table 7.5.3.3.1-1: URI query parameters supported by the POST method on this resource

Name	Cardinality	Description
none supported		

Table 7.5.3.3.1-2: Details of the POST request/response on this resource

Request body	Data type	Cardinality	Description	
	GrantNsLifecycleOperationRequest	1	The NS lifecycle operation grant request parameters, as defined in clause 7.6.2.2.	
Response body	Data type	Cardinality	Response Codes	Description
	Grant		201 Created	Shall be returned when the grant has been created successfully. A representation of the created "Individual grant" resource shall be returned in the response body. The HTTP response shall include a "Location" HTTP header that indicates the URI of the "Individual grant" resource just created.
	ProblemDetails	1	403 Forbidden	Shall be returned upon the following error: the grant request was rejected. A ProblemDetails structure shall be included in the response to provide more details about the rejection in the "details" attribute.
	ProblemDetails	See clause 6.4 of [2]	4xx/5xx	In addition to the response codes defined above, any common error response code as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2] may be returned.

7.5.3.3.2 GET

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.3.3.3 PUT

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.3.3.4 PATCH

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.3.3.5 DELETE

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.4 Resource: Individual grant

7.5.4.1 Description

This resource represents an individual grant.

7.5.4.2 Resource definition

The resource URI is:

{apiRoot}/nslcog/{apiMajorVersion}/grants/{grantId}

This resource shall support the resource URI variables defined in table 7.5.4.2-1.

Table 7.5.4.2-1: Resource URI variables for this resource

Name	Definition
apiRoot	See clause 4.1 of ETSI GS NFV-SOL 013 [2]
apiMajorVersion	See clause 7.2
grantId	Identifier of the grant. See note.
NOTE: This identifier can be retrieved from the "id" attribute in the payload body of the response to a POST request granting a new NS lifecycle operation.	

7.5.4.3 Resource methods

7.5.4.3.1 POST

This method is not supported. When this method is requested on this resource, the API producer shall return a "405 Method Not Allowed" response as defined in clause 6.4 of ETSI GS NFV-SOL 013 [2].

7.5.4.3.2 GET

The GET method reads a grant.

This method shall follow the provisions specified in the tables 7.5.4.3.2-1 and 7.5.4.3.2-2 for URI query parameters, request and response data structures, and response codes.