



SLOVENSKI STANDARD SIST EN ISO 13606-1:2019

01-september-2019

Nadomešča:
SIST EN ISO 13606-1:2012

**Zdravstvena informatika - Komunikacija z elektronskimi zdravstvenimi zapisi - 1.
del: Referenčni model (ISO 13606-1:2019)**

Health informatics - Electronic health record communication - Part 1: Reference model
(ISO 13606-1:2019)

Medizinische Informatik - Kommunikation von Patientendaten in elektronischer Form -
Teil 1: Referenzmodell (ISO 13606-1:2019)

Informatique de santé - Communication du dossier de santé informatisé - Partie 1:
Modèle de référence (ISO 13606-1:2019)

<https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019>

Ta slovenski standard je istoveten z: EN ISO 13606-1:2019

ICS:

35.240.80	Uporabniške rešitve IT v zdravstveni tehniki	IT applications in health care technology
-----------	---	--

SIST EN ISO 13606-1:2019

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 13606-1:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019>

EUROPEAN STANDARD

EN ISO 13606-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2019

ICS 35.240.80

Supersedes EN ISO 13606-1:2012

English Version

Health informatics - Electronic health record communication - Part 1: Reference model (ISO 13606- 1:2019)

Informatique de santé - Communication du dossier de
santé informatisé - Partie 1: Modèle de référence (ISO
13606-1:2019)

Medizinische Informatik - Kommunikation von
Patientendaten in elektronischer Form - Teil 1:
Referenzmodell (ISO 13606-1:2019)

This European Standard was approved by CEN on 2 July 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

iTeh STANDARD PREVIEW

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 13606-1:2019](https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019)
<https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019>

European foreword

This document (EN ISO 13606-1:2019) has been prepared by Technical Committee ISO/TC 215 "Health informatics" in collaboration with Technical Committee CEN/TC 251 "Health informatics" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2020, and conflicting national standards shall be withdrawn at the latest by January 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 13606-1:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 13606-1:2019 has been approved by CEN as EN ISO 13606-1:2019 without any modification.

[SIST EN ISO 13606-1:2019
https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019](https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 13606-1:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019>

INTERNATIONAL
STANDARD

ISO
13606-1

Second edition
2019-06

**Health informatics — Electronic
health record communication —**

**Part 1:
Reference model**

*Informatique de santé — Communication du dossier de santé
informatisé —*

iTeh STANDARD PREVIEW
Partie 1: Modèle de référence
(standards.iteh.ai)

[SIST EN ISO 13606-1:2019](https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019)

<https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019>



Reference number
ISO 13606-1:2019(E)

© ISO 2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 13606-1:2019](https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019)

<https://standards.iteh.ai/catalog/standards/sist/7dbc489b-f6bc-4a71-a7a4-a455acbc8c76/sist-en-iso-13606-1-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Actors.....	1
3.2 Concepts and terms.....	3
3.3 Information management.....	3
3.4 Privacy and security.....	5
3.5 Process management.....	6
4 Abbreviations	6
5 Overview	7
5.1 Overview of the reference model.....	7
5.2 Representing roles and responsibilities within the EHR_EXTRACT.....	8
5.2.1 General.....	8
5.2.2 Actors playing a role in the actual healthcare process.....	8
5.2.3 Actors contributing to the process of documenting care within the EHR.....	8
5.2.4 Actors confirming the validity of the EHR documentation.....	8
5.2.5 Subject of care.....	9
5.2.6 Composer.....	9
5.2.7 Committer.....	10
5.2.8 Subject of information.....	10
5.2.9 Information provider.....	10
5.3 About the use of datatypes in this document.....	10
6 Common Properties of Record Components	11
6.1 Base, record and structure components.....	11
6.1.1 General.....	11
6.1.2 Base component.....	13
6.1.3 Electronic health record component.....	14
6.1.4 Structure component.....	15
6.2 Attestation.....	16
6.2.1 General.....	16
6.2.2 Attestation information.....	18
6.3 Audit information.....	19
6.4 Linking record components.....	22
6.4.1 General.....	22
6.4.2 Link usages.....	22
6.4.3 Communicating referenced record components.....	24
6.4.4 Link.....	24
6.4.5 External link.....	25
7 Elements and Data Values	26
7.1 General.....	26
7.2 Data value.....	27
7.2.1 Boolean.....	29
7.2.2 Attachment.....	29
7.2.3 String.....	32
7.2.4 Simple text.....	33
7.2.5 Coded simple value.....	33
7.2.6 Coded value.....	34
7.2.7 Instance identifier.....	37
7.2.8 URI.....	39
7.2.9 Physical quantity.....	40

ISO 13606-1:2019(E)

7.2.10	Duration	41
7.2.11	Real	42
7.2.12	Integer	43
7.2.13	Date time	43
7.2.14	Date	44
7.2.15	Time	45
7.2.16	Point in time	45
8	EHR Components	46
8.1	General	46
8.2	Folder	47
8.2.1	General	47
8.2.2	Folder	48
8.3	Compositions	49
8.3.1	General	49
8.3.2	Composition	50
8.4	Content and sections	51
8.4.1	General	51
8.4.2	Content	51
8.4.3	Section	52
8.5	Entries	53
8.5.1	General	53
8.5.2	Entry	53
8.6	Items and clusters	55
8.6.1	Item	55
8.6.2	Cluster	56
8.7	Element	57
9	EHR Extract	57
9.1	General	57
9.2	EHR extract	58
9.3	Extracted component set	59
9.4	Demographic extract	60
10	Demographics	61
10.1	General	61
10.2	Demographic folder	62
10.3	Demographic entity	63
10.4	Demographic item	64
10.5	Demographic cluster	65
10.6	Demographic element	66
11	Conformance	67
Annex A (informative) About the ISO 21090:2011 profile for datatypes		68
Annex B (informative) Alignment with HL7 FHIR		72
Annex C (informative) Cross-Domain Interoperability		73
Bibliography		78

iTeH STANDARD PREVIEW
(standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 215, *Health Informatics*.

This second edition ~~replaces the first edition (ISO 13606-1:2008)~~, which has been technically revised. The main changes compared to the previous edition are summarised in the Introduction.

A list of all parts in the ISO 13606 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 13606-1:2019(E)

Introduction

0.1 Preface

The overall goal of this document is to define a rigorous and stable information architecture for communicating part or all of the Electronic Health Record (EHR) of a single subject of care (patient), or for a group of patients whose information might need to be communicated together (for example, a family). This is to support the interoperability of systems (see [Annex C](#)), and components that need to communicate (access, transfer, add or modify) EHR data:

- preserving the original clinical meaning intended by the author;
- incorporating the necessary provenance metadata to inform the recipient or receiving system about the context in which the EHR data were obtained and composed;
- observing and communicating the confidentiality of that data as intended by the author and subject of care.

This document considers the EHR to be the persistent longitudinal and potentially multi-organisation or multi-national record of health and care provision, most often relating to a single subject of care (the patient), created and stored in one or more physical systems in order to inform each subject's future healthcare and to provide a medico-legal record of care that has been provided. This corresponds to the definition provided in ISO 18308:2011 (Requirements for an Electronic Health Record Architecture).

This document is not intended to specify the internal architecture or database design of EHR systems or components, nor is it intended to prescribe the kinds of clinical applications that might request or contribute EHR data in particular settings, domains or specialities. For this reason, the information model proposed here is called the EHR Extract, and might be used to define a message, an XML document or schema, or an object interface. These might be used to communicate EHR data between two repositories, to update a centralised regional or national EHR repository, or within a distributed network of EHR components, systems and services. Whilst an EHR service or system will need to interact with many other services or systems providing terminology, medical knowledge, guidelines, workflow, security, persons registries, billing etc. this document has only touched on those areas if some persistent trace of such interactions is required in the EHR itself, and requires specific features in the reference model to allow their communication.

This document may offer a practical and useful contribution to the design of EHR systems but will primarily be realised as a common set of external interfaces or messages built on otherwise heterogeneous clinical systems. The components that might support an interface conforming to this document will be not only electronic health record systems but also other middleware services such as security components, guideline and workflow systems, alerting and decision support services, personal health systems and applications, sensors and wearable devices, and medical knowledge management services. This document might also prove useful for communicating data about individuals between electronic health record systems and population registries, and also for conducting (approved) research using electronic health records.

This document is part of a five-part standard series, published jointly by CEN and ISO through the Vienna Agreement.

In this document dependency upon any of the other parts of this series is explicitly stated where it applies.

0.2 Technical approach

This document is the second version of an original standard which was published in 2007 by CEN, and in 2008 by ISO. This revision has taken into account the experiences gained by EHR system developers and by large scale eHealth programmes from using the original standard. These were ascertained through an international survey, a wide range of 1:1 interviews, a review of the academic literature, and interactions with many experts active in R&D relating to the EHR. It also meets the relevant requirements in ISO 18308:2011 (Requirements for an Electronic Health Record Architecture). The

revision has taken into account, and aligns as far as possible, with other CEN and ISO Standards and Technical Specifications with which this document might also be used, with international terminology standards and with emerging standards from HL7: Fast Healthcare Interoperability Resources (FHIR). The specifications in this document have drawn from, and align as far as possible with, the reference model specifications published by the openEHR Foundation, and with the archetype models published by the openEHR Foundation and by the Clinical Information Modeling Initiative (CIMI).

The information model in this document is an Information Viewpoint of the ISO Reference Model for Open Distributed Processing (ISO/IEC 10746-1:1998).

Given the diversity of deployed EHR systems, this document has made most features of EHR communication optional rather than mandatory. However, some degree of prescription is required to make EHR Extracts safely processable by an EHR recipient system, which is reflected through mandatory properties within the models in Parts 1, 2, and 4 of this series, and through normative term lists (defined in Part 3 of this series).

0.3 The Dual Model approach

The challenge for EHR interoperability is to devise a generalised approach to representing every conceivable kind of health record data structure in a consistent way. This needs to cater for records arising from any profession, speciality or service, whilst recognising that the healthcare data sets, value sets, templates etc. required by different healthcare domains will be diverse, complex and will change frequently as clinical practice and medical knowledge advance. This requirement is part of the widely acknowledged health informatics challenge of semantic interoperability.

The approach adopted by this standard series distinguishes a Reference Model, defined in this document and used to represent the generic properties of health record information, and Archetypes (conforming to an Archetype Model, defined in Part 2 of this series) which are meta-data used to define patterns for the specific characteristics of the healthcare data that represents the requirements of each particular profession, speciality or service.

The Reference Model represents the global characteristics of health record components, how they are aggregated, and the context information required to meet ethical, legal and provenance requirements. This model defines the set of classes that form the generic building blocks of the EHR. It reflects the stable characteristics of an electronic health record, and would be embedded in a distributed (federated) EHR environment as specific messages or interfaces (as specified in Part 5 of this series).

This generic information model needs to be complemented by a formal method of communicating and sharing the organisational structure of predefined classes of EHR fragment corresponding to sets of record components made in particular clinical situations. These are effectively pre-coordinated combinations of named RECORD_COMPONENT hierarchies that are agreed within a community in order to ensure interoperability, data consistency and data quality.

An Archetype is the formal definition of prescribed combinations of the building-block classes defined in the Reference Model for particular clinical domains or organisations. An archetype is a formal expression of a distinct, domain-level concept, expressed in the form of constraints on data whose instances conform to the reference model. For an EHR_EXTRACT, as defined in this document, an archetype instance specifies (and effectively constrains) a particular hierarchy of RECORD_COMPONENT sub-classes, defining or constraining their names and other relevant attribute values, optionality and multiplicity at any point in the hierarchy, the data types and value ranges that ELEMENT data values may take, and other constraints.

This document recognises that archetypes (or equivalent clinical models) are not always directly incorporated within the present-day architectures of electronic health record systems. This document therefore does not mandate that archetypes are used within such systems. It does, however, require that the clinical information models or equivalents (data items, data item aggregations, data value constraints, terminology bindings, units of measure etc.) that have been used to generate an EHR_EXTRACT are themselves created and communicated, or referenced, within each EHR_EXTRACT. These communicated or referenced archetypes have to conform to Part 2 of this standard series, and maybe communicated through an interface conforming to part 5 of this Standard series.

ISO 13606-1:2019(E)

0.4 Overview of the EHR_EXTRACT record hierarchy

The information in a health record is inherently hierarchical. Clinical observations, reasoning and intentions can have a simple or a more complex structure. They are generally organised under headings, and contained in “documents” such as consultation notes, letters and reports. These documents are usually filed in folders, and a subject of care may have more than one folder within a healthcare enterprise (e.g. medical, nursing, and obstetric).

The EHR Communications Reference Model needs to reflect this hierarchical structure and organisation, meeting published requirements in order to be faithful to the original clinical context and to ensure meaning is preserved when records are communicated between heterogeneous clinical systems. To do this, the model formally sub-divides the EHR hierarchy into parts that have been found to provide a consistent mapping to the ways which individual EHRs are organised within heterogeneous EHR systems.

These parts are summarised in [Table 1](#) below.

Table 1 — Main hierarchy components of the EHR Extract Reference Model

EHR HIERARCHY COMPONENT	DESCRIPTION	EXAMPLES
EHR_EXTRACT	The top-level container of part or all of the EHR of a single subject of care or for a group of subjects of care (such as a family), for communication between an EHR Provider system and an EHR Recipient.	(Not applicable)
FOLDER	The high level organisation within an EHR, dividing it into compartments relating to care provided to a single subject of care, for a single condition, by a clinical team or institution, or over a fixed time period such as an episode of care.	Diabetes care, Schizophrenia, Cholecystectomy, Paediatrics, St Mungo's Hospital, GP Folder, Episodes 2000-2001.
COMPOSITION	The set of information committed to one EHR by one agent, as a result of a single clinical encounter or record documentation session.	Progress note, Laboratory test result form, Radiology report, Referral letter, Clinic visit, Clinic letter, Discharge summary, Functional health assessment, Diabetes review.
SECTION	EHR data within a COMPOSITION that belongs under one clinical heading, usually reflecting the flow of information gathering during a clinical encounter, or structured for the benefit of future human readership.	Reason for encounter, Past history, Family history, Allergy information, Subjective symptoms, Objective findings, Analysis, Plan, Treatment, Diet, Posture, Abdominal examination, Retinal examination.
ENTRY	The information recorded in an EHR as a result of one clinical action, one observation, one clinical interpretation, or an intention. This is also known as a clinical statement.	A symptom, an observation, one test result, a prescribed drug, an allergy reaction, a diagnosis, a differential diagnosis, a differential white cell count, blood pressure measurement.
CLUSTER	The means of organising nested multi-part data structures such as time series, and to represent the columns of a table.	Audiogram results, electro-encephalogram interpretation, weighted differential diagnoses.
ELEMENT	The leaf node of the EHR hierarchy, containing a single data value.	Systolic blood pressure, heart rate, drug name, symptom, body weight.

An EHR_EXTRACT contains EHR data as COMPOSITIONS, organised in a FOLDER hierarchy.

COMPOSITIONS contain ENTRIES, optionally contained within a SECTION hierarchy.

ENTRIES contain ELEMENTS, optionally contained within a CLUSTER hierarchy.

Representing participation: The Reference Model in the previous version of this standard provided explicit classes at certain parts of the Record Component hierarchy through which it was possible to represent the identity and roles played by actors contributing to healthcare and to its documentation. In this version of the Reference Model the LINK class is intended to be used to reference demographic entities. The roles played by these entities can be labelled using extended term lists defined in Part 3 of this standard series. This updated mechanism offers greater flexibility than the previous version in where the references to such demographic entities may be represented within the Record Component hierarchy.

Representing context: Any EHR_EXTRACT references any other RECORD_COMPONENTS that are connected to the communicated content, for example via the RECORD_COMPONENT hierarchy and via LINK targets. If the EHR exchange service (e.g. as specified in Part 5) permits access to referenced components, any user would be able to access and review any additional areas of content that were not originally included. (Archetypes bring together the key elements of immediate documentation context.)

Representing authenticity: Every EHR_EXTRACT may contain attested views: these might be PDF or html or other renderings that are the authentic view of what was seen and persisted by the original author. The proof may also optionally be included, which is the evidence of a digital signature.

EHR_EXTRACTS are created for specific purposes, and will not automatically guarantee that these will be fit for other purposes.

0.5 Summary of changes made in this edition of the standard

The scope of all parts remains the same.

The objective of this revision was to:

- obtain implementer feedback on adoption experiences with the published version of the 13606 standard series;
- simplify the reference model by removing properties that have not proved useful to implementers;
- improve the demographics model to support the use of demographic archetypes;
- improve alignment with ISO 13940 System of concepts to support continuity of care (Contsys);
- align the data types with ISO 21090 Harmonized data types for information interchange (see [Annex A](#));
- prepare the ground for alignment with HL7 FHIR;
- update the archetype model to align with the openEHR Archetype Object Model 2.0;
- include reference archetypes for commonly needed information (e.g. demographics);
- update the audit log model to align with ISO 27789 Audit trails for electronic health records, and the ISO 22600 series, Privilege management and access control.

Reference Model changes

Base Component

A class Base Component has been introduced higher in the inheritance hierarchy than Record Component, which has a unique identifier, version history information and attestation information.

This allows all of the structures within an EHR Extract to be version managed and attested, including LINK and demographic information, as well as the original family of Record Components.

Record Component

Several properties that had not proved useful have been removed from Record Component.