



Designation: E1168 – 95(Reapproved 2008)

# Standard Guide for Radiological Protection Training for Nuclear Facility Workers<sup>1</sup>

This standard is issued under the fixed designation E1168; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

## 1. Scope

1.1 This guide covers general recommendations with respect to standard work practices, procedures, and measurement methods for the radiological protection portion of health and safety training for radiation workers at nuclear facilities. This guide defines the elements of a training program for radiation workers consistent with the philosophy that occupational radiation exposure be kept as low as is reasonably achievable (ALARA). Regulatory agencies have statutory responsibilities to promulgate regulations applying to the training of workers exposed to radiation hazards. This guide shall not take precedence over any such regulations.

1.2 This guide is intended to help ensure that the employer provides the radiation worker with radiological protection training that the worker needs to work safely in a radiologically controlled area and to maintain radiation exposure ALARA.

1.3 The scope of radiological protection training shall be related to the duties and responsibilities of each radiation worker and shall be commensurate with potential radiological protection problems in the radiologically controlled area.

1.4 This guide is also intended to provide guidance that will enable an evaluation of the effectiveness of the radiological protection training program toward achieving the purpose stated in Section 4.

1.5 This guide does not cover the more detailed training requirements for radiation protection professionals or technicians.

1.6 This guide provides reference to the type of radiological protecting training records that should be created, and recommends retention periods for radiological protection training records.

1.7 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appro-*

*priate safety and health practices and determine the applicability of regulatory limitations prior to use.*

## 2. Referenced Documents

2.1 *NCRP Document:*

**NCRP Report No. 134 Operational Radiation Safety Training, October 2000<sup>2</sup>**

2.2 *ANSI Standard:*

**ANSI/ANS 3.1 American National Standard for Selection, Qualification, and Training of Personnel for Nuclear Power Plants<sup>3</sup>**

2.3 *ANI/MAELU Documents:*

**Information Bulletin 80-1A, Nuclear Liability Insurance Records Retention<sup>4</sup>**

**Training and Qualification Criteria for Nuclear Liability Insurance (Section 2.2.1 of “General Employee Training”)<sup>4</sup>**

2.3 *DOE Document:*

**DOE Handbook 1078-04 Training Program Handbook: A Systematic Approach to Training<sup>5</sup>**

## 3. Terminology

3.1 *Definitions of Terms Specific to This Standard:*

3.1.1 *nuclear facility, n*—facility whose operations involve or involved radiation or radioactive materials in such form and quantity that a radiological hazard potentially exists to the employees or the general public. Included are facilities used to produce, process, or store radioactive materials. Some examples are as follows (also see **Note 1**):

3.1.1.1 Fuel reprocessing plant,

3.1.1.2 Fusion research facility,

3.1.1.3 Nuclear reactor (power, test, or research),

3.1.1.4 Particle accelerator,

3.1.1.5 Radioactive waste disposal site,

3.1.1.6 Radiochemical laboratory,

<sup>2</sup> Available online at <https://www.ncrppublications.org>.

<sup>3</sup> Available from American National Standards Institute, 11 W. 42nd St., 13th Floor, New York, NY 10036.

<sup>4</sup> Available from American Nuclear Insurers, 29 South Main, (Suite 300S), West Hartford, CT 06107-2445.

<sup>5</sup> Available from Department of Energy, National Technical Information Services, U.S. Dept. of Commerce, 5285 Port Royal Rd., Springfield, VA 22161.

<sup>1</sup> This guide is under the jurisdiction of ASTM Committee E10 on Nuclear Technology and Applications and is the direct responsibility of Subcommittee E10.03 on Radiological Protection for Decontamination and Decommissioning of Nuclear Facilities and Components.

Current edition approved Feb. 15, 2008. Published March 2008. Last previous edition approved in 2001 as E1168-95(2001). DOI: 10.1520/E1168-95R08.

3.1.1.7 UF<sub>6</sub> production plant, and

3.1.1.8 Uranium or thorium mill.

NOTE 1—This guide is intended to apply to nuclear facilities licensed by the U.S. Nuclear Regulatory Commission and the individual agreement states, to nuclear facilities operated by the U.S. Department of Energy, and to those nuclear facilities that are under the control of the U.S. Department of Defense.

3.1.2 *radiation worker, n*—any person who enters a radiologically controlled area to perform work. Radiation workers are sometimes referred to as occupationally exposed workers.

3.1.3 *radiologically controlled area, n*— area where access is controlled for purposes of radiological protection.

#### 4. Significance and Use

4.1 The purpose of this guide is to define the elements of a radiological protection training program that will enable a radiation worker, upon completion of training, to achieve the following:

4.1.1 Understand the relative health and safety risks associated with the types and levels of radiation that may be encountered during the work assignment in radiologically controlled areas,

4.1.2 Complete the forms and records necessary to be permitted to function as a radiation worker,

4.1.3 Practice the necessary monitoring and contamination control techniques to minimize exposure to radiation or radioactive materials, or both, and

4.1.4 Practice work habits that will minimize the impact of radiation or radioactive materials, or both, upon the workplace and surrounding environments.

4.2 The standardization of radiation worker radiological protection training provides the individual radiation worker with a greater assurance that the training received is adequate to minimize radiation exposure, to enable the worker to work safely in a radiologically controlled area, and to meet applicable regulations.

4.3 The standardization of radiation worker radiological protection training prevents unnecessary retraining of radiation workers.

4.4 This guide should be used as the basis for establishing a radiological protection training program for radiation workers at nuclear facilities.

#### 5. Training Administration

5.1 *Training Program Objectives*—The objectives of the radiological protection training program shall be to accomplish the following:

5.1.1 Provide guidance and training to enable each radiation worker to ensure ALARA.

5.1.2 Ensure that radiation workers are instructed in and physically can demonstrate the proper use of commonly used radiological protection instrumentation, personal protective equipment, respirators, and personal exposure monitoring devices necessary to that individual's work assignment.

5.1.3 Train every radiation worker to enable compliance with appropriate safety and health postings and procedures and the proper reaction to warnings, alarms, and emergency situations.

5.1.4 Inform every radiation worker about the immediate and the long-term health risks associated with the acceptance of radiation exposure, and about the basis for health risk estimates.

5.1.5 Provide the information needed to enable each radiation worker to comply with applicable regulations.

5.1.6 Ensure that the program can be reviewed and revised as needed to meet changing conditions, and that the instruction is sufficiently understood to permit its practical application.

5.1.7 Ensure that radiation workers receive adequate radiological protection training for each job to which they are assigned.

5.1.8 Ensure that training is not repeated needlessly on site or at other facilities where the trained radiation worker may be employed.

5.1.9 Conduct training in such a way that the radiation worker knows the specific objectives of the training and can determine whether or not the training has been completed satisfactorily.

##### 5.2 Training Program Content:

5.2.1 The content of the radiological protection training program shall be commensurate with potential radiological protection problems in the radiologically controlled area. The content of the program also shall reflect the type of nuclear facility (see 3.1) for which the training is being provided. The inclusion of topics in Section 6 and the emphasis of each topic within the training program shall be based on the needs of each individual or group requiring training. Hands-on or practical training shall be included in addition to classroom training where appropriate.

5.2.2 Credit may be given for prior applicable training received off site. Documentation of that training shall be in accordance with 5.6. It is appropriate to determine the applicability of an individual's prior training and experience, with respect to the present job requirements, by means of a test. If the prior applicable training was received before the period specified for requalification (see 5.5), then refresher training as described in 5.5 shall be given prior to the administration of the test. This refresher training may be combined with site-specific training.

5.2.3 Site-specific training shall be provided. Site-specific training shall include those topics in Section 6, the details of which may vary from one nuclear facility to another. Some examples are identification of and response to various alarms, evacuation routes, administrative limits and procedures, and radiological hazards unique to the facility.

##### 5.3 Scheduling:

5.3.1 The radiological protection training program shall be scheduled so that each individual is trained in radiological protection to the degree necessary to perform his/her tasks safely before entering a radiologically controlled area.

5.3.2 For special cases in which an individual must enter a radiologically controlled area before completion of his training, the individual shall be escorted by a fully trained and qualified person. Such entries may be necessary for on-the-job training, for example. A brief radiological protection orientation should be provided to escorted individuals prior to entry into a radiologically controlled area.

#### 5.4 Testing:

5.4.1 A radiation worker's knowledge of, competency in, and understanding of the basic principles and methods of radiological protection shall be evaluated through a written or computer-based objective test. Oral tests shall not be substituted for written or computer-based tests unless the impracticality of administering a written test is established and documented on an individual basis. The worker shall be retrained and retested on any subject of which he has insufficient knowledge. The testing shall be designed to establish whether or not the worker has the knowledge, understanding, and skill to work safely.

5.4.2 All radiation workers whose radiological protection depends on their effective use of equipment, facilities, or specialized procedures shall be observed by a qualified trainer while using such equipment or facilities or performing such procedures, and shall be individually graded on a pass-fail basis, that is, the worker performs the task satisfactorily or is given additional training until satisfactory performance is achieved or until the worker is found unsuitable for the job.

5.4.3 All written, computer-based, oral, and practical tests shall have carefully developed bases in order to ensure that appropriate areas of knowledge and skill are covered. Tests should cover information presented to the radiation worker and shall emphasize knowledge and practices directly related to day-to-day radiological protection.

#### 5.5 Requalification:

5.5.1 The training program shall include periodic refresher training as required by the appropriate regulatory authority, or at least every two years, for any work description. High-risk work, for example, glove box operation, high-radiation entry, or radiography sources shall require at least annual requalification (see [Note 2](#)).

5.5.2 Requalification testing shall be carried out in conjunction with refresher training.

5.5.3 Those radiation workers requiring new or refreshed knowledge because of reassignment shall be given appropriate training and testing.

5.5.4 Supervisors and radiological protection personnel should be alert to radiation worker performance that indicates the need for further instruction, and shall design or revise training programs to meet those needs.

NOTE 2—Refresher training is generally less detailed than initial training, because refresher training usually highlights and reviews the material that was covered in initial training.

5.6 *Records*—Adequate training records help to avoid unnecessary repetition of an individual's training and may be used to determine the adequacy of an individual's training before each new work assignment. Training records shall be required for initial training and refresher training. These records, which are used to document compliance with training requirements for health and safety, shall be maintained by the organization providing the training or by the organization to which the radiation worker belongs. Records referenced throughout this guide could be beneficial in future defense litigation. Legal counsel of the training organization should be consulted for determination of retention requirements and retention periods.

5.6.1 An individual's training records shall include the following information:

5.6.1.1 The radiation worker's name and a unique identification code (such as a social security number or passport number),

5.6.1.2 Inclusive dates and instructor's name for each segment of training or for each different training program,

5.6.1.3 The type of nuclear facility (see [3.1](#)) for which the training program was developed,

5.6.1.4 A specific description of all training completed satisfactorily, such as references to pertinent lesson plans, course outlines, syllabuses, and other subject-specific descriptive information. Specific reference usually is made to such materials by date, edition, or issue,

5.6.1.5 A performance rating for each segment of training or each different training program satisfactorily completed by the radiation worker. This rating normally consists of a numerical or letter grade or a written evaluation,

5.6.1.6 Checklists that document the radiation worker's performance on an on-the-job training segment, where applicable, and

5.6.1.7 The name and location of the training facility.

5.6.2 On completion of training, each radiation worker shall receive a certificate of satisfactory completion, signed by the training department manager (or equivalent), that shall include the training dates and locations, the type of nuclear facility for which the training program content was developed, the name and location of the facility at which the training records are maintained, and a statement that the training is in accordance with this guide. This certificate allows the worker's previous training to be taken into account when determining training needs at another site.

5.6.3 In order for there to be an adequate basis for periodic evaluation of the training program, the following training program records shall be required:

5.6.3.1 Training materials such as outlines, syllabuses, brochures, videotapes, texts, tests (including test questions and oral and on-the-job checklists), or specific descriptions of these items to serve as a basis for determining the depth and scope of training given in each subject area. Specific reference usually is made to such materials by date, edition, or issue, and

5.6.3.2 The name and qualifications of each instructor and examiner involved in each training segment or each training program.

5.7 *Program Evaluations*—The training program shall be evaluated periodically by an assessor independent of the training program. The extent of such evaluations should determine the following:

5.7.1 Program objectives are being achieved,

5.7.2 Each radiation worker is receiving training related to his/her work,

5.7.3 Initial training and refresher training are timely,

5.7.4 Adequate training records are being created and maintained to ensure accessibility, completeness, and usefulness,

5.7.5 The program is supported by management with adequate facilities, number and quality of instructors, and training aids,