

SLOVENSKI STANDARD

DSIST EN 301 681:2001

01-1]^2001

GUH Y]hg_YnYa Y'g_YdcgHUY]b'g]ghY a]'fG9 GŁ!< Ufa cb]n]fUb]9 B'nUa cV]bY
nYa Y'g_YdcgHUY]fA 9 GŁzj_`1 bc'nfc bja]'nYa Y'g_a]'dcgHUYa]'nUG!D7 Bż_]
XYi Y'c_j ZY_j Yb b]dUgcj]' %a #/z'; <nž_]dcXd]fUH] [cj cfbY]b#U]dcXUh_cj bY
ca i b]UWYdf]a cV]b] gUhY]hg] ghcf]hj U

Satellite Earth Stations and Systems (SES); Harmonized EN for Mobile Earth Stations (MESs) of Geostationary mobile satellite systems, including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) in the 1,5/1,6 GHz bands under the Mobile Satellite Service (MSS) covering essential requirements under Article 3.2 of the R&TTE Directive

Ta slovenski standard je istoveten z: EN 301 681 Version 1.2.1

ICS:


33.070.40 Satelit Satellite

DSIST EN 301 681:2001 en

Draft ETSI EN 301 681 V1.2.1 (2000-08)

Candidate Harmonized European Standard (Telecommunications series)

**Satellite Earth Stations and Systems (SES);
Harmonized EN for Mobile Earth Stations (MESs) of
Geostationary mobile satellite systems, including handheld
earth stations, for Satellite Personal Communications
Networks (S-PCN) in the 1,5/1,6 GHz bands under the Mobile
Satellite Service (MSS) covering essential requirements
under Article 3.2 of the R&TTE Directive**



Reference

DEN/SES-00035

KeywordsS-PCN, mobile, satellite, service, MSS, earth
station, MES, multimode, radio***ETSI***

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:
editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	7
1 Scope	9
2 References	9
3 Definitions and abbreviations.....	10
3.1 Definitions	10
3.2 Abbreviations	11
4 Technical requirement specifications.....	12
4.1 Environment profile	12
4.1.1 General.....	12
4.1.2 Temperature.....	12
4.1.3 Voltage.....	12
4.1.4 Vibration.....	12
4.2 Conformance requirements	13
4.2.1 Unwanted emissions outside the band 1 626,5 MHz to 1 660,5 MHz (carrier-on state)	13
4.2.1.1 Justification	13
4.2.1.2 Technical requirements	13
4.2.1.3 Conformance test	14
4.2.2 Unwanted emissions within the bands 1 626,5 MHz to 1 660,5 MHz, 1 624,5 MHz to 1 626,5 MHz and 1 660,5 MHz to 1 662,5 MHz (carrier-on state).....	14
4.2.2.1 Justification	14
4.2.2.2 Technical requirements	14
4.2.2.3 Conformance test	15
4.2.3 Unwanted emissions in carrier-off state.....	15
4.2.3.1 Justification	15
4.2.3.2 Technical requirements	16
4.2.3.3 Conformance test	16
4.2.4 MES Control and Monitoring Functions (CMF)	16
4.2.4.1 Self-monitoring functions / Processor monitoring	16
4.2.4.1.1 Justification	16
4.2.4.1.2 Technical requirements.....	16
4.2.4.1.3 Conformance test.....	16
4.2.4.2 Self-monitoring functions/Transmit frequency generation sub-system monitoring.....	17
4.2.4.2.1 Justification	17
4.2.4.2.2 Technical requirements.....	17
4.2.4.2.3 Conformance test.....	17
4.2.4.3 Network control authorization	17
4.2.4.3.1 Justification	17
4.2.4.3.2 Technical requirements.....	17
4.2.4.3.3 Conformance test.....	17
4.2.4.4 Network control reception.....	17
4.2.4.4.1 Transmission disable/enable.....	17
4.2.4.4.1.1 Justification	17
4.2.4.4.1.2 Technical requirements.....	18
4.2.4.4.1.3 Conformance test	18
4.2.4.4.2 Transmit frequency control	18
4.2.4.4.2.1 Purpose	18
4.2.4.4.2.2 Technical requirements.....	18
4.2.4.4.2.3 Conformance test	18
4.2.4.5 Fellow radio stations in a dual-mode or multimode terminal.....	18
4.2.4.5.1 Justification	18
4.2.4.5.2 Technical requirements.....	18

4.2.4.5.3	Conformance test.....	18
4.2.5	Equipment identity.....	19
4.2.5.1	Justification	19
4.2.5.2	Technical requirements.....	19
4.2.5.3	Conformance test	19
4.2.6	Protection of the radio astronomy service operation in the band 1 660 MHz to 1 660,5 MHz.....	19
4.2.6.1	Purpose.....	19
4.2.6.2	Technical requirements	19
4.2.6.3	Conformance test	19
5	Testing for compliance with technical requirements.....	19
5.1	Environmental conditions for testing	19
5.1.1	Specification of the environmental test conditions	19
5.1.2	Tests under extreme voltage conditions	20
5.2	Essential radio test suites.....	20
5.2.1	General.....	20
5.2.1.1	Description of equipment	20
5.2.1.2	Testing of host-connected equipment and plug-in modules	21
5.2.1.2.1	Alternative approaches	21
5.2.1.2.2	Alternative A: combined equipment.....	21
5.2.1.2.3	Alternative B: use of a test jig	21
5.2.1.3	CMF/Special Test Equipment (STE)	21
5.2.1.4	General test requirements.....	22
5.2.1.4.1	MES test modes.....	22
5.2.1.4.2	Special Test Equipment (STE)	22
5.2.1.4.2.1	Use of STE for control and monitoring functions tests.....	22
5.2.1.4.2.2	Test modulating signal.....	23
5.2.1.4.3	Laboratory Test Equipment (LTE)	23
5.2.1.4.4	Methods of test for MES RF emissions according to the equipment type.....	24
5.2.1.4.5	Procedures for measurement of radiated emissions.....	24
5.2.1.4.5.1	General.....	24
5.2.1.4.5.2	Test site	24
5.2.1.4.5.3	Test set up for radiated emissions of the MES	24
5.2.1.4.5.4	Reference position of the MES	25
5.2.1.4.5.5	Measurement procedure for radiated emissions (peak).....	25
5.2.1.4.5.5.1	Measurement procedure for peak radiated emissions of the MES	25
5.2.1.4.5.5.2	Measurement procedure for peak radiated emissions of the cabinet	27
5.2.1.4.5.6	Measurement procedure for radiated emissions (average).....	27
5.2.1.4.5.6.1	Measurement procedure for average radiated emissions of the MES.....	27
5.2.1.4.5.6.2	Measurement procedure for average radiated emissions of the cabinet	28
5.2.1.4.6	Procedures for measurement of conducted emissions	29
5.2.1.4.6.1	General.....	29
5.2.1.4.6.2	Test site	29
5.2.1.4.6.3	Test set-up.....	29
5.2.1.4.6.4	Measurement procedure for conducted emissions (peak)	29
5.2.1.4.6.5	Measurement procedure for conducted emissions (average)	30
5.2.1.4.7	Interpretation of the measurement results.....	30
5.2.1.4.8	Test report.....	30
5.2.2	Unwanted emissions outside the band 1 626,5 MHz to 1 660,5 MHz (carrier-on state)	30
5.2.2.1	Method of test	30
5.2.2.2	Peak measurement	31
5.2.2.3	Average measurement	31
5.2.2.4	Test requirements	32
5.2.3	Unwanted emissions within the band 1 626,5 MHz to 1 660,5 MHz and the band 1 624,5 MHz to 1 626,5 MHz and 1660,5 MHz to 1662,5 MHz (carrier-on state).....	32
5.2.3.1	Method of test	32
5.2.3.2	Measurement method	32
5.2.3.3	Test requirements	33
5.2.4	Unwanted emissions in carrier-off state.....	33
5.2.4.1	Method of test	33
5.2.4.2	Measurement method	33
5.2.4.3	Test requirements	34

5.2.5	MES Control and Monitoring Functions (CMF)	34
5.2.5.1	Self-monitoring functions/Processor monitoring	34
5.2.5.2	Self-monitoring functions/Transmit frequency generation sub-system monitoring	34
5.2.5.3	Network control authorization	34
5.2.5.3.1	Method of test.....	34
5.2.5.3.2	Test procedure	34
5.2.5.3.3	Test requirement.....	35
5.2.5.4	Network control reception.....	35
5.2.5.4.1	Transmission disable/enable.....	35
5.2.5.4.1.1	Method of test	35
5.2.5.4.1.2	Test procedure.....	35
5.2.5.4.1.3	Test requirement	36
5.2.5.4.2	Transmit frequency control	36
5.2.5.4.2.1	Method of test	36
5.2.5.4.2.2	Test procedure.....	36
5.2.5.4.2.3	Test requirement	36
5.2.5.5	Fellow radio stations in a dual-mode or multimode terminal.....	37
5.2.5.5.1	Method of test.....	37
5.2.5.5.2	Test procedure	37
5.2.5.5.3	Test requirements	37
5.2.6	Equipment identity.....	37
5.2.6.1	Method of test	37
5.2.6.2	Test procedure.....	37
5.2.6.3	Test requirements	37
Annex A (normative):	The EN Requirements Table (EN-RT)	38
Annex B (informative):	Explanation of nominated bandwidth.....	40
B.1	Introduction	40
B.2	Interpretation of Parameters $[B_n, f_c, a, b]$	40
B.3	Choice of nominated bandwidth.....	40
B.4	Maximum value for nominated bandwidth	42
Bibliography	44
History	45

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES), and is now submitted for the ETSI standards One-step Approval Procedure.

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive") [1].

Technical specifications relevant to Directive 1999/5/EC [1] are given in annex A.

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa