



SLOVENSKI STANDARD SIST EN ISO 15175:2019

01-marec-2019

Nadomešča:

SIST EN ISO 15175:2011

SIST ISO 15175:2006

Kakovost tal - Karakterizacija onesnaženih tal v zvezi z varovanjem podzemne vode (ISO 15175:2018)

Soil quality - Characterization of contaminated soil related to groundwater protection (ISO 15175:2018)

iTeh STANDARD PREVIEW

Bodenbeschaffenheit - Ermittlung von Kennwerten des Bodens hinsichtlich des Wirkungspfad Boden (ISO 15175:2018)

[SIST EN ISO 15175:2019](https://standards.itih.ai/catalog/standards/sist/c862337c-3841-404f-862f-7541f2164933/sist-en-iso-15175-2019)

Qualité du sol - Caractérisation des sols contaminés en relation avec la nappe phréatique (ISO 15175:2018)

Ta slovenski standard je istoveten z: EN ISO 15175:2018

ICS:

13.080.40	Hidrološke lastnosti tal	Hydrological properties of soils
-----------	--------------------------	----------------------------------

SIST EN ISO 15175:2019

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 15175:2019

<https://standards.iteh.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019>

EUROPEAN STANDARD

EN ISO 15175

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

ICS 13.080.40

Supersedes EN ISO 15175:2011

English Version

Soil quality - Characterization of contaminated soil related to groundwater protection (ISO 15175:2018)

Qualité du sol - Caractérisation des sols pollués en relation avec la protection des eaux souterraines (ISO 15175:2018)

Bodenbeschaffenheit - Ermittlung von Kennwerten des Bodens hinsichtlich des Wirkungspfads Boden (ISO 15175:2018)

This European Standard was approved by CEN on 3 December 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15175:2019](https://standards.iteh.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019)
<https://standards.iteh.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019>

European foreword

This document (EN ISO 15175:2018) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 345 "Characterization of soils" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 15175:2011.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 15175:2018 has been approved by CEN as EN ISO 15175:2018 without any modification.

<https://standards.iteh.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 15175:2019

<https://standards.iteh.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019>

INTERNATIONAL
STANDARD

ISO
15175

Second edition
2018-12

**Soil quality — Characterization
of contaminated soil related to
groundwater protection**

*Qualité du sol — Caractérisation des sols pollués en relation avec la
protection des eaux souterraines*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15175:2019](https://standards.iteh.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019)

<https://standards.iteh.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019>



Reference number
ISO 15175:2018(E)

© ISO 2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 15175:2019

<https://standards.iteh.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General	3
5 Assessment of direct and indirect inputs to groundwater	5
5.1 General.....	5
5.2 Relevant soil processes.....	6
5.3 Impact assessment procedures.....	7
5.4 Sensitivity and uncertainty analysis, data handling and quality.....	9
6 Tier 1 — Simple assessment	11
6.1 General.....	11
6.2 Site and soil description.....	11
6.3 Simple assessment of the potential leaching risk.....	12
7 Tier 2 — Intermediate assessment	13
7.1 General.....	13
7.2 Sampling.....	13
7.3 Characterization of soil, water and soil gas.....	13
7.3.1 General.....	13
7.3.2 Physical parameters.....	14
7.3.3 Chemical parameters.....	14
7.4 Impact assessment.....	16
7.4.1 General.....	16
7.4.2 Substance concentration in soil water.....	16
7.4.3 Amount of transferable substances.....	17
7.4.4 Degradation of organic contaminants.....	18
8 Tier 3 — Complex assessment	18
8.1 General.....	18
8.2 Biological parameters.....	18
8.3 Isotopic parameters.....	18
8.4 Geophysical parameters.....	19
Annex A (informative) Relevant parameters suggested for the physical, chemical and biological characterization of soil, water and soil gas	20
Annex B (informative) Examples of complex methods for assessing the leaching risk	27
Bibliography	36

ISO 15175:2018(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 7, *Impact assessment*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This second edition cancels and replaces the first edition (ISO 15175:2004), which has been technically revised.

The main change concerns the focus on contaminated land management. This second edition suggests a tiered approach from simple to complex assessment in order to evaluate the impact of soil contamination of groundwater.

Soil quality — Characterization of contaminated soil related to groundwater protection

1 Scope

This document provides guidance on the principles behind, and main methods for, the evaluation of sites, soils and soil materials in relation to their role as a source of contamination of groundwater and their function in retaining, releasing and transforming contaminants. It is focused on contaminated land management identifying and listing relevant monitoring strategies, methods for sampling, soil processes and analytical methods.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <http://www.electropedia.org/>

3.1

aquifer

geological water-bearing formation (bed or stratum) of permeable rock, or unconsolidated material (e.g. sand and gravels) capable of yielding significant quantities of water

[SOURCE: ISO 5667-11:2009, 3.5]

3.2

contaminant

substance or agent present in the *soil* (3.10) as a result of human activity

Note 1 to entry: See *pollutant* (3.7).

Note 2 to entry: There is no assumption in this definition that harm results from the presence of the contaminant.

[SOURCE: ISO 11074:2015, 3.4.6, modified — a new Note 1 to entry has been added and the subsequent note has been renumbered.]

3.3

dissolved organic carbon

DOC

concentration of organic carbon remaining in solution after filtration and/or centrifugation under defined conditions

Note 1 to entry: Dissolved organic carbon is expressed in mg/l, g/m³.

ISO 15175:2018(E)**3.4****groundwater**

water in the saturated zone of an underground geological formation or artificial deposit such as made ground, e.g. fill material

[SOURCE: ISO 5667-11:2009, 3.9, modified — “and/or unsaturated zone” has been removed.]

3.5**water table**

upper boundary surface of the *groundwater* (3.4)

[SOURCE: ISO 11074:2015, 3.2.4]

3.6**percolating water**

infiltrating water that moves downward in the pore space due to gravity

[SOURCE: ISO 11074:2015, 3.2.5]

3.7**pollutant**

substance or agent present in the *soil* (3.10) [or *groundwater* (3.4)] which, due to its properties, amount or concentration causes adverse impacts on *soil functions* (3.11) or soil use

[SOURCE: ISO 11074:2015, 3.4.18, modified — “or soil use” has been added.]

3.8**pore water**

water in the pores or cavities within a body of rock or *soil* (3.10)

[SOURCE: ISO 5667-11:2009, 3.18, modified — “water that fills the pores” has been replaced by “water in the pores”.]

<https://standards.itech.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019>

3.9**risk assessment**

process of risk analysis and evaluation of the damaging effects on humans and the environment, with respect to the nature, extent, and probability of occurrence of these effects

[SOURCE: ISO 11074:2015, 5.2.26, modified — “effects on man” has been replaced by “effects on humans”.]

3.10**soil**

upper layer of the Earth's crust composed of mineral particles, organic matter, water, air and organisms

Note 1 to entry: In a broader civil engineering sense, soil includes topsoil and sub-soil; deposits such as clays, silts, sands, gravels, cobbles, boulders, and organic matter and deposits such as peat, materials of human origin such as wastes, ground gas and moisture, and living organisms.

[SOURCE: ISO 11074:2015, 2.1.11, modified — “transformed by weathering and physical/chemical and biological processes” has been removed.]

3.11**soil function**

description of the significance of *soils* (3.10) to man and the environment

EXAMPLE Control of substance and energy cycles as compartment of ecosystems, basis for the life of plants, animals, and man, basis for the stability of buildings and roads, basis for the yield of agriculture, horticulture, and forestry, carrier of genetic reservoir, document of natural history, archaeological and paleoecological document.

[SOURCE: ISO 11074:2015, 3.3.31]

3.12**soil gas**

gas and vapour in the pore spaces of *soils* (3.10)

[SOURCE: ISO 11074:2015, 2.1.13]

3.13**soil material**

excavated soil, dredged materials and *soil* (3.10) treated to remove or destroy or reduce the environmental availability of *contaminants* (3.2)

[SOURCE: ISO 11074:2015, 7.4.16, modified — “materials composed of” removed.]

3.14**soil pores**

part of the soil volume, between the solid particles of the *soil* (3.10)

[SOURCE: ISO 11074:2015, 2.1.14]

3.15**soil water**

all water of the *unsaturated zone* (3.17)

[SOURCE: ISO 11074:2015, 3.2.7, modified — “and saturated” has been removed.]

3.16**total organic carbon
TOC**

all carbon present in organic matter

[SOURCE: ISO 11074:2015, 2.1.22]

3.17**unsaturated zone**

part of an *aquifer* (3.1) in which the pore spaces of the formation are not totally filled with water

[SOURCE: ISO 6107-2:2006, 150]

4 General

Soils are of central importance within the water cycle because their storage and filter functions have a lasting influence on the water balance and groundwater quality. In this context, particular attention shall be paid to the following functions:

- mechanical filter functions (retention of suspended sludge and contaminant particles);
- chemical filter functions (sorption and mobilization of substances);
- transformation functions (degradation or transformation of substances).

NOTE The liquid phase most commonly consists of solely of water but non-aqueous liquids can sometimes also be present as a separate phase.


Soil is understood as a porous medium consisting of three phases: the solid phase, the liquid phase and the gaseous phase. The ratio of these phases and their respective compositions vary widely in time and space.

The assessment of contamination affecting groundwater quality requires a profound understanding of the governing processes and reactions of potentially toxic compounds in soils. Contaminants are translocated in all three phases of soils as a function of the properties of the chemicals and the soil. Hence, strategies for assessing risks to groundwater due to soil contamination should vary with the contaminants considered, and should take into account those soil properties which mainly govern the soil's filter, retention, release and transformation functions.

ISO 15175:2018(E)

Vaporous contaminants, essentially volatile organic compounds (VOCs) are likely to migrate in the unsaturated zone in gaseous form. Knowledge of the soil gas quality in the unsaturated zone allows detection of contamination before it reaches the saturated zone as well as in the saturated zone.

In addition to considering the properties of the chemicals and the soil governing the behaviour of contaminants in soils, different ways for contaminants to enter soils should also be evaluated when designing suitable risk assessment strategies, with respect to contamination of groundwater. Soil and groundwater contamination can be caused by different sources on different spatial scales, as indicated in [Figure 1](#).



Key

- 1 solid waste tip of landfill
- 2 industrially-polluted "losing" river
- 3 industrial site drainage
- 4 leaking storage tanks
- 5 *in-situ* sanitation
- 6 farmyard drainage
- 7 leaking sewers
- 8 wastewater lagoons
- 9 agricultural intensification

iTech STANDARD PREVIEW
(standards.itech.ai)
SIST EN ISO 15175:2019
<https://standards.itech.ai/catalog/standards/sist/c862337c-3841-404f-8625-7541f2164933/sist-en-iso-15175-2019>

Figure 1 — Common sources of groundwater contamination (focus on contaminated land management)[1]

On regional and larger scales, soil contamination is caused, for example, by wet and dry atmospheric deposition. The contamination observed in these cases is generally diffuse and with fairly moderate levels of contamination. On a local scale, a variety of point sources can cause all kinds and magnitudes of soil and groundwater contamination. In the case of immiscible contaminants (for example hydrocarbons), most of the contamination forms a separate liquid phase from water. A fraction is soluble and capable of migrating to groundwater. In the unsaturated zone, another fraction could be in the vapour phase. Depending on the relative density in water, the behaviour of the contaminant is very different. Light non aqueous phase liquids (LNAPL) have a lower density and dense non aqueous phase liquids (DNAPL) have a higher density than that of water. Most point sources of contamination can also be regarded as off-site diffuse sources of groundwater contamination. It is evident that different contamination scenarios as a function of contamination sources and scale demand different investigation strategies with respect to groundwater impact. Furthermore, groundwater impact assessment depends on the aquifer system: unconfined or confined and the type of porosity: porous media, fractured media or karst environment. At present there are no uniform principles for the investigation and evaluation of contaminated soils and contaminated sites in relation to the protection of water resources.

Investigation strategies may be simple to complex. Simple or qualitative approaches mostly refer to assessment of, for example, the potential leaching risk of chemicals through the soil towards groundwater. In contrast to complex or quantitative approaches, the level of actual soil contamination

is not taken into account. Approaches of this type can also be used, for example, to classify larger areas with respect to their capability of protecting groundwater resources against contamination, or as an introductory step in an assessment of an actual contaminated site.

To assess the on-site impact on groundwater resulting from specific soil contamination, quantitative approaches based on site-specific investigation procedures including laboratory and/or field measurements have to be used. Laboratory measurements can include physical, chemical and biological analysis, and leaching tests. Assessments of this kind should also take into account natural background concentrations of a substance and other natural conditions affecting the impact on the groundwater. Assessments of impact on groundwater often include a temporal aspect, since the actual impact might not be measurable at the time of the investigation, but could happen sometime in the future.

Assessments also depend on the purposes of investigations, for example:

- conservation of soil functions in order to prevent groundwater contamination;
- soil and groundwater monitoring;
- risk assessment;
- controlling remediation measures.

A listing of suitable methods is provided in the main part of this document (see [Clause 5](#)).

Since the impact on groundwater can lead to impact on surface waters, this aspect can in some cases be relevant in an overall impact assessment. This issue is not addressed explicitly in this document.

iTeh STANDARD PREVIEW
(under development)

5 Assessment of direct and indirect inputs to groundwater

5.1 General

SIST EN ISO 15175:2019

<https://standards.iteh.ai/catalog/standards/sist/c862337c-3841-404f-8625-54121049333c-iso-15175-2019>

A prerequisite for the evaluation of the soil-to-groundwater pathway is the determination of the relevant physical, chemical and biological characteristics of soils and the hydrological characteristics of the site. It is therefore necessary to collect data for the assessment of the contamination source with respect to the type and degree of contamination and extent of source(s).

It is also necessary to describe the soil that is impacted by the contamination source, and the factors affecting the impact on the groundwater, e.g. the geometry, hydraulic conditions and natural chemical and biologic processes. Indeed, many processes occurring in the soil (physical, chemical and biological processes) may influence the groundwater impact.

The processes involved are illustrated schematically in [Figure 2](#) and a description of the relevant parameters is given in [Table 1](#).