

SLOVENSKI STANDARD SIST EN 62864-1:2017

01-april-2017

Železniške naprave - Vozna sredstva - Napajanje s sistemom za shranjevanje energije na vozilu - 1. del: Serija hibridnega sistema

Railway applications - Rolling stock - Power supply with onboard energy storage system - Part 1: Series hybrid system

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten 2. SIST EN 62864-1:2016 https://standards.itell.arcatalog/standards/sist/sec415-de-1-da-410e-b5e3-

fb24a6a99830/sist-en-62864-1-2017

ICS:

45.060.01 Železniška vozila na splošno Railway rolling stock in general

SIST EN 62864-1:2017 en

SIST EN 62864-1:2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62864-1:2017</u> https://standards.iteh.ai/catalog/standards/sist/38c4f3d6-1da3-410e-b5e3-fb24a6a99830/sist-en-62864-1-2017 EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 62864-1

November 2016

ICS 45.060

English Version

Railway applications - Rolling stock - Power supply with onboard energy storage system - Part 1: Series hybrid system (IEC 62864-1:2016)

Applications ferroviaires - Matériel roulant - Alimentation équipée d'un système embarqué de stockage de l'énergie -Partie 1: Système hybride série (IEC 62864-1:2016) Bahnanwendungen - Schienenfahrzeuge -Stromversorgung durch Energiespeichersysteme auf Schienenfahrzeugen - Teil 1: Serienhybridsystem (IEC 62864-1:2016)

This European Standard was approved by CENELEC on 2016-07-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

SIST EN 62864-1:2017

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslay Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 62864-1:2016

European foreword

The text of document 9/2154/FDIS, future edition 1 of IEC 62864-1, prepared by IEC/TC 9 "Electrical equipment and systems for railways" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62864-1:2016.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2017-05-04
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2019-11-04

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62864-1:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60076-10	NOTE	Harmonized as EN 60076-10.
IEC 60077-1	NOTE	Harmonized as EN 60077-1.
IEC 60216-5 https://sta	arNQTE iteh.ai/c	aHarmonized as EN 60216651 da3-410e-b5e3-
IEC 60254-1:2005	NOTE fb24a	Harmonized as EN 60254-1:2005 (not modified).
IEC 60254-2:2008	NOTE	Harmonized as EN 60254-2:2008 (not modified).
IEC 60310	NOTE	Harmonized as EN 60310.
IEC 60721-3-5	NOTE	Harmonized as EN 60721-3-5.
IEC 62619	NOTE	Harmonized as EN 62619 1).
IEC 62620	NOTE	Harmonized as EN 62620.
IEC 62928	NOTE	Harmonized as EN 62928 1).

-

¹⁾ At draft stage.

EN 62864-1:2016

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-811	-	International Electrotechnical Vocabulary (IEV) - Chapter 811: Electric traction	-	-
IEC 60349-2	-	Electric traction - Rotating electrical machines for rail and road vehicles - Part 2: Electronic converter-fed alternating current motors	EN 60349-2	-
IEC 60349-4	- iT	I COLLAID A DE DESERVI	EN 60349-4	-
IEC 60529	https://sta	D ((() 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4EN 60529	-
IEC 61133	2016	Railway applications - Rolling stock - Testing of rolling stock on completion of construction and before entry into service	-	-
IEC 61287-1	-	Railway applications - Power converters installed on board rolling stock - Part 1: Characteristics and test methods	EN 61287-1	-
IEC 61373	-	Railway applications - Rolling stock equipment - Shock and vibration tests	EN 61373	-
IEC 61377	2016	Railway applications - Rolling stock - Combined test method for traction system	EN 61377 s	2016
IEC 61881-3	-	Railway applications - Rolling stock equipment - Capacitors for power electronics - Part 3: Electric double-layer capacitors	EN 61881-3	-
IEC 61991	-	Railway applications - Rolling stock - Protective provisions against electrical hazards	-	-
IEC 62262	-	Degrees of protection provided by enclosures for electrical equipment agains external mechanical impacts (IK code)	EN 62262 st	-
IEC 62498-1	2010	Railway applications - Environmental conditions for equipment - Part 1: Equipment on board rolling stock	-	-

SIST EN 62864-1:2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62864-1:2017</u> https://standards.iteh.ai/catalog/standards/sist/38c4f3d6-1da3-410e-b5e3-fb24a6a99830/sist-en-62864-1-2017



IEC 62864-1

Edition 1.0 2016-06

INTERNATIONAL **STANDARD**

NORME INTERNATIONALE

Railway applications - Rolling stock A Power supply with onboard energy storage system -(standards.iteh.ai) Part 1: Series hybrid system

SIST EN 62864-1:2017

Applications ferroviaires - Matériel roulant - Alimentation équipée d'un système embarqué de stockage de l'énérgie 4/sist-en-62864-1-2017 Partie 1: Système hybride série

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION **ELECTROTECHNIQUE INTERNATIONALE**

ICS 45.060 ISBN 978-2-8322-3453-2

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

Ε(JREWO	RD	6
IN	TRODU	CTION	8
1	Scop	e	10
2	Norm	native references	11
3	Term	s, definitions and abbreviations	11
	3.1	Terms and definitions	
	3.2	Abbreviations	
4	Powe	er source configuration of hybrid systems	
	4.1	General	
	4.1.1		
	4.1.2		
	4.1.3		
	4.1.4		
	4.2	Application examples	
	4.2.1	Diesel electric vehicles	
	4.2.2		
	4.2.3		
	4.2.4		
	4.3	·	
	4.3.1	Performance of the series hybrid systems (Improving efficiency Improving	24
	4.3.2		
	4.3.3		27
5	Envir	conmental conditions	
	5.1	General	28
	5.2	Altitude	
	5.3	Temperature	
6	Func	tional and system requirements	
	6.1	Mechanical requirements	
	6.1.1	•	
	6.1.2		
	6.2	Control requirement	
	6.3	Electrical requirement	
	6.3.1	External charge and discharge function	
	6.3.2		
	6.4	Disconnecting requirement	
	6.5	Degraded mode	
	6.6	Safety requirements	
	6.6.1	Protection against electrical hazards	
	6.6.2		
	6.6.3	•	
	6.6.4	3 , 1	
	6.7	Lifetime requirements	
	6.8	Additional requirement for noise emission of hybrid system	
7		s of tests	
	7.1	General	31
		-	

8.1 General 34 8.2 Test conditions 34 8.3 ESS control 34 8.3.1 ESS charge/discharge control function 34 8.3.2 External charge test 34 8.3.3 Disconnection test 34 8.3.4 Degraded mode test 35 8.3.5 SOC/SOE test 35 8.4 Output torque 35 8.4.1 Sweeping speed under full torque test 35 8.4.2 Output torque test with energy storage system only 35 8.5 System sequence test 35 8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption measurement 37 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 38 8.7 Duration of vehicle operation by ESS 39 8.7.1 General 39 8.8.2 Duration measurement of ESS 39 8.8.1 General 39 8.8.2 Low-temperature o		7.2	Type test	
7.5 Test categories		7.3	Optional test	32
7.6 Acceptance criteria. 34 8 Combined tests 34 8.1 General. 34 8.2 Test conditions 34 8.3.1 ESS charge/discharge control function 34 8.3.2 External charge test 34 8.3.3 Disconnection test 34 8.3.4 Degraded mode test 35 8.4.0 Output torque 35 8.4.1 Sweeping speed under full torque test 35 8.4.2 Output torque test with energy storage system only 35 8.5 System sequence test 35 8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption measurement L.W. 37 8.6.3 Determination of fuel consumption measurement L.W. 37 8.7.1 General 36 8.7.2 Duration of vehicle operation by ESS 38 8.7.1 General 39 8.8.2 Low-temperature operation test 39 8.8.9 Short-circuit protection test		7.4	Routine test	32
8 Combined tests		7.5	Test categories	32
8.1 General 34 8.2 Test conditions 34 8.3.1 ESS control 34 8.3.1 ESS control 34 8.3.2 External charge test 34 8.3.3 Disconnection test 35 8.3.5 SOC/SOE test 35 8.4 Output torque 35 8.4.1 Sweeping speed under full torque test 35 8.4.2 Output torque test with energy storage system only 35 8.5 System sequence test 35 8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption measurement 36 8.6.2 Energy efficiency and consumption measurement 37 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 37 8.7 Duration of vehicle operation by ESS 38 8.7.1 General 38 8.7.2 Duration measurement of ESS 39 8.8 Environmental test 39 8.8.1 Gener		7.6	Acceptance criteria	34
8.2 Test conditions	8	Comb	pined tests	34
8.3 ESS control		8.1	General	34
8.3.1 ESS charge/discharge control function 8.3.2 External charge test 3.4 8.3.3 Disconnection test 8.3.4 Degraded mode test 3.5 8.3.5 SOC/SOE test 8.4.1 Output torque 3.5 8.4.1 Sweeping speed under full torque test 8.4.2 Output torque test with energy storage system only 3.5 8.6 Energy efficiency and consumption 3.6 8.6.1 General 8.6.2 Energy efficiency and consumption measurement I.C.W 3.7 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 8.7 Duration of vehicle operation by ESS 8.8 Environmental test 8.8.2 Low-temperature operation test 8.8.1 General 8.8.2 Low-temperature operation test 8.9 Short-circuit protection test 8.0 Service of the consumption measurement 9 Vehicle test 9 Vehicle test 9.1 General 9.2 ESS disconnection test 9.3 Determination of fuel consumption measurement 40 9.4 Drive system energy consumption measurement 40 9.5 Determination of fuel consumption measurement 41 9.5 Determination of fuel consumption measurement 42 9.5.1 Determination of fuel consumption measurement 43 9.5.2 Determination of fuel consumption measurement 44 9.5.5 Determination of fuel consumption measurement 45 9.6 Auxiliary circuit energy consumption measurement 46 9.7 Duration of vehicle operation by ESS 9.8 Determination of fuel consumption measurement 47 9.5 Determination of fuel consumption measurement 48 9.6 Auxiliary circuit energy consumption measurement 49 9.7 Duration of vehicle operation by ESS 9.8 Determination of acoustic noise emission 40 41 42 43 44 45 46 46 47 47 48 48 48 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40		8.2	Test conditions	34
8.3.2 External charge test		8.3	ESS control	34
8.3.3 Disconnection test		8.3.1	ESS charge/discharge control function	34
8.3.4 Degraded mode test 35 8.3.5 SOC/SOE test 35 8.4.1 Output torque 35 8.4.1 Sweeping speed under full torque test 35 8.4.2 Output torque test with energy storage system only 35 8.5 System sequence test 35 8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption and exhaust gas emission (in case of engine or fuel cell) 37 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 38 8.7 Duration of vehicle operation by ESS 39 8.7.1 General 38 8.7.2 Duration measurement of SSS (100 (100 (100 (100 (100 (100 (100		8.3.2	External charge test	34
8.3.5 SOC/SOE test 35 8.4 Output torque 35 8.4.1 Sweeping speed under full torque test 35 8.4.2 Output torque test with energy storage system only 35 8.5 System sequence test 35 8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption and exhaust gas emission (in case of engine or fuel cell) 37 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 38 8.7 Duration of vehicle operation by ESS 39 8.7.1 General 39 8.7.2 Duration measurement of ESS 39 8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.8.3 High-temperature operation test 39 8.9 Short-circuit protection test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40		8.3.3	Disconnection test	34
8.4 Output torque 35 8.4.1 Sweeping speed under full torque test 35 8.4.2 Output torque test with energy storage system only 35 8.5 System sequence test 35 8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption measurement. E.W. 37 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption is given by a consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption and exhaust gas emission (in case of engine or fuel cell). The consumption exhaust gas emission (in case of engine or fuel cell). The consumption exhaust gas emission (in case of engine or fuel cell). The consumption exhaust gas emission (in case of engine or fuel cell). The consumption exhaust gas emission (in case of engine or fuel cell). The consumption exhaust gas emission (in ca		8.3.4	Degraded mode test	35
8.4.1 Sweeping speed under full torque test 35 8.4.2 Output torque test with energy storage system only 35 8.5 System sequence test 35 8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption measurement IT. 37 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 38 8.7 Duration of vehicle operation by ESS. 39 8.7.1 General 39 8.7.2 Duration measurement of ESS. 39 8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.8.3 High-temperature operation test 40 8.9 Short-circuit protection test 40 9.1 General 40 9.2 ESS disconnection test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42		8.3.5	SOC/SOE test	35
8.4.2 Output torque test with energy storage system only 35 8.5 System sequence test 35 8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption measurement 37 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 38 8.7 Duration of vehicle operation by ESS 38 8.7.1 General 38 8.7.2 Duration measurement of ESS 39 8.8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel ce		8.4	Output torque	35
8.5 System sequence test 35 8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption measurement 37 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 38 8.7 Duration of vehicle operation by ESS 39 8.7.1 General 39 8.7.2 Duration measurement of ESS 39 8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42<		8.4.1	Sweeping speed under full torque test	35
8.6 Energy efficiency and consumption 36 8.6.1 General 36 8.6.2 Energy efficiency and consumption measurement E.W 37 8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 38 8.7 Duration of vehicle operation by ESS 38 8.7.1 General 38 8.7.2 Duration measurement of ESS 38 8.8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.8.3 High-temperature operation test 39 8.8.3 High-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle test 40 9.4 Drive system energy consumption measurement 40 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42 9.5.1 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42 9.5.2 Determination of fuel consumption measurement 42 9.5 Duration of vehicle operation by ESS 42 9.6 Auxiliary circuit energy consumption measurement 42 9.7 Duration of vehicle operation by ESS 42 Annex A (informative) State of charge (SOC) and state of energy (SOE) for batteries and capacitors 43 A.1 Content of capacity and energy 43 A.1.1 General 43		8.4.2	Output torque test with energy storage system only	35
8.6.1 General 36 8.6.2 Energylefficiency and consumption measurement 37 8.6.3 Determination of fuel cells 38 8.7 Duration of vehicle operation by ESS 39 8.7.1 General 39 8.7.2 Duration measurement of ESS 39 8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.1 General 40 9.2 ESS disconnection test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5.1 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42		8.5	System sequence test	35
8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 38 8.7 Duration of vehicle operation by ESS. 39 8.7.1 General 39 8.7.2 Duration measurement of ESS. 39 8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42 9.5.1 Determination of fuel consumption measurement 42 9.6 Auxiliary circuit energy consumption measurement 42 9.6 Auxiliary circuit energy consumption measurement 42 9.7 Duration of vehicle operation by ESS 42 <t< td=""><td></td><td>8.6</td><td>·</td><td></td></t<>		8.6	·	
8.6.3 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 38 8.7 Duration of vehicle operation by ESS. 39 8.7.1 General 39 8.7.2 Duration measurement of ESS. 39 8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42 9.5.1 Determination of fuel consumption measurement 42 9.6 Auxiliary circuit energy consumption measurement 42 9.6 Auxiliary circuit energy consumption measurement 42 9.7 Duration of vehicle operation by ESS 42 <t< td=""><td></td><td>8.6.1</td><td>General</td><td>36</td></t<>		8.6.1	General	36
engine or fuel cell) **Lattuat us.tten		8.6.2		37
8.7.1 General Standards itch arcatalogistandards/sst/38c4Ed6-1da3-410e-bse3-		8.6.3	Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell)	38
8.7.1 General Standards itch arcatalogistandards/sst/38c4Ed6-1da3-410e-bse3-		8.7	Duration of vehicle operation by ESS	39
8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.8.3 High-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42 9.5.1 Determination of fuel consumption 42 9.5.2 Determination of the exhaust gas emission levels 42 9.6 Auxiliary circuit energy consumption measurement 42 9.7 Duration of vehicle operation by ESS 42 9.8 Determination of acoustic noise emission 42 Annex A (informative) State of charge (SOC) and state of energy (SOE) for batteries and capacitors 43 A.1 Content of capacity and energy 43		8.7.1	General SIST EN 62864-1:2017 General https://ctandards.treh.g/catalog/ctandards/sist/3864f3d6-1da3-410e-b5e3-	39
8.8 Environmental test 39 8.8.1 General 39 8.8.2 Low-temperature operation test 39 8.8.3 High-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42 9.5.1 Determination of fuel consumption 42 9.5.2 Determination of the exhaust gas emission levels 42 9.6 Auxiliary circuit energy consumption measurement 42 9.7 Duration of vehicle operation by ESS 42 9.8 Determination of acoustic noise emission 42 Annex A (informative) State of charge (SOC) and state of energy (SOE) for batteries and capacitors 43 A.1 Content of capacity and energy 43		8.7.2	Duration measurement of ESS _{ist-en-62864-1-2017}	39
8.8.2 Low-temperature operation test 39 8.8.3 High-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42 9.5.1 Determination of fuel consumption 42 9.5.2 Determination of the exhaust gas emission levels 42 9.6 Auxiliary circuit energy consumption measurement 42 9.7 Duration of vehicle operation by ESS 42 9.8 Determination of acoustic noise emission 42 Annex A (informative) State of charge (SOC) and state of energy (SOE) for batteries and capacitors 43 A.1 Content of capacity and energy 43 A.1.1 General 43		8.8	Environmental test	39
8.8.3 High-temperature operation test 39 8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42 9.5.1 Determination of fuel consumption 42 9.5.2 Determination of the exhaust gas emission levels 42 9.6 Auxiliary circuit energy consumption measurement 42 9.7 Duration of vehicle operation by ESS 42 9.8 Determination of acoustic noise emission 42 Annex A (informative) State of charge (SOC) and state of energy (SOE) for batteries and capacitors 43 A.1 Content of capacity and energy 43 A.1.1 General 43		8.8.1	General	39
8.9 Short-circuit protection test 40 8.10 ESU endurance test 40 9 Vehicle test 40 9.1 General 40 9.2 ESS disconnection test 40 9.3 Vehicle sequence test 40 9.4 Drive system energy consumption measurement 41 9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell) 42 9.5.1 Determination of fuel consumption 42 9.5.2 Determination of the exhaust gas emission levels 42 9.6 Auxiliary circuit energy consumption measurement 42 9.7 Duration of vehicle operation by ESS 42 9.8 Determination of acoustic noise emission 42 Annex A (informative) State of charge (SOC) and state of energy (SOE) for batteries and capacitors 43 A.1 Content of capacity and energy 43 A.1.1 General 43		8.8.2	Low-temperature operation test	39
8.10 ESU endurance test		8.8.3	High-temperature operation test	39
9 Vehicle test		8.9	Short-circuit protection test	40
9.1 General		8.10	ESU endurance test	40
9.2 ESS disconnection test	9	Vehic	le test	40
9.3 Vehicle sequence test		9.1	General	40
9.4 Drive system energy consumption measurement		9.2	ESS disconnection test	40
9.5 Determination of fuel consumption and exhaust gas emission (in case of engine or fuel cell)		9.3	Vehicle sequence test	40
engine or fuel cell)		9.4	Drive system energy consumption measurement	41
9.5.2 Determination of the exhaust gas emission levels		9.5		42
9.6 Auxiliary circuit energy consumption measurement		9.5.1	Determination of fuel consumption	42
9.7 Duration of vehicle operation by ESS		9.5.2	Determination of the exhaust gas emission levels	42
9.8 Determination of acoustic noise emission		9.6	Auxiliary circuit energy consumption measurement	42
Annex A (informative) State of charge (SOC) and state of energy (SOE) for batteries and capacitors		9.7	Duration of vehicle operation by ESS	42
and capacitors		9.8	Determination of acoustic noise emission	42
A.1 Content of capacity and energy43 A.1.1 General43				43
A.1.1 General43				
			, , ,	

_	4	_
---	---	---

A.1.3	Rated energy	44
A.1.4	Usable energy	44
A.2 Con	tent of SOC and SOE	45
A.2.1	General	45
A.2.2	Theoretical purpose	45
A.2.3	Common purpose	45
A.2.4	Effective or practical purpose	46
A.2.5	Coefficient of usage	
Annex B (infor	mative) Energy related terms and definitions	48
	eral	
	ns and definitions for regenerative indices	
B.3 Ene	rgy-related performance indices of the series hybrid systems	
B.3.1	General	
B.3.2	Measuring locations	
B.3.3	Class of primary power source	
B.3.4	Energy consumption	
B.3.5	Regenerative efficiency	53
	mative) Laws and regulations for fire protection applicable for this	55
	eral	
	iTeh STANDARD PREVIEW	55 55
C.4 Japa	ope(standards.iteh.ai)	55 55
C.6 Unit	sia <u>SIST EN 62864-1:2017</u> ed states of America ai/catalog/standards/sist/38c4f3d6-1da3-410e-b5e3-	55
Annex D (infor	mative) List of subclauses requiring agreement between the user and rer	
Bibliography		50
Figuro 1 ∐io	rereby of standards related to IEC 62964-1	0
_	rarchy of standards related to IEC 62864-1	
· ·	ck diagram of a series hybrid system	16
	Imple configuration of a series hybrid system in which all main circuit e connected to the common DC link	19
Figure 4 – Ser	ies hybrid system in diesel electric vehicles	20
Figure 5 – Ser	ies hybrid system in fuel cell vehicles	21
Figure 6 – Ser	ies hybrid system in contact line powered vehicles with parallel energy storage	
Figure 7 – Ser	ies hybrid system in contact line powered vehicles with series energy storage	
	sel electric propulsion system (without an ESS)	
J	ntact line powered propulsion system (without an ESS)	
	posting of the motoring performance by onboard ESS	
_	example of degraded mode performance by onboard ESS	
	ifference of capacity and energy content	
Figure B.1 – E	xample block diagram of a series hybrid system	50
Table 1 – Majo	or operating modes of the series hybrid system	18

SIST EN 62864-1:2017

IEC 62864-1:2016 © IEC 2016 -	- 5 –
Table 2 – List of tests	32
Table D.1 – List of subclauses requiring agreemanufacturer	ement between the user and the

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62864-1:2017</u> https://standards.iteh.ai/catalog/standards/sist/38c4f3d6-1da3-410e-b5e3-fb24a6a99830/sist-en-62864-1-2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RAILWAY APPLICATIONS – ROLLING STOCK –
POWER SUPPLY WITH ONBOARD ENERGY STORAGE SYSTEM –

Part 1: Series hybrid system

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. (Standards.11en.al)
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter. https://standards.itch.ai/catalog/standards/sist/38c4l3d6-1da3-410e-b5e3-
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62864-1 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

The text of this standard is based on the following documents:

FDIS	Report on voting
9/2154/FDIS	9/2176/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62864-1:2016 © IEC 2016

-7-

A list of all parts in the IEC 62864 series, published under the general title *Railway* applications – *Rolling stock* – *Power supply with onboard energy storage system*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62864-12017 https://standards.iteh.ai/catalog/standards/sist/38c4f3d6-1da3-410e-b5e3-fb24a6a99830/sist-en-62864-1-2017

IEC 62864-1:2016 © IEC 2016

INTRODUCTION

- 8 -

There is an increasing need for efficient use of energy due to the decrease in fossil fuel based energy sources as well as the need to reduce emissions (e.g. ${\rm CO_2}$, ${\rm NO_x}$, PM, etc.) that contribute to global climate change. The railway system, which is essentially an energy-efficient transportation system, should also meet these requirements. In addition to saving energy, it is necessary to achieve a reduction in peak power, voltage stabilization and the ability to run without collecting power in scenic reserve areas, and the running capability to safely reach the next station in the event of electrical power failure onboard or at power supply system. To address these issues, hybrid systems are appearing in railway vehicles. These hybrid system vehicles are equipped with an energy storage system that allows effective use of regenerative energy. A hybrid system should be required to improve energy efficiency by actively controlling the power flow among the engine or power supply system, auxiliary power supply, traction and braking system, the energy storage system, etc.

The purpose of introducing hybrid systems includes:

- reducing energy consumption;
- improving vehicle performance;
- · providing the ability to run with energy stored onboard; and
- · improving environmental characteristics.

The aim of this standard is to establish the basic system configuration for series hybrid systems (electrically connected) and the tests to verify effective use of energy, as well as to provide railway operators and manufacturers with guidelines for manufacturing and evaluating hybrid systems.

(standards.iteh.ai)

The hierarchy of relevant standards related to hybrid systems are summarized in Figure 1. The standards listed in Figure 1 are not exhaustive is 1/38c4f3d6-1da3-410e-b5e3-

fb24a6a99830/sist-en-62864-1-2017

Overview of the technical framework

- Level 1: vehicle/system interface

IEC 62864-1

Railway applications - Rolling stock - Power supply with onboard energy storage system -Part 1: Series hybrid system

- Level 2: System and interfaces

IEC 61133

Railway applications - Rolling stock - Testing of rolling stock on completion of construction and before entry into service

IEC 61377

Railway applications - Rolling stock - Combined test method for traction systems

- Level 3: Components

IEC 61287-1

Railway applications - Power converters installed on board rolling stock -

Part 1: Characteristics and test methods

IEC 60349 (all parts)

Electric traction - Rotating electrical machines for rail and road vehicles

- Level 4: Subcomponents

IEC 629281

ai/catalog/stand Railway applications – Rolling stock equipment Onboard lithium-ion traction batteries

¹Under consideration

IEC 61881-3

Railway applications - Rolling stock equipment -

Part 3: Electric double-layer capacitors

Figure 1 - Hierarchy of standards related to IEC 62864-1

In this standard, the hybrid system has the following four levels of hierarchy:

- a) vehicle/system interface (level 1);
- b) systems and interfaces (level 2);
- c) components (level 3); and
- d) subcomponents (level 4).

Detailed descriptions of the levels are described in 7.1.

E.g. subcomponent (level 4) is a cell, module etc. (for a battery, a subcomponent is defined in IEC 62620).

IEC