

SLOVENSKI STANDARD SIST ETS 300 918 E4:2005

01-februar-2005

8][]hƯb]'WY`]b]'hY`Y_caib]_UV]/g_]`g]ghYa`fZUhU'&ŽŁ'!`Gd`cýbc`c`Xcdc`b]`b]\ ghcf]hjU\`fl,GA`\$&'\$(žfUh`]]WU)"+"&ž]nXU/U'%-*Ł

Digital cellular telecommunications system (Phase 2+) (GSM); General on supplementary services (GSM 02.04 version 5.7.2 Release 1996)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten z: https://standards.iten.av/catalog/standards/sist/2df48b3b-b21b-430c-9fad-611956a7718f/sist-ets-300-918-e4-2005

ICS:

33.070.01 Mobilni servisi na splošno Mobile services in general

SIST ETS 300 918 E4:2005

en

SIST ETS 300 918 E4:2005

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 918 E4:2005 https://standards.iteh.ai/catalog/standards/sist/2df48b3b-b2fb-430c-9fad-611956a7718f/sist-ets-300-918-e4-2005

EUROPEAN TELECOMMUNICATION STANDARD

ETS 300 918

November 1998

Fourth Edition

Source: SMG

Reference: RE/SMG-010204QR6

ICS: 33.020

Key words: Digital cellular telecommunications system, Global System for Mobile communications (GSM)



MOBILE COMMUNICATIONS

iTeh STANDARD PREVIEW Digital cellular telecommunications system (Phase 2+); General on supplementary services SISTERS 300 918 E4:2005 GSM-02.04 version 5.7:2 Release 1996)

611956a7718f/sist-ets-300-918-e4-2005

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE **Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE **Internet:** secretariat@etsi.fr - http://www.etsi.org

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ETS 300 918 E4:2005</u> https://standards.iteh.ai/catalog/standards/sist/2df48b3b-b2fb-430c-9fad-611956a7718f/sist-ets-300-918-e4-2005

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Standards Making Support Dept." at the address shown on the title page.

Contents

Fore	word			5		
1	Scope					
	1.1		ve references			
	1.2		ations			
2	General					
	2.1		nentary service			
	2.2	Concept	ts associated with supplementary services	8		
3	Categories and framework of supplementary services					
		3.1 Framework for the description of supplementary services				
	3.2	Categor	ies of supplementary services	11		
4	Supported supplementary services					
	4.1		of Line identity services			
	4.2	Support	of Name identity services	15		
5		Use of a password option in relation to supplementary services				
	5.1		n			
	5.2	Descript		15		
	5.3	Manage	ment -normal procedures and successful/outcome	15		
		5.3.1	Provision of password option			
		5.3.2	Withdrawal of the password option	15		
		5.3.3	Registration of password			
		5.3.4	Erasure of password Password checking <u>918 E4:2005</u>	16		
		5.3.5	Password checking 10 D12000 tandards itch ai/catalog/standards/sist/2df48b3b-b2fb-430c-9fad-	16		
	5.4	Manage	tandards teb alcatalor/stanoads/sist/2df28h3h_b2fb4130c_96d 611956a7718f/sist-ets-300-918-e4-2005	16		
6	Not used	db		16		
7	Process	Processing of supplementary service operations				
	7.1		ing of operations containing basic service information			
	7.2	Process	ing of operations involving multiple Supplementary Services	17		
	7.3 Compatibility Information and Supplementary Services					
8	Format	of descrip	tion	18		
Anne	ex A (norm	native):	Applicability of Supplementary Services to Telecommunication Services	20		
Anne	ex B (infori	mative):	Change history	21		
Histo	orv			22		
	,					

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 918 E4:2005 https://standards.iteh.ai/catalog/standards/sist/2df48b3b-b2fb-430c-9fad-611956a7718f/sist-ets-300-918-e4-2005

Foreword

This European Telecommunication Standard (ETS) has been produced by the Special Mobile Group (SMG) of the European Telecommunications Standards Institute (ETSI).

This ETS defines a recommended set of supplementary services to the Teleservices and Bearer services which will be supported within the digital cellular telecommunications system (Phase 2/Phase 2+).

The contents of this ETS is subject to continuing work within SMG and may change following formal SMG approval. Should SMG modify the contents of this ETS, it will be resubmitted for OAP by ETSI with an identifying change of release date and an increase in version number as follows:

Version 5.x.y

where:

- 5 Indicates GSM Phase 2+ Release 1996
- x the second digit is incremented for all other types of changes, i.e. technical enhancements, corrections, updates, etc.
- y the third digit is incremented when editorial only changes have been incorporated in the specification;

Transposition dates			
Date of adoption of this ETS:	27 November 1998		
Date of latest announcement of this ETS (doa): (standards.iteh.ai)	28 February 1999		
Date of latest publication of new National Standard			
or endorsement of this ETS (dop/e) <u>SIST ETS 300 918 E4:2005</u>	31 August 1999		
https://standards.itch.ai/catalog/standards/sist/2df48b3b-b2fb-430 Date of withdrawal of any conflicting National Standard (dow): 005) <mark>c-9fad-</mark> 31 August 1999		

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 918 E4:2005 https://standards.iteh.ai/catalog/standards/sist/2df48b3b-b2fb-430c-9fad-611956a7718f/sist-ets-300-918-e4-2005

1 Scope

The purpose of this European Telecommunication Standard (ETS) is to define a recommended set of supplementary services to the Teleservices and Bearer services which will be supported by a GSM PLMN in connection with other networks as a basis for the definition of the network capabilities required.

The descriptions of the different supplementary services are contained in the GSM 02.80 series.

Supplementary services not covered in GSM 02.04 or GSM 02.80 series cannot be introduced unilaterally in any GSM PLMN if they require modification of the GSM signalling Specifications.

Technical realization of supplementary services is described in GSM 03.11 and 04.10.

1.1 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies.

[1]	GSM 01.04 (ETR 350): "Digital cellular telecommunication system (Phase 2+); Abbreviations and acronyms".
[2]	GSM 02.01: "Digital cellular telecommunication system (Phase 2+); Principles of telecommunication services supported by a GSM Public Land Mobile Network (PLMN)".
[3]	GSM 02.02 (ETS 300 904): "Digital cellular telecommunication system (Phase 2+): Bearer Services (BS) supported by a GSM Public Land Mobile Network (PLMN)".
[4] https://	GSM 02.03 ^{IS} (ETS 300 905); 200 Digital cellular telecommunication system (Phase 2+); Teleservices supported by a GSM Public Land Mobile Network (PLMN) ^{056a7718fsist-ets-300-918-e4-2005}
[5]	GSM 02.30 (ETS 300 907): "Digital cellular telecommunication system (Phase 2+); Man-Machine Interface (MMI) of the Mobile Station (MS)".
[6]	GSM 02.67 (ETS 300 924): "Digital cellular telecommunication system (Phase 2+); enhanced Multi-Level Precedence and Pre-emption service (eMLPP) - Stage 1".
[7]	GSM 02.81: "Digital cellular telecommunication system (Phase 2+; Line identification supplementary services - Stage 1".
[8]	GSM 02.82: "Digital cellular telecommunication system (Phase 2+; Call Forwarding (CF) supplementary services - Stage 1".
[9]	GSM 02.83: "Digital cellular telecommunication system (Phase 2+; Call Waiting (CW) and Call Hold (HOLD) supplementary services - Stage 1".
[10]	GSM 02.84: "Digital cellular telecommunication system (Phase 2+; MultiParty (MPTY) supplementary services - Stage 1".
[11]	GSM 02.85: "Digital cellular telecommunication system (Phase 2+; Closed User Group (CUG) supplementary services - Stage 1".
[12]	GSM 02.86: "Digital cellular telecommunication system (Phase 2+; Advice of Charge (AoC) supplementary services - Stage 1".

Page 8 ETS 300 918 (GSM 02.04 version 5.7.2 Release 1996): November 1998

- [13] GSM 02.88: "Digital cellular telecommunication system (Phase 2+; Call Barring (CB) supplementary services Stage 1".
- [14] GSM 03.11 (ETS 300 928): "Digital cellular telecommunication system (Phase 2+; Technical realization of supplementary services".
- [15] GSM 04.10 (ETS 300 941): "Digital cellular telecommunication system (Phase 2+); Mobile radio interface layer 3 Supplementary services specification General aspects".
- [16] GSM 04.80 (ETS 300 950): "Digital cellular telecommunication system (Phase 2+); Mobile radio interface layer 3 supplementary services specification Formats and coding".
- [17] CCITT Recommendation I.210: "Principles of telecommunication services supported by an ISDN and the means to describe them".

1.2 Abbreviations

Abbreviations and acronyms used in this ETS are listed in GSM 01.04.

2 General

2.1 Supplementary service

A supplementary service modifies or supplements a basic Telecommunication service.

- NOTE 1: Provision of supplementary services by PLMN operators may be considered as essential (E) or additional (A). E-supplementary services shall be made available in all GSM PLMNs. A-supplementary services may be offered by GSM PLMN operators for national service and can be made available internationally on the basis of bilateral agreement.
- NOTE 2: Offered supplementary services may be used by subscribers/users at their discretion.

2.2 Concepts associated with supplementary services

For the purpose of this ETS the following terms are defined:

Provision

An action to make a service available to a subscriber. The provision may be:

- general: where the service is made available to all subscribers (subject to compatibility service provider.
- pre-arranged: where the service is made available to an individual subscriber only after the necessary arrangements have been made with the service provider.

Withdrawal

An action taken by the service provider to remove an available service from a subscriber's access. The withdrawal may be:

- general: where the service is removed from all subscribers provided with the service.
- specific: where the service is removed on an individual basis from subscribers provided with the service.

Registration

The programming by the service provider or subscriber of information to enable subsequent operation of a service. The programming action involves input of specific supplementary information. For certain services the registration procedure may cause activation whilst for others the service may already be in the action phase.

Erasure

The deletion by the service provider, the subscriber or the system of information stored against a particular service by a previous registration(s).

Activation

An action taken by either the service provider, the subscriber or the system to enable a process to run as and when required by the service concerned, resulting in the active phase. Some services can be either "operative" or "quiescent" (not operative) during the active phase according to whether or not the system would be able to invoke or use the service.

Deactivation

An action taken by either the service provider, the subscriber or the system to terminate the process started at the activation.

Invocation

An action to invoke the service required, taken by the subscriber (e.g. pressing a specific button) or automatically by the network or terminal as a result of a particular condition (e.g. calling number identification for each incoming call).

Normal operation with successful outcome

Description of the normal operation of the service, the normal served subscriber's actions and the system response. Decision points, timing and call progress signals would be some of the aspects defined for the service if they can be perceived by the subscriber.

Interrogation

SIST ETS 300 918 E4:2005

The request by the subscriber to the PLMN to provide information about a specific supplementary service. This information can be requested by a:918-c4-2005

- status check;
 - The following values can be returned by the PLMN:
 - not supported
 - active and operative
 - active and quiescent
 - not active

Not all values are applicable to all supplementary services.

data check;

This interrogation function compares the data input by the subscriber during an interrogation procedure with the information stored in the PLMN. The PLMN signals an appropriate indication (e.g. "check is positive" or "check is negative").

- data request;

This interrogation function enables the subscriber to obtain confirmation of her input data. The PLMN signals an appropriate indication (e.g. "the forwarded-to number is etc."). The response to a data request may comprise the status of the service (e.g. not active).

Exceptional operation or unsuccessful outcome

Abnormal situations not described in "normal operation with successful outcome". Procedures on time-out, unexpected signalling response and other such events would be defined.

Interaction with other supplementary services

When more than one supplementary service is active, new logical situations, decisions, priorities, etc., may arise. This section would identify and define the resolution of such situations as they affect subscriber perception of the service. Special procedures may therefore be required, e.g. to allow, where possible, the simultaneous use of different supplementary services by one mobile subscriber.