

# SLOVENSKI STANDARD SIST EN 12977-1:2018

01-september-2018

Nadomešča:

SIST EN 12977-1:2012

Toplotni sončni sistemi in sestavni deli - Neserijsko izdelani sistemi - 1. del: Splošne zahteve za sončne grelnike vode in kombinirane sisteme

Thermal solar systems and components - Custom built systems - Part 1: General requirements for solar water heaters and combisystems

Thermische Solaranlagen und ihre Bauteile - Kundenspezifisch gefertigte Anlagen - Teil 1: Allgemeine Anforderungen an Solaranlagen zur Trinkwassererwärmung und solare Kombianlagen

#### SIST EN 12977-1:2018

Installations solaires thermiques et leurs composants Installations assemblées à façon - Partie 1 : Exigences générales pour chauffe eau solaires et installations solaires combinées

Ta slovenski standard je istoveten z: EN 12977-1:2018

#### ICS:

27.160 Sončna energija Solar energy engineering 91.140.10 Sistemi centralnega Central heating systems ogrevanja

91.140.65 Oprema za ogrevanje vode Water heating equipment

SIST EN 12977-1:2018 en,fr,de

SIST EN 12977-1:2018

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 12977-1:2018

https://standards.iteh.ai/catalog/standards/sist/67587cd4-7e50-4edd-8b99-ea2e797b7018/sist-en-12977-1-2018

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 12977-1

April 2018

ICS 27.160; 91.140.10; 91.140.65

Supersedes EN 12977-1:2012

# **English Version**

# Thermal solar systems and components - Custom built systems - Part 1: General requirements for solar water heaters and combisystems

Installations solaires thermiques et leurs composants -Installations assemblées à façon - Partie 1 : Exigences générales pour chauffe-eau solaires et installations solaires combinées Thermische Solaranlagen und ihre Bauteile -Kundenspezifisch gefertigte Anlagen - Teil 1: Allgemeine Anforderungen an Solaranlagen zur Trinkwassererwärmung und solare Kombianlagen

This European Standard was approved by CEN on 29 October 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

# EN 12977-1:2018 (E)

Cont	ents	Page
Europ	ean foreword	4
Introd	uction	5
Table '	1 — Division for factory made and custom built solar heating systems	6
	Scope	
1	•	
2	Normative references	7
3	Terms and definitions	8
4	Symbols and abbreviations	10
5	System classification	10
5.1	Small custom built systems	10
Tabla '	2 — Classes of small custom built systems according to their purpose	
5.2	Large custom built systems	
	•	
	3 — Classification of large systems	
6	Requirements ITeh STANDARD PREVIEW	11
6.1	Introduction IIEII STANDARD FREVIEW	11
6.2	General Suitability for drinking water (standards.itelr.ai)	11
6.2.1	Suitability for drinking water	11
6.2.2	Water contamination SIST EN 12977-1:2018 Freeze resistance https://standards.iteh.av/catalog/standards/sist/67587cd4-7e50-4edd-8b99-High-temperature protection ea2e797b7018/sist-en-12977-1-2018 Reverse circulation prevention	11
6.2.3	Freeze resistance	11
6.2.4	High-temperature protection	11
6.2.5	Reverse circulation prevention	12
6.2.6	Pressure resistance	
6.2.7	Electrical safety	
6.3	Materials	
6.4	Components and pipework	
6.4.1	Collector and collector array	
6.4.2	Supporting frame	13
6.4.3	Collector and other loops	
6.4.4	Circulation pumps	13
6.4.5	Expansion vessels	13
6.4.6	Heat exchangers	
6.4.7	Water store(s)	14
	Pipework	
6.4.9	Thermal insulation	
	Control equipment	
6.5	Safety equipment and indicators	
6.5.1	Safety valves	
6.5.2	Safety lines and expansion lines	
6.5.3	Blow-off lines	
6.5.4	Store isolation valve	
6.5.5	Indicators	
6.6	Installation	
6.6.1	Roof tightness	
6.6.2	Lightning	
6.6.3	Snow and wind loads	16

6.7	Initial operation and commissioning	16
6.8	Documentation	
6.8.1	General	
6.8.2	Assortment file for small systems	
6.8.3	Documentation for small systems	
6.8.4	Documentation for large systems	
6.9	System performance	
6.10	Water wastage	
Annex	A (informative) Implementation for Ecodesign and Energy labelling	20
A.1	Standing loss	20
<b>A.2</b>	Nominal store volume	20
<b>A.3</b>	Volume of the non-solar heat storage	20
Annex	ZA (informative) Relationship between this European Standard and the energy labelling requirements of Commission Delegated Regulation (EC) No 811/2013 aimed to be covered	21
Table	ZA.1 — Correspondence between this European Standard and Commission Delegated	
	Regulation (EC) No 811/2013 of 18 <sup>th</sup> February 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of space heaters, combination heaters, packages of space heaters, temperature control and solar device and packages of combination heater, temperature control and solar device and Commission's standardization request	
	'M/535/C(2015) 2626' (standards.iteh.ai)	21
Annex	ZB (informative) Relationship between this European Standard and the energy labelling requirements of Commission Delegated Regulation (EC) No 812/2013	
	aimed to berçovered ds.itch.ai/catalog/standards/sist/67587cd4-7c50-4cdd-8b99	22
Table		
	Regulation (EC) No 812/2013 of 18 <sup>th</sup> February 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of water heaters, hot water storage tanks and packages of water heater and solar device and Commission's standardization request 'M/534/C(2015) 2625'	22
Annex	ZC (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EC) No 814/2013 aimed to be covered	23
Table	ZC.1 — Correspondence between this European Standard and Commission	
	Regulation (EU/EC) No 814/2013 of 2 <sup>nd</sup> August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for water heaters and hot water storage tanks and	
	Commission's standardization request 'M/534/C(2015) 2625'	23
Biblio	graphy	. 24

# **European foreword**

This document (EN 12977-1:2018) has been prepared by Technical Committee CEN/TC 312 "Thermal solar systems and components", the secretariat of which is held by ELOT.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2018, and conflicting national standards shall be withdrawn at the latest by October 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12977-1:2012.

This document has been prepared under the Mandate M/534 "Standardisation request to the European standardisation organisations pursuant to Article 10(1) of Regulation (EU) No 1025/2012 of the European Parliament and of the Council in support of implementation of Commission Regulation (EU) No 814/2013 of 2 August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for water heaters and hot water storage tanks and Commission Delegated Regulation (EU) No 812/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to the energy labelling of water heaters, hot water storage tanks and packages of water heater and solar device" which was given to CEN by the European Commission and the European Free Trade Association.

(standards.iteh.ai)

For relationship with EU Directive(s), see informative Annex ZA, ZB and ZC, which are integral parts of this document.

SIST EN 12977-1:2018

https://standards.iteh.ai/catalog/standards/sist/67587cd4-7e50-4edd-8b99-

EN 12977 is currently composed with the following parts: 12977-1-2018

- Thermal solar systems and components Custom built systems Part 1: General requirements for solar water heaters and combisystems;
- Thermal solar systems and components Custom built systems Part 2: Test methods for solar water heaters and combisystems;
- Thermal solar systems and components Custom built systems Part 3: Performance test methods for solar water heater stores;
- Thermal solar systems and components Custom built systems Part 4: Performance test methods for solar combistores;
- Thermal solar systems and components Custom built systems Part 5: Performance test methods for control equipment.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom

# Introduction

a) Drinking water quality

In respect of potential adverse effects on the quality of drinking water intended for human consumption caused by the product covered by this document, it should be noted that

- 1) this document provides no information as to whether the product may be used without restriction in any of the Member States of the EU or EFTA,
- 2) while awaiting the adoption of verifiable European criteria, existing national regulations concerning the use and/or the characteristics of this product remain in force.
- b) Factory made and custom built solar heating systems

EN 12976-1, EN 12976-2, FprEN 12977-1, EN 12977-2, EN 12977-3, EN 12977-4 and EN 12977-5 distinguish two categories of solar heating systems:

- 1) factory made solar heating systems; and
- 2) custom built solar heating systems.

The classification of a system as factory made or custom built is a choice of the final supplier, in accordance with the following definitions.

(standards.iteh.ai)
3) Factory made solar heating systems are batch products with one trade name, sold as complete and ready to install kits, with fixed configurations. Systems of this category are considered as a single product and assessed as a whole.

lf a factory made solar heating system is modified by changing its configuration or by changing one or more of its components, the modified system is considered as a new system. Requirements and test methods for factory made solar heating systems are given in EN 12976-1 and EN 12976-2.

- 4) Custom built solar heating systems are either uniquely built or assembled by choosing from an assortment of components. Systems of this category are regarded as a set of components. The components are separately tested and test results are integrated to an assessment of the whole system. Requirements for custom built solar heating systems are given in EN 12977-1, test methods are specified in EN 12977-1, EN 12977-2, EN 12977-3, EN 12977-4 and EN 12977-5. Custom built solar heating systems are subdivided into two categories:
  - i) large custom built systems are uniquely designed for a specific situation. In general, they are designed by HVAC engineers, manufacturers or other experts;
  - ii) small custom built systems offered by a company are described in a so-called assortment file, in which all components and possible system configurations, marketed by the company, are specified. Each possible combination of a system configuration with components from the assortment is considered as one custom built system.

Table 1 shows the division for different system types.

Table 1 — Division for factory made and custom built solar heating systems

Factory made solar heating systems (EN 12976-1 and EN 12976-2)	Custom built solar heating systems (EN 12977-1, EN 12977-2, EN 12977-3, EN 12977-4 and EN 12977-5)	
Integral collector-storage systems for domestic hot water preparation	preparation and/or space heating/cooling	
Thermosiphon systems for domestic hot water preparation	assembled using components and configurations described in a documentation file (mostly small systems)	
· · · · · · · · · · · · · · · · · · ·	Uniquely designed and assembled systems for hot water preparation and/or space heating/cooling (mostly large systems)	

NOTE 1 Forced circulation systems can be classified either as factory made or as custom built, depending on the market approach chosen by the final supplier.

NOTE 2 Both factory made and custom built systems for domestic hot water preparation are performance tested under the same set of basic reference conditions as specified in EN 12976-2:2017, Annex B and in EN 12977-2:2018, Annex A. In practice, the installation conditions may differ from these reference conditions.

NOTE 3 Solar heating systems for both heating and cooling can so far not be performance tested; if the cooling option is not considered, then the solar heating system can be performance tested as a space heating system.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 12977-1:2018</u> https://standards.iteh.ai/catalog/standards/sist/67587cd4-7e50-4edd-8b99-ea2e797b7018/sist-en-12977-1-2018

# 1 Scope

This European Standard specifies requirements on durability, reliability and safety of small and large custom built solar heating and cooling systems with liquid heat transfer medium in the collector loop for residential buildings and similar applications.

This European Standard also contains requirements on the design process of large custom built systems.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 253, District heating pipes — Preinsulated bonded pipe systems for directly buried hot water networks — Pipe assembly of steel service pipe, polyurethane thermal insulation and outer casing of polyethylene

EN 307, Heat exchangers - Guidelines to prepare installation, operating and maintenance instructions required to maintain the performance of each type of heat exchangers

EN 806-1, Specifications for installations inside buildings conveying water for human consumption - Part 1: General

iTeh STANDARD PREVIEW

EN 806-2, Specification for installations inside buildings conveying water for human consumption - Part 2: Design

EN 809, Pumps and pump units for liquids T Common safety requirements https://standards.iteh.avcatalog/standards/sist/67587cd4-7e50-4edd-8b99-

EN 16297-1, Pumps - Rotodynamic pumps & Glandless circulators - Part 1: General requirements and procedures for testing and calculation of energy efficiency index (EEI)

EN 1489, Building valves - Pressure safety valves - Tests and requirements

EN 1490, Building valves - Combined temperature and pressure relief valves - Tests and requirements

EN 1991-1-3, Eurocode 1 - Actions on structures - Part 1-3: General actions - Snow loads

EN 1991-1-4, Eurocode 1: Actions on structures - Part 1-4: General actions - Wind actions

EN 1993-1-1, Eurocode 3: Design of steel structures - Part 1-1: General rules and rules for buildings

EN 1999-1-1, Eurocode 9: Design of aluminium structures — Part 1-1: General structural rules

EN 12975-1:2006+A1:2010, Thermal solar systems and components - Solar collectors - Part 1: General requirements

EN 12976-1:2017, Thermal solar systems and components - Factory made systems - Part 1: General requirements

EN 12977-2:2018, Thermal solar systems and components — Custom built systems — Part 2: Test methods for solar water heaters and combisystems

EN 12977-5:2018, Thermal solar systems and components — Custom built systems — Part 5: Performance test methods for control equipment

## EN 12977-1:2018 (E)

EN 60335-1, Household and similar electrical appliances — Safety — Part 1: General requirements (IEC 60335-1)

EN 60335-2-21, Household and similar electrical appliances - Safety - Part 2-21: Particular requirements for storage water heaters (IEC 60335-2-21)

EN ISO 9806:2017, Solar energy - Solar thermal collectors - Test methods (ISO 9806:2017)

EN ISO 9488:1999, Solar energy - Vocabulary (ISO 9488:1999)

ISO 9459-1:1993, Solar heating — Domestic water heating systems — Part 1: Performance rating procedure using indoor test methods

ISO/TR 10217, Solar energy — Water heating systems — Guide to material selection with regard to internal corrosion

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12975-1:2006+A1:2010, EN 12976-1:2017 and EN ISO 9488:1999 and the following apply.

#### 3.1

#### assortment

complete list of components (collectors, stores, controllers, pumps, etc.), which a company offers for its solar heating systems

Note 1 to entry: For the purpose of this document, the assortment is restricted to components used for small custom built solar heating systems marketed by a company.

SIST EN 12977-1:2018

# 3.2 assortment file

https://standards.iteh.ai/catalog/standards/sist/67587cd4-7e50-4edd-8b99-ea2e797b7018/sist-en-12977-1-2018

technical documentation file for small custom built systems of a company, which includes:

- the complete assortment for small custom built systems;
- the complete description of all system configurations;
- the complete description of all marketed combinations of system configurations and components including the component dimensions and number of units;
- further technical information

## 3.3

#### blow-off line

connecting line between the outlet of the safety valve and the environment (preferably an open vessel at atmospheric pressure)

#### 3.4

#### collector array

group of collectors that are closely connected in series, in parallel or in combination of both modes, with one hydraulic input and one hydraulic output

#### 3.5

# control equipment

controllers, sensors, pumps, actuators, etc. used for controlling a solar heating system; this system includes optional auxiliary heaters and other parts of the space heating system, for heat generation and distribution

Note 1 to entry: Requirements and test methods for control equipment are given in EN 12977-5:2018.

#### 3.6

#### expansion line

<systems with closed expansion vessels> connecting line between the collectors and the pressure expansion vessel

<systems with open expansion vessels> connecting line between the collector array and the open expansion vessel

# 3.7

# flow rate

circulation rate

#### 3.8

#### large custom built system

solar heating system for the purpose of hot water preparation and/or space heating/cooling, which is designed for a specific situation by combining various components to a unique system

Note 1 to entry: In general, the collector area is greater than 30 m<sup>2</sup> and the store volume is greater than 3 m<sup>3</sup>.

# 3.9 <u>SIST EN 12977-1:2018</u>

# safety line https://standards.iteh.ai/catalog/standards/sist/67587cd4-7e50-4edd-8b99-

<systems with closed expansion vessels > 70 connecting line between the collector array and the safety valve

<systems with open expansion vessels> connecting line between the collector array and the open expansion vessel

#### 3.10

#### safety valve

temperature and/or pressure limiting valve

#### 3.11

# small custom built system

modular solar heating system of the remote storage type for the purpose of hot water preparation and/or space heating and/or cooling

Note 1 to entry: The system has a well-identified configuration (see 3.13). It is assembled from components chosen from the market and described in an assortment file prepared by a company.

Note 2 to entry: In general, the assortment file includes the possible system configurations, the assortment of components and their possible combinations and dimensions. The "company" can be the manufacturer of all or of parts of the components in the assortment; this company can also be only a consulting engineer who just produces the technical documentation and purchases the components from suppliers.

Note 3 to entry: In general, the collector area is greater than  $1 \text{ m}^2$  and less than  $30 \text{ m}^2$  and the store volume is less than  $3 \text{ m}^3$ .