
Cutting tool data representation and exchange —

Part 311: Creation and exchange of 3D models — Solid reamers

*Représentation et échange des données relatives aux outils
coupants —*

*Partie 311: Création et échange des modèles 3D — Alésoirs à arêtes
de coupe non amovibles*

ISO/TS 13399-311:2016

<https://standards.iteh.ai/catalog/standards/iso/2eb52780-fc32-450d-8337-2eeb59de33e3/iso-ts-13399-311-2016>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/TS 13399-311:2016

<https://standards.iteh.ai/catalog/standards/iso/2eb52780-fc32-450d-8337-2eeb59de33e3/iso-ts-13399-311-2016>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	1
3 Starting elements, coordinate systems, planes	2
3.1 General	2
3.2 Reference system	2
3.3 Primary coordinate system and mounting coordinate system	2
3.4 Coordinate system at the cutting part	3
3.5 Planes	4
3.6 Cutting reference point	5
4 Design of the model	5
4.1 General	5
4.2 Necessary properties for the connection interface feature	6
5 Cylindrical reamer	6
5.1 General	6
5.2 Necessary properties	7
5.3 Geometry of the non-cutting part including the connection	7
5.4 Geometry of the cutting part	8
5.5 Complete cylindrical reamer	9
6 Tapered reamer	9
6.1 General	9
6.2 Necessary properties	10
6.3 Geometry of the non-cutting part including the connection	10
6.4 Geometry of the cutting part	10
6.5 Complete tapered reamer	11
7 Stepped reamer	11
7.1 General	11
7.2 Necessary properties	12
7.3 Geometry of the non-cutting part including the connection	13
7.4 Geometry of the cutting part	13
7.5 Complete stepped reamer	14
8 Bell-style reamer	14
8.1 General	14
8.2 Necessary properties	15
8.3 Geometry of the non-cutting part including the connection	16
8.4 Geometry of the cutting part	16
8.5 Complete bell-style reamer	17
9 Shell reamer	17
9.1 General	17
9.2 Necessary properties	18
9.3 Geometry of the non-cutting part including the connection	18
9.4 Geometry of the cutting part	19
9.5 Complete shell reamer	20
10 Design of details	21
10.1 Basics for modelling	21
10.2 Contact/clamping surfaces — Orientation	21
10.3 Chamfers and roundings	21
11 Attributes of surfaces — Visualization of the model features	21

12	Structure of the design elements (tree of model)	21
13	Data exchange model	22
Annex A (informative)	Information about nominal dimensions	23
Bibliography	24

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO/TS 13399-311:2016](https://standards.itih.ai/catalog/standards/iso/2eb52780-fc32-450d-8337-2eeb59de33e3/iso-ts-13399-311-2016)

<https://standards.itih.ai/catalog/standards/iso/2eb52780-fc32-450d-8337-2eeb59de33e3/iso-ts-13399-311-2016>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](http://www.iso.org/foreword).

The committee responsible for this document is ISO/TC 29, *Small tools*.

ISO/TS 13399 consists of the following parts, under the general title *Cutting tool data representation and exchange*:

- *Part 1: Overview, fundamental principles and general information model*
- *Part 2: Reference dictionary for the cutting items* [Technical Specification]
- *Part 3: Reference dictionary for tool items* [Technical Specification]
- *Part 4: Reference dictionary for adaptive items* [Technical Specification]
- *Part 5: Reference dictionary for assembly items* [Technical Specification]
- *Part 50: Reference dictionary for reference systems and common concepts* [Technical Specification]
- *Part 60: Reference dictionary for connection systems* [Technical Specification]
- *Part 80: Creation and exchange of 3D models — Overview and principles* [Technical Specification]
- *Part 100: Definitions, principles and methods for reference dictionaries* [Technical Specification]
- *Part 150: Usage guidelines* [Technical Specification]
- *Part 201: Creation and exchange of 3D models — Regular inserts* [Technical Specification]
- *Part 202: Creation and exchange of 3D models — Irregular inserts* [Technical Specification]
- *Part 203: Creation and exchange of 3D models — Replaceable inserts for drilling* [Technical Specification]
- *Part 204: Creation and exchange of 3D models — Inserts for reaming* [Technical Specification]
- *Part 301: Concept for the design of 3D models based on properties according to ISO/TS 13399-3: Modelling of thread-cutting taps, thread-forming taps and thread-cutting dies* [Technical Specification]

- *Part 302: Concept for the design of 3D models based on properties according to ISO/TS 13399-3: Modelling of solid drills and countersinking tools* [Technical Specification]
- *Part 303: Concept for the design of 3D models based on properties according to ISO/TS 13399-3: Modelling of end mills with solid cutting edges* [Technical Specification]
- *Part 304: Concept for the design of 3D models based on properties according to ISO/TS 13399-3: Modelling of milling cutters with arbor hole and solid cutting edges* [Technical Specification]
- *Part 307: Creation and exchange of 3D models — End mills for indexable inserts* [Technical Specification]
- *Part 308: Creation and exchange of 3D models — Milling cutters with arbor hole for indexable inserts* [Technical Specification]
- *Part 309: Creation and exchange of 3D models — Tool holders for indexable inserts* [Technical Specification]
- *Part 311: Creation and exchange of 3D models — Solid reamers* [Technical Specification]
- *Part 312: Creation and exchange of 3D models — Reamers for indexable inserts* [Technical Specification]
- *Part 401: Creation and exchange of 3D models — Converting, extending and reducing adaptive items* [Technical Specification]
- *Part 405: Creation and exchange of 3D models — Collets* [Technical Specification]

The following parts are under preparation:

- *Part 70: Graphical data layout — Layer settings for tool designs* [Technical Specification]
- *Part 71: Graphical data layout — Creation of documents for the standardized data exchange — Graphical product information* [Technical Specification]
- *Part 72: Creation of documents for the standardized data exchange — Definition of properties for drawing header and their XML-data exchange* [Technical Specification]
- *Part 305: Creation and exchange of 3D models — Modular tooling systems with adjustable cartridges for boring* [Technical Specification]
- *Part 310: Creation and exchange of 3D models — Turning tools with carbide tips* [Technical Specification]

Introduction

This part of ISO/TS 13399 defines the concept, the terms and the definitions how to design simplified 3D models of solid reamers that can be used for NC-programming, simulation of the manufacturing processes and the determination of collision within machining processes. It is not intended to standardize the design of the cutting tool itself.

A cutting tool is used in a machine to remove material from a workpiece by a shearing action at the cutting edges of the tool. Cutting tool data that can be described by ISO/TS 13399 (all parts) include, but are not limited to, everything between the workpiece and the machine tool. Information about inserts, solid tools, assembled tools, adaptors, components and their relationships can be represented by ISO/TS 13399 (all parts). The increasing demand providing the end user with 3D models for the purposes defined above is the basis for the development of this series of International Standards.

The objective of this International Standard is to provide the means to represent the information that describes cutting tools in a computer sensible form that is independent from any particular computer system. The representation will facilitate the processing and exchange of cutting tool data within and between different software systems and computer platforms and support the application of this data in manufacturing planning, cutting operations and the supply of tools. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and for archiving. The methods that are used for these representations are those developed by ISO/TC 184 for the representation of product data by using standardized information models and reference dictionaries.

Definitions and identifications of dictionary entries are defined by means of standard data that consist of instances of the EXPRESS entity data types defined in the common dictionary schema, resulting from a joint effort between ISO/TC 184/SC 4 and IEC/TC 3/SC 3D, and in its extensions defined in ISO 13584-24 and ISO 13584-25.

Document Preview

ISO/TS 13399-311:2016

<https://standards.iteh.ai/catalog/standards/iso/2eb52780-fc32-450d-8337-2eeb59de33e3/iso-ts-13399-311-2016>

Cutting tool data representation and exchange —

Part 311:

Creation and exchange of 3D models — Solid reamers

1 Scope

This part of ISO/TS 13399 specifies a concept for the design of tool items, for all kinds of solid reamers, together with the usage of the related properties and domains of values.

This part of ISO/TS 13399 specifies a common way of design simplified models that contain the following:

- definitions and identifications of the design features of solid reamers, with an association to the used properties;
- definitions and identifications of the internal structure of the 3D model that represents the features and the properties of solid reamers.

The following are outside the scope of this part of ISO/TS 13399:

- applications where these standard data may be stored or referenced;
- concept of 3D models for cutting tools;
- concept of 3D models for cutting items;
- concept of 3D models for other tool items not being described in the scope of this part of ISO/TS 13399;
- concept of 3D models for adaptive items;
- concept of 3D models for assembly items and auxiliary items.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 13399-3, *Cutting tool data representation and exchange — Part 3: Reference dictionary for tool items*

ISO/TS 13399-4, *Cutting tool data representation and exchange — Part 4: Reference dictionary for adaptive items*

ISO/TS 13399-50:2013, *Cutting tool data representation and exchange — Part 50: Reference dictionary for reference systems and common concepts*

ISO/TS 13399-60, *Cutting tool data representation and exchange — Part 60: Reference dictionary for connection systems*

ISO/TS 13399-80, *Cutting tool data representation and exchange — Part 80: Creation and exchange of 3D models — Overview and principles*

3 Starting elements, coordinate systems, planes

3.1 General

Modelling of the 3D models shall be done by means of nominal dimensions.

WARNING — There is no guarantee that the 3D model, created according to the methods described in this document, is a true representation of the physical tool supplied by the tool manufacturer. If the models are used for simulation purposes, e.g. CAM simulation, it shall be taken into consideration that the real product dimensions can differ from those nominal dimensions. See Annex A.

NOTE Some definitions are taken from ISO/TS 13399-50.

3.2 Reference system

The reference system shall consist of the following standard elements as shown in [Figure 1](#):

- **standard coordinate system**: right-handed rectangular Cartesian system in three-dimensional space, called “primary coordinate system” (PCS);
- **three orthogonal planes**: planes in the coordinate system that contain the axis of the system, called “XY-plane” (XYP), “XZ-plane” (XZP) and “YZ-plane” (YZP);
- **three orthogonal axis**: axes built as intersections of the three orthogonal planes lines respectively, called “x-axis” (XA), “y-axis” (YA) and “z-axis” (ZA).




Figure 1 — Reference system

3.3 Primary coordinate system and mounting coordinate system

The location of the primary coordinate system (PCS) within the 3D model shall be defined unambiguously. In accordance with ISO/TS 13399-50:2013, 5.2 and Figures F.4 to F.9, the position of the PCS is given for all connection interfaces. Subsequently, the PCS is located at the gauge line, if connection interfaces with defined gauge line are used, e.g. hollow taper shank, hollow polygonal taper or taper with ball track system. For shanks without defined gauge line, the PCS shall be positioned at the end of the shank.

For virtually mounting of reamers onto an adaptive item, an additional reference system shall be defined. This reference system is called “mounting coordinate system” (MCS). It is located at the starting point of the protruding length of a tool item. The orientation is shown in [Figure 2](#).




Figure 2 — Example of orientation of “PCS” and “MCS” reference system

3.4 Coordinate system at the cutting part

The coordinate system at the cutting part, e.g. the planar front face, named “coordinate system in process” (CIP), with a defined distance to the PCS shall be oriented as follows and as shown in [Figure 3](#):

- z-axis of CIP points to the PCS;
- z-axis of CIP is collinear to the z-axis of PCS;
- y-axis of CIP is parallel to the y-axis of PCS.




Figure 3 — Orientation of CIP

If the 3D modelling software gives the possibility to include interfaces for components, e.g. to mount a face cutting part onto a complete cutting tool, the coordinate system “CIP” should be used.