

# SLOVENSKI STANDARD

## SIST EN 60034-12:2018

01-januar-2018

Nadomešča:

SIST EN 60034-12:2002

SIST EN 60034-12:2002/A1:2007

---

**Električni rotacijski stroji - 12. del: Zagonske lastnosti enohitrostnih trifaznih motorjev s kratkostično kletko (IEC 60034-12:2016)**

Rotating electrical machines - Part 12: Starting performance of single-speed three-phase cage induction motors (IEC 60034-12:2016)

**iTeh STANDARD PREVIEW**

Drehende elektrische Maschinen - Teil 12: Anlaufverhalten von Drehstrommotoren mit Käfigläufer ausgenommen polumschaltbare Motoren (IEC 60034-12:2016)

[SIST EN 60034-12:2018](https://standards.iteh.ai/catalog/standards/sist/3315451-d6e5-416d-8949-96e41d7975cb/sist-en-60034-12-2018)

Machines électriques tournantes - Partie 12: Caractéristiques de démarrage des moteurs triphasés à induction à cage à une seule vitesse (IEC 60034-12:2016)

**Ta slovenski standard je istoveten z: EN 60034-12:2017**

---

**ICS:**

29.160.30      Motorji                                      Motors

**SIST EN 60034-12:2018**                                      en,fr,de

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 60034-12:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/33d545e1-d6e5-416d-8949-96e41d7975cb/sist-en-60034-12-2018>

EUROPEAN STANDARD

**EN 60034-12**

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2017

ICS 29.160

Supersedes EN 60034-12:2002

English Version

## Rotating electrical machines - Part 12: Starting performance of single-speed three-phase cage induction motors (IEC 60034-12:2016)

Machines électriques tournantes - Partie 12:  
Caractéristiques de démarrage des moteurs triphasés à  
induction à cage à une seule vitesse  
(IEC 60034-12:2016)

Drehende elektrische Maschinen - Teil 12: Anlaufverhalten  
von Drehstrommotoren mit Käfigläufer ausgenommen  
polumschaltbare Motoren  
(IEC 60034-12:2016)

This European Standard was approved by CENELEC on 2016-12-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[SIST EN 60034-12:2018](#)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**EN 60034-12:2017****European foreword**

The text of document 2/1789/CDV, future edition 3 of IEC 60034-12, prepared by IEC/TC 2 "Rotating machinery" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60034-12:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-12-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-06-16

This document supersedes EN 60034-12:2002.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

**iTeh STANDARD PREVIEW**  
**Endorsement notice**  
**(standards.iteh.ai)**

The text of the International Standard IEC 60034-12:2016 was approved by CENELEC as a European Standard without any modification.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60034-30-1	-	Rotating electrical machines - Part 30-1: Efficiency classes of line operated AC motors (IE code)	EN 60034-30-1	-
IEC 60079-7	2015	Explosive atmospheres -- Part 7: Equipment protection by increased safety	EN 60079-7	2015

**ITeT STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 60034-12:2018](https://standards.iteh.ai/catalog/standards/sist/33d545e1-d6e5-416d-8949-96e41d7975cb/sist-en-60034-12-2018)

<https://standards.iteh.ai/catalog/standards/sist/33d545e1-d6e5-416d-8949-96e41d7975cb/sist-en-60034-12-2018>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 60034-12:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/33d545e1-d6e5-416d-8949-96e41d7975cb/sist-en-60034-12-2018>



# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Rotating electrical machines –**  
**Part 12: Starting performance of single-speed three-phase cage induction motors**

**Machines électriques tournantes –**  
**Partie 12: Caractéristiques de démarrage des moteurs triphasés à induction à cage à une seule vitesse**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.160.01

ISBN 978-2-8322-3768-7

**Warning! Make sure that you obtained this publication from an authorized distributor.**  
**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	3
1 Scope .....	5
2 Normative references .....	5
3 Terms and definitions .....	5
4 Symbols .....	7
5 Designation .....	7
5.1 General.....	7
5.2 Design N.....	7
5.3 Design NE .....	7
5.4 Designs NY and NEY .....	7
5.5 Design H.....	7
5.6 Design HE .....	8
5.7 Designs HY and HEY .....	8
6 Design N requirements .....	8
6.1 Torque characteristics.....	8
6.2 Locked rotor current and apparent power .....	8
6.3 Starting requirements.....	8
7 Design NE starting requirements .....	9
8 Designs NY and NEY starting requirements .....	9
9 Design H requirements .....	9
9.1 Starting torque .....	9
9.2 Locked rotor current and apparent power .....	9
9.3 Starting requirements.....	9
10 Design HE starting requirements .....	10
11 Designs HY and HEY starting requirements .....	10
Table 1 – Minimum values of torques for design N .....	10
Table 2 – Maximum values of locked rotor apparent power for designs N and H .....	11
Table 3 – Maximum values of locked rotor apparent power for designs NE and HE .....	11
Table 4 – External moment of inertia ( $J$ ).....	12
Table 5 – Minimum values of torques for design H .....	13
Table 6 – Minimum values of torques for design N motors with type of protection 'Ex eb – increased safety' .....	13
Table 7 – External moment of inertia ( $J$ ) for motors with type of protection 'Ex eb – increased safety' .....	14



## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## ROTATING ELECTRICAL MACHINES –

**Part 12: Starting performance of single-speed  
three-phase cage induction motors**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. ([standards.iteh.ai](https://standards.iteh.ai/))
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter. (<https://standards.iteh.ai/catalog/standards/sist/33d545e1-d6e5-416d-8949-96e41d7975cb/sist-en-60034-12-2018>)
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60034-12 has been prepared by IEC technical committee 2: Rotating machinery.

This third edition cancels and replaces the second edition, published in 2002, and its amendment 1, published in 2007. It constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

Clause or subclause	Change
1	Part of note 3 moved to the regular text
3	Definition of locked rotor current and of rated voltage added
5	New design letter E for extended efficiency motors, explanation of all design letters, and description of new designs NE, NEY, HE, and HEY
6.2 and 9.2	Limits for locked rotor apparent power for E(Ex)e motors replaced by a reference to IEC 60079-7 Formula added to calculate locked rotor current from apparent power
7 and 10	Definition of new limits for locked rotor apparent power for extended efficiency motors (new table 3)
Tables	Tables 1 and 4 to 7 extended down to $P_N = 120$ W Name of type of protection updated according to IEC 60079-7 Ed. 5

The text of this standard is based on the following documents:

CDV	Report on voting
2/1789/CDV	2/1821A/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

(standards.iteh.ai)

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60034 series, published under the general title *Rotating electrical machines*, can be found on the IEC website.

NOTE A table of cross-references of all IEC TC 2 publications can be found in the IEC TC 2 dashboard on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## ROTATING ELECTRICAL MACHINES –

### Part 12: Starting performance of single-speed three-phase cage induction motors

#### 1 Scope

This part of IEC 60034 specifies the parameters for eight designs of starting performance of single-speed three-phase 50 Hz or 60 Hz cage induction motors in accordance with IEC 60034-1 that:

- have a rated voltage up to 1 000 V;
- are intended for direct-on-line or star-delta starting;
- are rated on the basis of duty type S1;
- are constructed to any degree of protection and explosion protection.

This document also applies to dual voltage motors provided that the flux saturation level is the same for both voltages.

The values of torque, apparent power and current given in this document are limiting values (that is, minimum or maximum without tolerance).

NOTE 1 It is not expected that all manufacturers will produce machines for all eight designs. The selection of any specific design in accordance with this document will be a matter of agreement between the manufacturer and the purchaser.

NOTE 2 Designs other than the eight specified may be necessary for particular applications.

NOTE 3 It should be noted that values given in manufacturers' catalogues may include tolerances in accordance with IEC 60034-1.

NOTE 4 The values tabled for locked rotor apparent power are based on r.m.s. symmetrical steady state locked rotor currents; at motor switch on there will be a one-half cycle asymmetrical instantaneous peak current which may range from 1,8 to 2,8 times the steady state locked rotor value. The current peak and decay time are a function of the motor design and switching angle.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-30-1, *Rotating electrical machines – Part 30-1: Efficiency classes of line-operated AC motors (IE-code)*

IEC 60079-7:2015, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.