

### SLOVENSKI STANDARD SIST EN 61300-3-25:2017

01-januar-2017

Nadomešča:

SIST EN 61300-3-25:2014

Optični spojni elementi in pasivne komponente - Osnovni preskusni in merilni postopki - 3-25. del: Preiskave in meritve - Koncentričnost nekotnih tulk in nekotnih tulk z vstavljenim optičnim vlaknom (IEC 61300-3-25:2016)

Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-25: Examinations and measurements - Concentricity of the non-angled ferrules and non-angled ferrules with fibre installed (IEC 61300-3-25:2016)

(standards.iteh.ai)

Lichtwellenleiter - Verbindungselemente und passive Bauteile - Grundlegende Prüf- und Messverfahren - Teil 3-25: Untersuchungen und Messungen - Konzentrizität der nicht schräggeschliffenen Ferrulen und der nicht schräggeschliffenen Ferrulen mit eingebauter Faser (IEC 61300-3-25:2016)

Dispositifs d'interconnexion et composants passifs à fibres optiques - Procédures fondamentales d'essais et de mesures - Partie 3-25 : examens et mesures - Concentricité des férules sans angle et des férules sans angle avec fibre montée (IEC 61300-3-25:2016)

Ta slovenski standard je istoveten z: EN 61300-3-25:2016

ICS:

33.180.20 Povezovalne naprave za

optična vlakna

Fibre optic interconnecting

devices

SIST EN 61300-3-25:2017

en

SIST EN 61300-3-25:2017

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61300-3-25:2017</u> https://standards.iteh.ai/catalog/standards/sist/e4e8cd86-fe67-4deb-8e9e-b83b0d4379a4/sist-en-61300-3-25-2017 EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 61300-3-25

November 2016

ICS 33.180.20

Supersedes EN 61300-3-25:2013

#### **English Version**

Fibre optic interconnecting devices and passive components Basic test and measurement procedures Part 3-25: Examinations and measurements - Concentricity of
non-angled ferrules and non-angled ferrules with fibre installed
(IEC 61300-3-25:2016)

Dispositifs d'interconnexion et composants passifs fibroniques - Procédures fondamentales d'essais et de mesures - Partie 3-25: Examens et mesures - Concentricité des férules sans angle et des férules sans angle avec fibre montée (IEC 61300-3-25:2016)

Lichtwellenleiter-Verbindungselemente und passive Bauteile - Grundlegende Prüf- und Messverfahren -Teil 3-25: Untersuchungen und Messungen - Konzentrizität der nicht schräggeschliffenen Ferrulen und der nicht schräggeschliffenen Ferrulen mit eingebauter Faser (IEC 61300-3-25:2016)

This European Standard was approved by CENELEC on 2016-10-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member 1300-3-25:2017

https://standards.iteh.ai/catalog/standards/sist/e4e8cd86-fe67-4deb-8e9e-

This European Standard exists in three official versions, English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

#### EN 61300-3-25:2016

#### **European foreword**

The text of document 86B/3900/CDV, future edition 3 of IEC 61300-3-25, prepared by SC 86B "Fibre optic interconnecting devices and passive components" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61300-3-25:2016.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2017-07-04
	latest date by which the national	(dow)	2017-10-04

latest date by which the national standards conflicting with the document have to be withdrawn

(dow)

This document supersedes EN 61300-3-25:2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

#### **Endorsement notice**

The text of the International Standard IEC 61300-3-25:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated :

Harmonized as EN ISO 2538 1). ISO 2538 NOTE

> https://standards.iteh.ai/catalog/standards/sist/e4e8cd86-fe67-4deb-8e9eb83b0d4379a4/sist-en-61300-3-25-2017

<sup>&</sup>lt;sup>1)</sup> The latest edition is superseded by EN ISO 2538-1:2014 and EN ISO 2538-2:2014.



IEC 61300-3-25

Edition 3.0 2016-08

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Fibre optic interconnecting devices and passive components – Basic test and measurement procedures standards iteh.ai

Part 3-25: Examinations and measurements – Concentricity of non-angled ferrules and non-angled ferrules with fibre installed

https://standards.iteh.ai/catalog/standards/sist/e4e8cd86-fe67-4deb-8e9e-

Dispositifs d'interconnexion et composants passifs fibroniques – Procédures fondamentales d'essais et de mesures –

Partie 3-25: Examens et mesures – Concentricité des férules sans angle et des férules sans angle avec fibre montée

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.180.20 ISBN 978-2-8322-3618-5

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

FC	REWC	PRD	3
1	Scop	e	5
2	Norn	native references	5
3	Gene	eral description	5
	3.1	General	5
	3.2	Method A: ferrule surface reference method (reference test method)	6
	3.3	Method B: core centre reference method on a ferrule with fibre installed	6
4	Appa	ıratus	6
	4.1	Method A	6
	4.2	Method B	6
5	Proc	edure	6
	5.1	Method A-1	6
	5.2	Method A-2	7
	5.3	Method B	8
6	Deta	ils to be specified	9
	6.1	Method A	9
	6.2	Method B	9
Bil	oliograp	ohyiTeh STANDARD PREVIEW	10
Fiç	gure 1 -	- Definition of concentricityandards.iteh.ai)	5
Fig wi	gure 2 - th fibre	- Set-up example for concentricity measurement (method A-1) of ferrules installed	7
Fi	gure 3 -	https://standards.iteh.avcatalog/standards/sist/e4e8cd86-te6/-4deb-8e9e- - Set-up example for concentricity measurement (method A-2) of bare	8
		- Set-up example for concentricity measurement (method B) of ferrules with	9

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

### Part 3-25: Examinations and measurements – Concentricity of non-angled ferrules and non-angled ferrules with fibre installed

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
  consensus of opinion on the relevant subjects since each technical committee has representation from all
  interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

  b83b0d4379a4/sist-en-61300-3-25-2017
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61300-3-25 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

This third edition cancels and replaces the second edition published in 2013 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) deletion of method C due to potential damage of ferrule end face by the spindle. Method C is the ferrule bore reference method for bare ferrules according to IEC 61300-3-25:2013;
- b) separation of original method A into method A-1 and method A-2 relating to the two different types of ferrule (with/without fibre fitted);
- c) integration of the content of Annexes A and B into the test procedure.

IEC 61300-3-25:2016 © IEC 2016

The text of this standard is based on the following documents:

CDV	Report on voting
86B/3900/CDV	86B/3956A/RVC

– 4 –

Full information on the voting for the approval of this document can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61300 series, published under the general title, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61300-3-25:2017</u> https://standards.iteh.ai/catalog/standards/sist/e4e8cd86-fe67-4deb-8e9e-b83b0d4379a4/sist-en-61300-3-25-2017

### FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 3-25: Examinations and measurements – Concentricity of non-angled ferrules and non-angled ferrules with fibre installed

#### 1 Scope

This part of IEC 61300 describes the procedure to determine the concentricity of the axis of the bore in a non-angled ferrule with the axis of the ferrule, and in the case of non-angled ferrules with fibre installed, to determine the concentricity of the axis of the fibre core with the axis of the ferrule.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

iTeh STANDARD PREVIEW

There are no normative references in this document. (standards.iteh.ai)

#### 3 General description

SIST EN 61300-3-25:2017

3.1 General

https://standards.iteh.ai/catalog/standards/sist/e4e8cd86-fe67-4deb-8e9e-b83b0d4379a4/sist-en-61300-3-25-2017

This procedure describes the measurement of concentricity of ferrules and ferrules with assembled fibres. Concentricity is defined as twice the distance between the axis of the ferrule and the axis of the inner diameter of the ferrule (ferrule bore), or in the case of ferrules with fibre installed, twice the distance between the axis of the ferrule and the axis of the core of the installed fibre (see Figure 1). When concentricity measurements are made on a ferrule with fibre installed the results will be affected by the geometry of the fibre, and by the fit of the fibre in the ferrule inner diameter. Imperfections of the cylindricity and circularity of the outside diameter of the ferrule will influence the measurement results.




Figure 1 - Definition of concentricity

Two methods of concentricity measurement are described in 3.2 and 3.3.