

---

**Konektorji za elektronsko opremo - Zahteve za izdelek - 3-120. del: Pravokotni konektorji - Podrobna specifikacija za močnostne konektorje s kabelskimi priključki za naznačeno enosmerno napetost 250 V in naznačeni tok 30 A (IEC 61076-3-120:2016)**

Connectors for electronic equipment - Product requirements - Part 3-120: Rectangular connectors - Detail specification for rewirable power connectors with snap locking for rated voltage of 250 v d.c. and rated current of 30 a (IEC 61076-3-120:2016)

**ITeH STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 61076-3-120:2017](https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0ef2f4ffb31/sist-en-61076-3-120-2017)

<https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0ef2f4ffb31/sist-en-61076-3-120-2017>

**Ta slovenski standard je istoveten z: EN 61076-3-120:2016**

---

**ICS:**

31.220.10      Vtiči in vtičnice, konektorji      Plug-and-socket devices.  
Connectors

**SIST EN 61076-3-120:2017**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 61076-3-120:2017](https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0efe2f4ffb31/sist-en-61076-3-120-2017)

<https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0efe2f4ffb31/sist-en-61076-3-120-2017>

EUROPEAN STANDARD

**EN 61076-3-120**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2016

ICS 31.220.10

English Version

**Connectors for electronic equipment - Product requirements -  
Part 3-120: Rectangular connectors - Detail specification for  
rewirable power connectors with snap locking for rated voltage of  
250 V d.c. and rated current of 30 A  
(IEC 61076-3-120:2016)**

Connecteurs pour équipements électroniques - Exigences de produit - Partie 3-120: Connecteurs rectangulaires - Spécification particulière pour connecteurs de puissance démontables à encliquetage pour une tension continue assignée de 250 V et un courant assigné de 30 A (IEC 61076-3-120:2016)

Steckverbinder für elektronische Einrichtungen - Produktanforderungen - Teil 3-120: Rechteckige Steckverbinder - Bauartspezifikation für wiederanschließbare Leistungssteckverbinder mit Rastverriegelung für 250 V Bemessungsgleichspannung und einen Bemessungsstrom von 30 A (IEC 61076-3-120:2016)

## iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2016-09-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**EN 61076-3-120:2016****European foreword**

The text of document 48B/2498/FDIS, future edition 1 of IEC 61076-3-120, prepared by SC 48B "Electrical connectors", of IEC/TC 48 "Electrical connectors and mechanical structures for electrical and electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61076-3-120:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-06-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-09-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)  
**Endorsement notice**

SIST EN 61076-3-120:2017

The text of the International Standard IEC 61076-3-120:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60352-7	NOTE	Harmonized as EN 60352-7.
IEC 60512-1-100	NOTE	Harmonized as EN 60512-1-100.
IEC 60999-2:2003	NOTE	Harmonized as EN 60999-2:2003 (not modified).
ISO 11469:2000	NOTE	Harmonized as EN ISO 11469:2000 (not modified).

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-581	2008	International Electrotechnical Vocabulary (IEV) - Part 581: Electromechanical components for electronic equipment	-	-
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60228	2004	Conductors of insulated cables	EN 60228	2005
-	-	+ corr. May 2005	-	2005
IEC 60352	series	Solderless connections	EN 60352	series
IEC 60512	series	Connectors for electronic equipment - Tests and measurements	EN 60512	series
IEC 60512-1-2	2002	Connectors for electronic equipment - Tests and measurements - Part 1-2: General examination - Test 1b: Examination of dimension and mass	EN 60512-1-2	2002
IEC 60999-1	1999	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units - Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm <sup>2</sup> up to 35 mm <sup>2</sup> (included)	EN 60999-1	2000
IEC 61076-1	2006	Connectors for electronic equipment - Product requirements - Part 1: Generic specification	EN 61076-1	2006
IEC 61076-3	2008	Connectors for electronic equipment - Product requirements - Part 3: Rectangular connectors - Sectional specification	EN 61076-3	2008

**EN 61076-3-120:2016**

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61984	2008	Connectors - Safety requirements and tests	EN 61984	2009
IEC 62430	-	Environmentally conscious design for electrical and electronic products	EN 62430	-
IEC Guide 109	-	Environmental aspects - Inclusion in electrotechnical product standards	-	-

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[SIST EN 61076-3-120:2017](https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0efe2f4ffb31/sist-en-61076-3-120-2017)

<https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0efe2f4ffb31/sist-en-61076-3-120-2017>



IEC 61076-3-120

Edition 1.0 2016-08

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Connectors for electronic equipment – Product requirements –  
Part 3-120: Rectangular connectors – Detail specification for rewirable power  
connectors with snap locking for rated voltage of 250 V d.c. and rated current of  
30 A**

[SIST EN 61076-3-120:2017](https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-m62982131c-61076-3-120-2017)

[https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-](https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-m62982131c-61076-3-120-2017)

**Connecteurs pour équipements électroniques – Exigences de produit –  
Partie 3-120: Connecteurs rectangulaires – Spécification particulière pour  
connecteurs de puissance démontables à encliquetage pour une tension  
continue assignée de 250 V et un courant assigné de 30 A**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 31.220.10

ISBN 978-2-8322-3555-3

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions .....	9
4 Technical information.....	9
4.1 Ratings and characteristics .....	9
4.2 Performance levels .....	9
4.3 Compatibility levels .....	9
4.4 Classification into climatic categories .....	9
4.5 Clearance and creepage distances .....	9
4.6 Current-carrying capacity .....	10
4.7 Marking.....	10
5 Dimensional information .....	10
5.1 General.....	10
5.2 Isometric view and common features (see Figure 1 and Figure 2).....	10
5.3 Fixed connectors (see Figure 3 and Table 2) .....	11
5.3.1 Dimensions.....	11
5.3.2 Terminations.....	12
5.4 Free connectors (see Figure 4 and Table 3).....	13
5.4.1 Dimensions.....	13
5.4.2 Terminations.....	14
5.5 Accessories.....	14
5.6 Mounting information.....	14
5.7 Gauges.....	14
5.7.1 Sizing gauges and retention force gauges (see Figure 5 and Table 4) .....	14
6 Characteristics .....	15
6.1 Classification into climatic categories .....	15
6.2 Electrical characteristics.....	15
6.2.1 Clearance and creepage distance.....	15
6.2.2 Voltage proof .....	15
6.2.3 Contact resistance .....	15
6.2.4 Insulation resistance .....	16
6.2.5 Temperature rise.....	16
6.3 Mechanical characteristics .....	16
6.3.1 Mechanical operation .....	16
6.3.2 Insertion and withdrawal forces .....	16
6.3.3 Contact retention in insert .....	16
6.3.4 Polarizing and coding method.....	17
6.3.5 Effectiveness of connector coupling devices .....	17
6.3.6 Conductor secureness.....	17
6.4 Dynamic stress test.....	17
6.4.1 Vibration (sine) .....	17
6.4.2 Shock .....	17
6.5 Climatic test.....	18
6.5.1 Damp heat steady state.....	18



6.5.2	Rapid change of temperature .....	18
6.5.3	Salt spray .....	18
6.5.4	Dry heat.....	18
6.6	Environmental aspects .....	18
6.6.1	Marking of insulation material (plastic).....	18
6.6.2	Design/use of material .....	18
7	Test schedule .....	19
7.1	General.....	19
7.2	Test schedules.....	19
7.2.1	Basic (minimum) test schedule .....	19
7.2.2	Full test schedule.....	19
7.3	Test procedures and measurement methods.....	24
7.4	Pre-conditioning.....	24
7.5	Wiring and mounting of test specimens.....	24
7.5.1	Wiring.....	24
7.5.2	Mounting.....	24
	Bibliography .....	25
	Figure 1 – Isometric view of free connector .....	10
	Figure 2 – Isometric view of fixed connector.....	10
	Figure 3 – Fixed connector.....	11
	Figure 4 – Free connector.....	13
	Figure 5 – Gauge.....	15
	Table 1 – Climatic categories .....	9
	Table 2 – Dimensions of the fixed connector .....	12
	Table 3 – Dimensions of the free connector.....	14
	Table 4 – Gauge dimensions.....	15
	Table 5 – Conductor secureness test .....	17
	Table 6 – Number of test specimens .....	19
	Table 7 – Test group P .....	19
	Table 8 – Test group AP .....	20
	Table 9 – Test group BP .....	21
	Table 10 – Test group CP .....	22
	Table 11 – Test group DP .....	22
	Table 12 – Test group EP .....	23
	Table 13 – Test group JP .....	23
	Table 14 – Test group KP .....	24

ITeH STANDARD PREVIEW

(standards.iteh.ai)

SIST EN 61076-3-120:2017

<https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0ef241fb31/sist-en-61076-3-120-2017>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT –  
PRODUCT REQUIREMENTS –**Part 3-120: Rectangular connectors – Detail specification  
for rewirable power connectors with snap locking for rated voltage  
of 250 V d.c. and rated current of 30 A**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61076-3-120 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/2498/FDIS	48B/2511/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.


The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[SIST EN 61076-3-120:2017](https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0efe2f4ffb31/sist-en-61076-3-120-2017)

<https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0efe2f4ffb31/sist-en-61076-3-120-2017>

The International Electrotechnical Commission IEC SC 48B —Electrical connectors	IEC 61076-3-120
Detail specification in accordance with IEC 61076-3	
	Rewirable power connectors with snap locking for rated voltage of 250 V d.c. and rated current of 30 A
Fixed and free connectors, for telecommunication equipment	

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61076-3-120:2017](https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0efe2f4ffb31/sist-en-61076-3-120-2017)

<https://standards.iteh.ai/catalog/standards/sist/4a1f28e0-868a-49ea-b9cd-0efe2f4ffb31/sist-en-61076-3-120-2017>