



SLOVENSKI STANDARD SIST ETS 300 974 E4:2003

01-december-2003

Digitalni celil'ni telekomunikacijski sistem (faza 2+) ņ Specifikacija dela za mobilne aplikacije (MAP) (GSM 09.02, razli'ica 5.8.1)

Digital cellular telecommunications system (Phase 2+) (GSM); Mobile Application Part (MAP) specification (GSM 09.02 version 5.8.1)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ETS 300 974 Edition 4**
SIST ETS 300 974 E4:2003
<https://standards.iteh.ai/catalog/standards/sist/217c1b66-5c8c-4d77-a404-913372bab366/sist-ets-300-974-e4-2003>

ICS:

33.070.50	Globalni sistem za mobilno telekomunikacijo (GSM)	Global System for Mobile Communication (GSM)
-----------	---	--


SIST ETS 300 974 E4:2003

en

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 974 E4:2003](https://standards.iteh.ai/catalog/standards/sist/217efb6b-5c8c-4d77-a404-913372bab366/sist-ets-300-974-e4-2003)

<https://standards.iteh.ai/catalog/standards/sist/217efb6b-5c8c-4d77-a404-913372bab366/sist-ets-300-974-e4-2003>



EUROPEAN TELECOMMUNICATION STANDARD

ETS 300 974

July 1998

Fourth Edition

Source: SMG

Reference: RE/SMG-030902QR3

ICS: 33.020

Key words: Digital cellular telecommunications system, Global System for Mobile communications (GSM)[SIST ETS 300 974 E4:2003](https://standards.iteh.ai/catalog/standards/sist/217efb6b-5c8c-4d77-a404-913372bab366/sist-ets-300-974-e4-2003)<https://standards.iteh.ai/catalog/standards/sist/217efb6b-5c8c-4d77-a404-913372bab366/sist-ets-300-974-e4-2003>

Digital cellular telecommunications system (Phase 2+); Mobile Application Part (MAP) specification (GSM 09.02 version 5.8.1)

ETSI

European Telecommunications Standards Institute

ETSI Secretariat**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE**Internet:** secretariat@etsi.fr - <http://www.etsi.fr> - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 974 E4:2003](https://standards.iteh.ai/catalog/standards/sist/217efb6b-5c8c-4d77-a404-913372bab366/sist-ets-300-974-e4-2003)

<https://standards.iteh.ai/catalog/standards/sist/217efb6b-5c8c-4d77-a404-913372bab366/sist-ets-300-974-e4-2003>

Contents

Foreword	20
1 Scope	21
1.1 Normative references	21
1.2 Abbreviations	27
2 Configuration of the mobile network.....	27
2.1 The entities of the mobile system	27
2.1.1 The Home Location Register (HLR).....	27
2.1.2 The Visitor Location Register (VLR).....	28
2.1.3 The Mobile-services Switching Centre (MSC).....	28
2.1.4 The Base Station System (BSS)	28
2.1.5 The Gateway MSC (GMSC).....	28
2.1.6 The SMS Gateway MSC	28
2.1.7 The SMS Interworking MSC.....	29
2.1.8 The VBS/VGCS Anchor MSC	29
2.1.9 The Equipment Identity Register (EIR).....	29
2.1.10 The GSM Service Control Function (gsmSCF)	29
2.1.11 The VBS/VGCS Anchor MSC	29
2.1.10 The Group Call Register (GCR)	29
2.2 Configuration of a Public Land Mobile Network (PLMN)	29
2.3 Interconnection between PLMNs	29
2.4 The interfaces within the mobile service.....	30
2.4.1 Interface between the HLR and the VLR (D-interface)	30
2.4.2 Interface between the HLR and the gsmSCF (J-interface)	30
2.4.3 Interface between the VLR and its associated MSC(s) (B-interface).....	30
2.4.4 Interface between VLRs (G-interface).....	30
2.4.5 Interface between the HLR and the MSC (C-interface)	30
2.4.6 Interface between MSCs (E-interface)	30
2.4.7 Interface between the MSC and Base Station Systems (A-interface).....	31
2.4.8 Interface between MSC and EIR (F-interface)	31
2.4.9 Interface between VBS/VGCS Anchor MSC and GCR (I-interface)	31
2.5 Splitting of the data storage	31
3 Overload and compatibility overview	33
3.1 Overload control.....	33
3.1.1 Overload control for MSC (outside MAP).....	33
3.1.2 Overload control for MAP entities.....	33
3.1.3 Congestion control for Signalling System No. 7	36
3.2 Compatibility	36
3.2.1 General.....	36
3.2.2 Strategy for selecting the Application Context (AC) version.....	36
3.2.2.1 Proposed method	36
3.2.2.2 Managing the version look-up table.....	37
3.2.2.3 Optimizing the method.....	38
4 Requirements concerning the use of SCCP and TC.....	39
4.1 Use of SCCP.....	39
4.1.1 SCCP Class	39
4.1.2 Sub-System Number (SSN)	39
4.1.3 SCCP addressing.....	39
4.1.3.1 Introduction.....	39
4.1.3.2 The Mobile-services Switching Centre (MSC).....	40
4.1.3.2.1 MSC interaction during handover	40
4.1.3.2.2 MSC for short message routing	40
4.1.3.3 The Home Location Register (HLR)	40
4.1.3.3.1 During call set-up.....	41

	4.1.3.3.2	Before location updating completion	41
	4.1.3.3.3	After location updating completion	41
	4.1.3.3.4	VLR restoration	42
	4.1.3.4	The Visitor Location Register (VLR)	42
	4.1.3.4.1	Inter-VLR information retrieval	42
	4.1.3.4.2	HLR request	42
	4.1.3.5	The Interworking MSC (IWMSC) for Short Message Service	42
	4.1.3.6	The Equipment Identity Register (EIR)	42
	4.1.3.7	Summary table	42
4.2	Use of TC		43
5	General on MAP services		45
5.1	Terminology and definitions		45
5.2	Modelling principles		45
5.3	Common MAP services		45
	5.3.1	MAP-OPEN service	46
	5.3.2	MAP-CLOSE service	48
	5.3.3	MAP-DELIMITER service	48
	5.3.4	MAP-U-ABORT service	49
	5.3.5	MAP-P-ABORT service	50
	5.3.6	MAP-NOTICE service	50
5.4	Sequencing of services		51
5.5	General rules for mapping of services onto TC		52
	5.5.1	Mapping of common services	52
	5.5.2	Mapping of user specific services	54
5.6	Definition of parameters		54
	5.6.1	Common parameters	56
	5.6.1.1	Invoke Id	56
	5.6.1.2	Linked Id	56
	5.6.1.3	Provider error	56
	5.6.1.4	User error	56
	5.6.2	Numbering and identification parameter	58
	5.6.2.1	MSI	58
	5.6.2.2	TMSI	58
	5.6.2.3	IMEI	58
	5.6.2.4	Previous location area Id	58
	5.6.2.5	Stored location area Id	59
	5.6.2.6	Current location area Id	59
	5.6.2.7	Target location area Id	59
	5.6.2.8	Target cell Id	59
	5.6.2.9	[Spare]	59
	5.6.2.10	Originating entity number	59
	5.6.2.11	MSC number	59
	5.6.2.12	Target MSC number	59
	5.6.2.13	HLR number	59
	5.6.2.14	VLR number	59
	5.6.2.15	HLR Id	59
	5.6.2.16	LMSI	59
	5.6.2.17	MS ISDN	59
	5.6.2.18	OMC Id	59
	5.6.2.19	Roaming number	59
	5.6.2.20	[Spare]	60
	5.6.2.21	Handover number	60
	5.6.2.22	Forwarded-to number	60
	5.6.2.23	Forwarded-to subaddress	60
	5.6.2.24	Called number	60
	5.6.2.25	Calling number	60
	5.6.2.26	Originally dialled number	60
	5.6.2.27	Service centre address	60
	5.6.2.28	Zone Code	60
	5.6.2.29	MSIsdn-Alert	60
	5.6.2.30	Location Information	60

	5.6.2.31	GMSC Address.....	60
	5.6.2.32	VMSC Address	60
	5.6.2.33	Group Id.....	60
5.6.3		Subscriber management parameters.....	61
	5.6.3.1	Category	61
	5.6.3.2	Equipment status.....	61
	5.6.3.3	Extensible Bearer service.....	61
	5.6.3.4	Extensible Teleservice.....	61
	5.6.3.5	Extensible Basic Service Group	61
	5.6.3.6	GSM bearer capability	61
	5.6.3.7	Subscriber Status	61
	5.6.3.8	CUG Outgoing Access indicator.....	61
	5.6.3.9	Operator Determined Barring General Data.....	61
	5.6.3.10	ODB HPLMN Specific Data	61
	5.6.3.11	Regional Subscription Data	62
	5.6.3.12	Regional Subscription Response.....	62
	5.6.3.13	Roaming Restriction Due To Unsupported Feature	62
	5.6.3.14	Extensible SS-Info	62
	5.6.3.15	Extensible Forwarding information	62
	5.6.3.16	Extensible Forwarding feature.....	62
	5.6.3.17	Extensible SS-Status.....	62
	5.6.3.18	Extensible Forwarding Options.....	62
	5.6.3.19	Extensible No reply condition timer	63
	5.6.3.20	Extensible Call barring information.....	63
	5.6.3.21	Extensible Call barring feature.....	63
	5.6.3.22	CUG info.....	63
	5.6.3.23	CUG subscription	63
	5.6.3.24	CUG interlock	63
	5.6.3.25	CUG index.....	63
	5.6.3.26	CUG feature	63
	5.6.3.27	Inter CUG options.....	64
	5.6.3.28	Intra CUG restrictions	64
	5.6.3.29	Extensible SS-Data.....	64
	5.6.3.30	Subscriber State	64
	5.6.3.31	Requested Info	64
	5.6.3.32	Suppression of Announcement	64
	5.6.3.33	Suppress T-CSI	64
	5.6.3.34	GMSC CAMEL Subscription Info.....	64
	5.6.3.35	VLR CAMEL Subscription Info.....	64
	5.6.3.36	Supported CAMEL Phases.....	65
	5.6.3.37	CUG Subscription Flag	65
	5.6.3.38	CAMEL Subscription Info Withdraw	65
	5.6.3.39	Voice Group Call Service (VGCS) Data	65
	5.6.3.40	Voice Broadcast Service (VBS) Data	65
5.6.4		Supplementary services parameters.....	65
	5.6.4.1	SS-Code	65
	5.6.4.2	SS-Status.....	65
	5.6.4.3	SS-Data	65
	5.6.4.4	Override Category	66
	5.6.4.5	CLI Restriction Option.....	66
	5.6.4.6	Forwarding Options	66
	5.6.4.7	No reply condition timer	66
	5.6.4.8	- 5.6.4.14 [spare].....	66
	5.6.4.15	Forwarding information	66
	5.6.4.16	Forwarding feature.....	66
	5.6.4.17	spare.....	67
	5.6.4.18	Call barring information	67
	5.6.4.19	Call barring feature	67
	5.6.4.20	New password	67
	5.6.4.21	Current password	67
	5.6.4.22	Guidance information	67
	5.6.4.23	[Spare]	67
	5.6.4.24	SS-Info.....	67

iTeh STANDARD PREVIEW
(standardsite.org)

SIST ETS 300 974 E4:2003
https://standardsite.org/catalog/standards/sist/30066-3c8c-4d77-a404-
9137-bab366/sist-ets-300-974-e4-2003

	5.6.4.25-5.6.4.35 [Spare]	67
	5.6.4.36 USSD Data Coding Scheme	67
	5.6.4.37 USSD String	68
	5.6.4.38 Bearer service	68
	5.6.4.39 Teleservice	68
	5.6.4.40 Basic Service Group	68
	5.6.4.41 eMLPP information	68
5.6.5	Call parameters	68
	5.6.5.1 Call reference number	68
	5.6.5.2 Interrogation type	68
	5.6.5.3 OR interrogation	68
	5.6.5.4 OR capability	68
	5.6.5.5 Forwarding reason	69
	5.6.5.6 Forwarding interrogation required	69
	5.6.5.7 O-CSI	69
5.6.6	Radio parameters	69
	5.6.6.1-5.6.6.6 [Spare]	69
	5.6.6.7 HO-Number Not Required	69
5.6.7	Authentication parameters	69
	5.6.7.1 Authentication set list	69
	5.6.7.2 Rand	69
	5.6.7.3 Sres	69
	5.6.7.4 Kc	69
	5.6.7.5 [Spare]	69
	5.6.7.6 Cksn	69
	5.6.7.7 Ciphering mode	69
5.6.8	Short message parameters	70
	5.6.8.1 SM-RP-DA	70
	5.6.8.2 SM-RP-OA	70
	5.6.8.3 MWD status	70
	5.6.8.4 SM-RP-UI	70
	5.6.8.5 SM-RP-PRI	70
	5.6.8.6 SM-Delivery Outcome	70
	5.6.8.7 More Messages To Send	70
	5.6.8.8 Alert Reason	70
	5.6.8.9 Absent Subscriber Diagnostic SM	70
5.6.9	Access and signalling system related parameters	71
	5.6.9.1 BSS-apdu	71
	5.6.9.2 CM service type	71
	5.6.9.3 Access connection status	71
	5.6.9.4 External Signal Information	71
	5.6.9.5 Access signalling information	71
	5.6.9.6 Location update type	71
	5.6.9.7 Protocol ID	71
	5.6.9.8 Network signal information	72
5.6.10	System operations parameters	72
	5.6.10.1 Network resources	72
	5.6.10.2 Trace reference	72
	5.6.10.3 Trace type	72
5.7	Representation of a list of a basic parameter in service-primitives	73
6	Mobility services	74
6.1	Location management services	74
6.1.1	MAP_UPDATE_LOCATION_AREA service	74
	6.1.1.1 Definition	74
	6.1.1.2 Service primitives	74
	6.1.1.3 parameter definitions and use	74
6.1.2	MAP_UPDATE_LOCATION service	75
	6.1.2.1 Definition	75
	6.1.2.2 Service primitives	75
	6.1.2.3 Parameter definitions and use	75
6.1.3	MAP_CANCEL_LOCATION service	76
	6.1.3.1 Definition	76

	6.1.3.2	Service primitives.....	76
	6.1.3.3	Parameter definitions and use.....	77
6.1.4		MAP_SEND_IDENTIFICATION service	77
	6.1.4.1	Definition.....	77
	6.1.4.2	Service primitives.....	77
	6.1.4.3	Parameter definitions and use.....	77
6.1.5		MAP_DETACH_IMSI service	78
	6.1.5.1	Definition.....	78
	6.1.5.2	Service primitives.....	78
	6.1.5.3	Parameter definitions and use.....	78
6.1.6		MAP_PURGE_MS service	78
	6.1.6.1	Definition.....	78
	6.1.6.2	Service primitives.....	79
	6.1.6.3	Parameter definitions and use.....	79
6.2		Paging and search	79
	6.2.1	MAP_PAGE service	79
	6.2.1.1	Definition.....	79
	6.2.1.2	Service primitives.....	79
	6.2.1.3	Parameter definitions and use.....	79
	6.2.2	MAP_SEARCH_FOR_MS service	80
	6.2.2.1	Definition.....	80
	6.2.2.2	Service primitives.....	80
	6.2.2.3	Parameter definitions and use.....	80
6.3		Access management services.....	81
	6.3.1	MAP_PROCESS_ACCESS_REQUEST service	81
	6.3.1.1	Definition.....	81
	6.3.1.2	Service primitives.....	81
	6.3.1.3	Parameter definitions and use.....	81
6.4		Handover services	83
	6.4.1	MAP_PREPARE_HANDOVER service.....	83
	6.4.1.1	Definition.....	83
	6.4.1.2	Service primitives.....	83
	6.4.1.3	Parameter use	83
	6.4.2	MAP_SEND_END_SIGNAL service	84
	6.4.2.1	Definition.....	84
	6.4.2.2	Service primitives.....	84
	6.4.2.3	Parameter use	84
	6.4.3	MAP_PROCESS_ACCESS_SIGNALLING service	84
	6.4.3.1	Definition.....	84
	6.4.3.2	Service primitives.....	84
	6.4.3.3	Parameter use	85
	6.4.4	MAP_FORWARD_ACCESS_SIGNALLING service.....	85
	6.4.4.1	Definition.....	85
	6.4.4.2	Service primitives.....	85
	6.4.4.3	Parameter use	85
	6.4.5	MAP_PREPARE_SUBSEQUENT_HANDOVER service.....	85
	6.4.5.1	Definition.....	85
	6.4.5.2	Service primitives.....	86
	6.4.5.3	Parameter use	86
	6.4.6	MAP_ALLOCATE_HANDOVER_NUMBER service	86
	6.4.6.1	Definition.....	86
	6.4.6.2	Service primitives.....	86
	6.4.6.3	Parameter use	87
	6.4.7	MAP_SEND_HANDOVER_REPORT service.....	87
	6.4.7.1	Definition.....	87
	6.4.7.2	Service primitives.....	87
	6.4.7.3	Parameter use	87
6.5		Authentication management services.....	88
	6.5.1	MAP_AUTHENTICATE service	88
	6.5.1.1	Definition.....	88
	6.5.1.2	Service primitives.....	88
	6.5.1.3	Parameter use	88
	6.5.2	MAP_SEND_AUTHENTICATION_INFO service.....	88

	6.5.2.1	Definition	88
	6.5.2.2	Service primitives	89
	6.5.2.3	Parameter use	89
6.6	Security management services		89
6.6.1	MAP_SET_CIPHERING_MODE service		89
	6.6.1.1	Definitions	89
	6.6.1.2	Service primitives	89
	6.6.1.3	Parameter use	90
6.7	International mobile equipment identities management services		90
6.7.1	MAP_CHECK_IMEI service		90
	6.7.1.1	Definition	90
	6.7.1.2	Service primitives	90
	6.7.1.3	Parameter use	90
6.7.2	MAP_OBTAIN_IMEI service		91
	6.7.2.1	Definition	91
	6.7.2.2	Service primitives	91
	6.7.2.3	Parameter use	91
6.8	Subscriber management services		92
6.8.1	MAP-INSERT-SUBSCRIBER-DATA service		92
	6.8.1.1	Definition	92
	6.8.1.2	Service primitives	92
	6.8.1.3	Parameter use	92
	6.8.1.4	Basic service information related to supplementary services	98
6.8.2	MAP-DELETE-SUBSCRIBER-DATA service		98
	6.8.2.1	Definition	98
	6.8.2.2	Service primitives	99
	6.8.2.3	Parameter use	99
6.9	Identity management services		100
6.9.1	MAP-PROVIDE-IMSI service		100
	6.9.1.1	Definition	100
	6.9.1.2	Service primitives	101
	6.9.1.3	Parameter use	101
6.9.2	MAP-FORWARD-NEW-TMSI service		101
	6.9.2.1	Definition	101
	6.9.2.2	Service primitives	101
	6.9.2.3	Parameter use	101
6.10	Fault recovery services		101
6.10.1	MAP_RESET service		101
	6.10.1.1	Definition	101
	6.10.1.2	Service primitives	102
	6.10.1.3	Parameter definition and use	102
6.10.2	MAP_FORWARD_CHECK_SS_INDICATION service		102
	6.10.2.1	Definition	102
	6.10.2.2	Service primitives	102
	6.10.2.3	Parameter definition and use	102
6.10.3	MAP_RESTORE_DATA service		102
	6.10.3.1	Definition	102
	6.10.3.2	Service primitives	103
	6.10.3.3	Parameter definitions and use	103
6.11	Subscriber Information services		104
6.11.1	MAP-ANY-TIME-INTERROGATION service		104
	6.11.1.1	Definition	104
	6.11.1.2	Service primitives	104
	6.11.1.3	Parameter definition and use	104
6.11.2	MAP-PROVIDE-SUBSCRIBER-Info service		105
	6.11.2.1	Definition	105
	6.11.2.2	Service primitives	105
	6.11.2.3	Parameter definition and use	105
7	Operation and maintenance services		106
7.1	Subscriber tracing services		106
7.1.1	MAP-ACTIVATE-TRACE-MODE service		106

	7.1.1.1	Definition.....	106
	7.1.1.2	Service primitives.....	106
	7.1.1.3	Parameter use	106
7.1.2		MAP-DEACTIVATE-TRACE-MODE service.....	107
	7.1.2.1	Definition.....	107
	7.1.2.2	Service primitives.....	107
	7.1.2.3	Parameter use	107
7.1.3		MAP-TRACE-SUBSCRIBER-ACTIVITY service.....	107
	7.1.3.1	Definition.....	107
	7.1.3.2	Service primitives.....	108
	7.1.3.3	Parameter use	108
7.2		Other operation and maintenance services	108
7.2.1		MAP-SEND-IMSI service	108
	7.2.1.1	Definition.....	108
	7.2.1.2	Service primitives.....	108
	7.2.1.3	Parameter use	108
8		Call handling services	109
8.1		MAP_SEND_ROUTING_INFORMATION service.....	109
	8.1.1	Definition	109
	8.1.2	Service primitives	109
	8.1.3	Parameter use.....	109
8.2		MAP_PROVIDE_ROAMING_NUMBER service.....	113
	8.2.1	Definition	113
	8.2.2	Service primitives	113
	8.2.3	Parameter use.....	113
	8.2.3	Parameter use.....	113
8.3		MAP_RESUME_CALL_HANDLING service.....	115
	8.3.1	Definition	115
	8.3.2	Service primitives	115
	8.3.3	Parameter use.....	115
9		Supplementary services related services.....	116
9.1		MAP_REGISTER_SS service.....	116
	9.1.1	Definition	116
	9.1.2	Service primitives	116
	9.1.3	Parameter use.....	116
9.2		MAP_ERASE_SS service.....	117
	9.2.1	Definition	117
	9.2.2	Service primitives	117
	9.2.3	Parameter use.....	118
9.3		MAP_ACTIVATE_SS service	119
	9.3.1	Definition	119
	9.3.2	Service primitives	119
	9.3.3	Parameter use.....	119
9.4		MAP_DEACTIVATE_SS service	120
	9.4.1	Definitions.....	120
	9.4.2	Service primitives	120
	9.4.3	Parameter use.....	120
9.5		MAP_INTERROGATE_SS service.....	122
	9.5.1	Definitions.....	122
	9.5.2	Service primitives	122
	9.5.3	Parameter use.....	122
9.6		MAP_INVOKE_SS service	124
	9.6.1	Definitions.....	124
	9.6.2	Service primitives	124
	9.6.3	Parameter use.....	124
9.7		MAP_REGISTER_PASSWORD service	124
	9.7.1	Definitions.....	124
	9.7.2	Service primitives	125
	9.7.3	Parameter use.....	125
9.8		MAP_GET_PASSWORD service	125
	9.8.1	Definitions.....	125

9.8.2	Service primitives.....	125
9.8.3	Parameter use	126
9.9	MAP_PROCESS_UNSTRUCTURED_SS_REQUEST service	126
9.9.1	Definitions	126
9.9.2	Service primitives.....	126
9.9.3	Parameter use	126
9.10	MAP_UNSTRUCTURED_SS_REQUEST service.....	127
9.10.1	Definitions	127
9.10.2	Service primitives.....	127
9.10.3	Parameter use	127
9.11	MAP_UNSTRUCTURED_SS_NOTIFY service	128
9.11.1	Definitions	128
9.11.2	Service primitives.....	128
9.11.3	Parameter use	129
10	Short message service management services.....	129
10.1	MAP-SEND-ROUTING-INFO-FOR-SM service.....	129
10.1.1	Definition	129
10.1.2	Service primitives.....	129
10.1.3	Parameter use	130
10.2	MAP-MO-FORWARD-SHORT-MESSAGE service	131
10.2.1	Definition	131
10.2.2	Service primitives.....	131
10.2.3	Parameter use	131
10.3	MAP-REPORT-SM-DELIVERY-STATUS service	132
10.3.1	Definition	132
10.3.2	Service primitives.....	132
10.3.3	Parameter use	132
10.4	MAP-READY-FOR-SM service.....	133
10.4.1	Definition	133
10.4.2	Service primitives.....	133
10.4.3	Parameter use	133
10.5	MAP-ALERT-SERVICE-CENTRE service.....	134
10.5.1	Definition	134
10.5.2	Service primitives.....	134
10.5.3	Parameter use	134
10.6	MAP-INFORM-SERVICE-CENTRE service.....	135
10.6.1	Definition	135
10.6.2	Service primitives.....	135
10.6.3	Parameter use	135
10.7	MAP-SEND-INFO-FOR-MT-SMS service.....	136
10.7.1	Definition	136
10.7.2	Service primitives.....	136
10.7.3	Parameter use	136
10.8	MAP-SEND-INFO-FOR-MO-SMS service	136
10.8.1	Definition	136
10.8.2	Service primitives.....	137
10.8.3	Parameter use	137
10.9	MAP-MT-FORWARD-SHORT-MESSAGE service.....	137
10.9.1	Definition	137
10.9.2	Service primitives.....	137
10.9.3	Parameter use	138
11	General	140
11.1	Overview	140
11.2	Underlying services	140
11.3	Model.....	140
11.4	Conventions	140
12	Elements of procedure	141
12.1	Dialogue establishment.....	141
12.1.1	Handling of unknown operations	141
12.1.2	Receipt of a MAP-OPEN request primitive	142

12.1.3	Receipt of a TC-BEGIN indication.....	142
12.1.4	Receipt of a MAP-OPEN response	144
12.1.5	Receipt of the first TC-CONTINUE ind.....	145
12.1.6	Receipt of a TC-END ind.....	145
12.1.7	Receipt of a TC-U-ABORT ind	145
12.1.8	Receipt of a TC-P-ABORT ind	145
12.2	Dialogue continuation	146
12.2.1	Sending entity.....	146
12.2.2	Receiving entity	146
12.3	Dialogue termination	146
12.3.1	Receipt of a MAP-CLOSE request.....	146
12.3.2	Receipt of a TC-END indication	146
12.4	User Abort.....	146
12.4.1	MAP-U-ABORT request	147
12.4.2	TC-U-ABORT ind	147
12.5	Provider Abort.....	147
12.5.1	MAP PM error situation	147
12.5.2	TC-P-ABORT ind.....	147
12.5.3	TC-U-ABORT ind	147
12.6	Procedures for MAP specific services	147
12.6.1	Service invocation	148
12.6.2	Service invocation receipt	148
12.6.3	Service response.....	149
12.6.4	Receipt of a response	149
12.6.4.1	Receipt of a TC-RESULT-NL indication	150
12.6.4.2	Receipt of a TC-RESULT-L indication.....	150
12.6.4.3	Receipt of a TC-U-ERROR indication	150
12.6.4.4	Receipt of a TC-INVOKE indication.....	151
12.6.4.5	Receipt of a TC-U-REJECT indication	151
12.6.4.6	Receipt of a TC-L-REJECT indication	151
12.6.4.7	Receipt of a TC-L-CANCEL indication	151
12.6.4.8	Receipt of a TC-NOTICE indication.....	152
12.6.5	Other events.....	152
12.6.5.1	Receipt of a TC-U-REJECT.....	152
12.6.5.2	Receipt of a TC-R-REJECT indication	152
12.6.5.3	Receipt of a TC-L-REJECT indication	152
12.6.6	Parameter checks	153
12.6.7	Returning state machines to idle	153
12.6.8	Load control.....	153
13	Mapping on to TC services.....	154
13.1	Dialogue control.....	154
13.1.1	Directly mapped parameters	154
13.1.2	Use of other parameters of dialogue handling primitives	154
13.1.2.1	Dialogue Id.....	154
13.1.2.2	Application-context-name	154
13.1.2.3	User information	154
13.1.2.4	Component present	154
13.1.2.5	Termination.....	154
13.1.2.6	P-Abort-Cause	154
13.1.2.7	Quality of service	154
13.2	Service specific procedures.....	155
13.2.1	Directly mapped parameters	155
13.2.2	Use of other parameters of component handling primitives.....	155
13.2.2.1	Dialogue Id.....	155
13.2.2.2	Class.....	155
13.2.2.3	Linked Id	155
13.2.2.4	Operation	155
13.2.2.5	Error.....	156
13.2.2.6	Parameters	156
13.2.2.7	Time out.....	157
13.2.2.8	Last component	157
13.2.2.9	Problem code	157

	13.2.2.9.1	Mapping to MAP User Error	157
	13.2.2.9.2	Mapping to MAP Provider Error parameter	157
	13.2.2.9.3	Mapping to diagnostic parameter	157
13.3	SDL descriptions		158
14	Abstract syntax of the MAP protocol		184
14.1	General		184
14.1.1	Encoding rules		184
14.1.2	Use of TC		184
14.1.2.1	Use of Global Operation and Error codes defined outside MAP		185
14.1.3	Use of information elements defined outside MAP		185
14.1.4	Compatibility considerations		185
14.1.5	Structure of the Abstract Syntax of MAP		186
14.1.6	Application Contexts		187
14.2	Operation packages		189
14.2.1	General aspects		189
14.2.2	Packages specifications		189
14.2.2.1	Location updating		189
14.2.2.2	Location cancellation		190
14.2.2.3	Roaming number enquiry		190
14.2.2.4	Information retrieval		190
14.2.2.5	Inter-VLR information retrieval		190
14.2.2.6	IMSI retrieval		190
14.2.2.7	Call control transfer		191
14.2.2.8	- 14.2.2.9 [spare]		191
14.2.2.10	Interrogation		191
14.2.2.11	[spare]		191
14.2.2.12	Handover Control		191
14.2.2.13	Subscriber Data management stand alone		191
14.2.2.14	Equipment management		192
14.2.2.15	Subscriber data management		192
14.2.2.16	Location register restart		192
14.2.2.17	Tracing stand-alone		192
14.2.2.18	Functional SS handling		192
14.2.2.19	Tracing		193
14.2.2.20	Binding		193
14.2.2.21	Unstructured SS handling		193
14.2.2.22	MO Short message relay services		193
14.2.2.23	Short message gateway services		194
14.2.2.24	MT Short message relay services		194
14.2.2.25	[spare]		194
14.2.2.26	Message waiting data management		194
14.2.2.27	Alerting		194
14.2.2.28	Data restoration		195
14.2.2.29	Purging		195
14.2.2.30	Subscriber information enquiry		195
14.2.2.31	Any time information enquiry		195
14.3	Application contexts		196
14.3.1	General aspects		196
14.3.2	Application context definitions		196
14.3.2.1	[spare]		196
14.3.2.2	Location Updating		196
14.3.2.3	Location Cancellation		197
14.3.2.4	Roaming number enquiry		197
14.3.2.5	[spare]		197
14.3.2.6	Location Information Retrieval		197
14.3.2.7	Call control transfer		198
14.3.2.8	- 14.3.2.10 [spare]		198
14.3.2.11	Location registers restart		198
14.3.2.12	Handover control		198
14.3.2.13	IMSI Retrieval		198
14.3.2.14	Equipment Management		198

	14.3.2.15	Information retrieval.....	199
	14.3.2.16	Inter-VLR information retrieval.....	199
	14.3.2.17	Stand Alone Subscriber Data Management	199
	14.3.2.18	Tracing.....	199
	14.3.2.19	Network functional SS handling.....	200
	14.3.2.20	Network unstructured SS handling	200
	14.3.2.21	Short Message Gateway	200
	14.3.2.22	Mobile originating Short Message Relay	200
	14.3.2.23	[spare].....	201
	14.3.2.24	Short message alert	201
	14.3.2.25	Short message waiting data management	201
	14.3.2.26	Mobile terminating Short Message Relay	201
	14.3.2.27	MS purging	201
	14.3.2.28	Subscriber information enquiry.....	201
	14.3.2.29	Any time information enquiry	202
	14.3.3	ASN.1 Module for application-context-names	203
14.4		MAP Dialogue Information	207
14.5		MAP operation and error codes.....	211
14.6		MAP operation and error types	217
	14.6.1	Mobile Service Operations	217
	14.6.2	Operation and Maintenance Operations	221
	14.6.3	Call Handling Operations	223
	14.6.4	Supplementary service operations	225
	14.6.5	Short message service operations	229
	14.6.6	Errors.....	232
14.7		MAP constants and data types	237
	14.7.1	Mobile Service data types	237
	14.7.2	Operation and maintenance data types	246
	14.7.3	Call handling data types	248
	14.7.4	Supplementary service data types.....	251
	14.7.5	Supplementary service codes	254
	14.7.6	Short message data types.....	256
	14.7.7	Error data types	259
	14.7.8	Common data types	263
	14.7.9	Teleservice Codes.....	267
	14.7.10	Bearer Service Codes	269
	14.7.11	Extension data types	270
15		General on MAP user procedures.....	272
15.1		Introduction	272
15.2		Common aspects of user procedure descriptions	272
	15.2.1	General conventions	272
	15.2.2	Naming conventions.....	272
	15.2.3	Convention on primitives parameters.....	274
	15.2.3.1	Open service.....	274
	15.2.3.2	Close service	274
	15.2.4	Version handling at dialogue establishment.....	274
	15.2.4.1	Behaviour at the initiating side	274
	15.2.4.2	Behaviour at the responding side	274
	15.2.5	Abort Handling	275
	15.2.6	SDL conventions	275
15.3		Interaction between MAP Provider and MAP Users	275
16		Mobility procedures	276
16.1		Location management Procedures.....	276
	16.1.1	Location updating	281
	16.1.1.1	General.....	281
	16.1.1.2	Detailed procedure in the MSC.....	285
	16.1.1.3	Detailed procedure in the VLR.....	289
	16.1.1.4	Detailed procedure in the HLR	301
	16.1.1.5	Send Identification	304
	16.1.1.5.1	General	304
	16.1.1.5.2	Detailed procedure in the VLR.....	304