

SLOVENSKI STANDARD SIST EN ISO 15366-2:2016

01-junij-2016

Tehnologija jedrskih goriv - Kemično ločevanje in čiščenje urana in plutonija v raztopinah dušikove kisline za analizo izotopov in razredčenih izotopov s kromatografijo z ekstrakcjo s topilom - 2. del: Vzorci s plutonijem in uranom v nanogramskih količinah in manj (ISO 15366-1:2014)

Nuclear fuel technology - Chemical separation and purification of uranium and plutonium in nitric acid solutions for isotopic and isotopic dilution analysis by solvent extraction chromatography - Part 2: Samples containing plutonium and uranium in the nanogram range and below (ISO 15366-2:2014) NDARD PREVIEW

(standards.iteh.ai)

Kernbrennstofftechnologie - Chemische Trennung und Reinigung von Uran und Plutonium in Salpetersäure-Lösungen für Isotopen- und Isotopenverdünnungsanalysen mittels Lösemittelextraktions-Chromatographie Feil 2: Proben mit Plutonium und Uranium im Nanogrammbereich und weniger (ISO 15366-2:2014)

Technologie du combustible nucléaire - Séparation et purification chimiques de l'uranium et du plutonium dans les solutions d'acide nitrique par extraction chromatographique par solvant pour les mesures isotopiques et les analyses par dilution isotopique - Partie 2: Échantillons ayant des teneurs en plutonium et en uranium de l'ordre du nanogramme et inférieures (ISO 15366-2:2015)

Ta slovenski standard je istoveten z: EN ISO 15366-2:2016

ICS:

27.120.30 Cepljivi materiali in jedrska gorivna tehnologija Fizikalnokemijske analitske metode Fissile materials and nuclear fuel technology

Physicochemical methods of analysis

SIST EN ISO 15366-2:2016

en

SIST EN ISO 15366-2:2016

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 15366-2:2016 https://standards.iteh.ai/catalog/standards/sist/42d0ab7a-7b81-4728-98f7-6a14204a4eac/sist-en-iso-15366-2-2016

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN ISO 15366-2

April 2016

ICS 27.120.30

English Version

Nuclear fuel technology - Chemical separation and purification of uranium and plutonium in nitric acid solutions for isotopic and isotopic dilution analysis by solvent extraction chromatography - Part 2: Samples containing plutonium and uranium in the nanogram range and below (ISO 15366-2:2014)

Technologie du combustible nucléaire - Séparation et purification chimiques de l'uranium et du plutonium Re dans les solutions d'acide nitrique par extraction chromatographique par solvant pour les mesures isotopiques et les analyses par dilution isotopique - Partie 2: Échantillons ayant des teneurs en plutonium ARD PRE et en uranium de l'ordre du nanogramme et inférieures Nai (ISO 15366-2:2014)

Kernbrennstofftechnologie - Chemische Trennung und Reinigung von Uran und Plutonium in SalpetersäureLösungen für Isotopen- und
Isotopenverdünnungsanalysen mittels
Lösemittelextraktions-Chromatographie - Teil 2:
Proben mit Plutonium und Uranium im
Nanogrammbereich und weniger (ISO 15366-2:2014)

This European Standard was approved by CEN on 21 February 2016.016

https://standards.itch.ai/catalog/standards/sist/42d0ab7a-7b81-4728-98f7-CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 15366-2:2016 (E)

Contents	Page
Furonean foreword	

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 15366-2:2016</u> https://standards.iteh.ai/catalog/standards/sist/42d0ab7a-7b81-4728-98f7-6a14204a4eac/sist-en-iso-15366-2-2016

EN ISO 15366-2:2016 (E)

European foreword

The text of ISO 15366-2:2014 has been prepared by Technical Committee ISO/TC 85 "Nuclear energy, nuclear technologies, and radiological protection" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 15366-2:2016 by Technical Committee CEN/TC 430 "Nuclear energy, nuclear technologies, and radiological protection" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2016, and conflicting national standards shall be withdrawn at the latest by October 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW

(standards.iten.al)

The text of ISO 15366-2:2014 has been approved by CEN as EN ISO 15366-2:2016 without any modification. https://standards.iteh.ai/catalog/standards/sist/42d0ab7a-7b81-4728-98f7-

6a14204a4eac/sist-en-iso-15366-2-2016

SIST EN ISO 15366-2:2016

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 15366-2:2016 https://standards.iteh.ai/catalog/standards/sist/42d0ab7a-7b81-4728-98f7-6a14204a4eac/sist-en-iso-15366-2-2016

SIST EN ISO 15366-2:2016

INTERNATIONAL STANDARD

ISO 15366-2

First edition 2014-07-01

Nuclear fuel technology — Chemical separation and purification of uranium and plutonium in nitric acid solutions for isotopic and isotopic dilution analysis by solvent extraction chromatography —

iTeh STANDARD PREVIEW

stamples containing plutonium and uranium in the nanogram range and

https://standards.iteh.ab/ealco/wwdards/sist/42d0ab7a-7b81-4728-98f7-6a14204a4eac/sist-en-iso-15366-2-2016

Technologie du combustible nucléaire — Séparation et purification chimiques de l'uranium et du plutonium dans les solutions d'acide nitrique par extraction chromatographique par solvant pour les mesures isotopiques et les analyses par dilution isotopique —

Partie 2: Échantillons ayant des teneurs en plutonium et en uranium de l'ordre du nanogramme et inférieures



Reference number ISO 15366-2:2014(E)

ISO 15366-2:2014(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 15366-2:2016</u> https://standards.iteh.ai/catalog/standards/sist/42d0ab7a-7b81-4728-98f7-6a14204a4eac/sist-en-iso-15366-2-2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

ISO 15366-2:2014(E)

Co	ontents	Page
Forewordi		
1	Scope	1
2	Principle of the method	1
3	Apparatus	2
4	Reagents	2
5	Procedure (see Figure 1)	3
6	Characteristics of the separation	5
7	Quality control	
8	Interferences	6
Ann	nex A (normative) Packing and conditioning of the chromatographic mini-colun the ISO 15366-2 procedure, loaded with an inert polyethylene support coat octyl-phosphine-oxide (TOPO)	ed with tri-n-
Rihl	lingranhy	10

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 15366-2:2016</u> https://standards.iteh.ai/catalog/standards/sist/42d0ab7a-7b81-4728-98f7-6a14204a4eac/sist-en-iso-15366-2-2016

ISO 15366-2:2014(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 85, *Nuclear Energy*, Subcommittee SC 5, *Nuclear Fuel Technology*.

SIST EN ISO 15366-2:2016

This first edition, together with the first edition of ISO 1536641 deance is and replaces the first edition of ISO 15366:1999, which has been technically revised steen iso-15366-2-2016

ISO 15366 consists of the following parts, under the general title $\it Chemical \, separation \, and \, purification \, of \, uranium \, and \, plutonium \, in \, nitric \, acid \, solutions \, for \, isotopic \, and \, isotopic \, dilution \, analysis \, by \, solvent \, extraction \, chromatography —$

- Part 1: Sample containing plutonium in the microgram range and uranium in the milligram range
- Part 2: Sample containing plutonium and uranium amounts in the nanogram range and below

Nuclear fuel technology — Chemical separation and purification of uranium and plutonium in nitric acid solutions for isotopic and isotopic dilution analysis by solvent extraction chromatography —

Part 2:

Samples containing plutonium and uranium in the nanogram range and below

1 Scope

This part of ISO 15366 describes procedures to chemically separate and purify uranium and plutonium in dissolved solutions of irradiated light water reactor fuels and in samples of high active liquid waste of spent fuel reprocessing plants, prior to their isotopic analysis by e.g. mass spectrometric method (see ISO 8299[1]) or alpha spectrometry (see ISO 11483[2]). This part of ISO 15366 describes a slightly different separation technique from ISO 15366-1, based on the same chemistry, using smaller columns, different support material and special purification steps, applicable to samples containing plutonium and uranium amounts in the nanogram range and below. The detection limits were found to be 500 pg plutonium and 500 pg uranium. Annex A describes the preparation of the columns and the column support materials.

In comparison with ISO 15366-1, as uranium and plutonium amounts are lowest, additional purification on an anion exchange resin is performed by standards/sist/42d0ab7a-7b81-4728-98f7-6a14204a4eac/sist-en-iso-15366-2-2016

2 Principle of the method

The chemical separation of small plutonium and uranium amounts (>500 pg) is also based on a column extraction chromatography using tri-*n*-octylphosphine-oxide (TOPO) as extractant. The necessary valency adjustment prior to the separation is done with iron(II) sulfate and sodium nitrite. The extraction process is performed in disposable mini-columns loaded with a polyethylene or silica gel powder coated with the TOPO. Plutonium(IV) and uranium(VI) in 3 mol·l⁻¹ nitric acid medium are selectively extracted into the TOPO while americium, the fission products and other interfering elements are not retained. Plutonium is eluted after reduction to the trivalent state with ascorbic acid[5]; uranium is eluted by an ammonium carbamate solution and finally purified from ammonium salts by an ion exchange separation[6] or fuming by 14 mol·l⁻¹nitric acid.

In order to ensure a favourable kinetics of chemical reactions the (gravity) column flow rates should not exceed $0.4 \text{ ml} \cdot \text{min}^{-1}$.

Parallel measurement of blank and/or control sample is recommended to verify the analysis.

Blanks are run in parallel with the samples to verify the absence of significant external cross-contamination or cross-contamination between samples.

Control samples prepared from certified or analysed materials are also prepared and separated along with the sample to verify that suitable valency adjustment, isotopic equilibration and separation efficiency are achieved.

The whole process is carried out under clean conditions preferably in a laminar flow fume hood.