



SLOVENSKI STANDARD

SIST EN 60300-3-3:2017

01-julij-2017

Nadomešča:
SIST EN 60300-3-3:2007

Upravljanje zagotovitljivosti - 3-3. del: Vodilo za uporabo - Izračun stroškov v življenjskem ciklu (IEC 60300-3-3:2017)

Dependability management - Part 3-3: Application guide - Life cycle costing (IEC 60300-3-3:2017)

Zuverlässigkeitsmanagement - Teil 3-3: Anwendungslitfaden - Lebenszykluskosten (IEC 60300-3-3:2017)

Gestion de la sûreté de fonctionnement - Partie 3-3: Guide d'application - Evaluation du coût de vie (IEC 60300-3-3:2017)

Ta slovenski standard je istoveten z: EN 60300-3-3:2017

ICS:

03.120.01	Kakovost na splošno	Quality in general
21.020	Značilnosti in načrtovanje strojev, aparatov, opreme	Characteristics and design of machines, apparatus, equipment

SIST EN 60300-3-3:2017 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60300-3-3:2017](#)

<https://standards.iteh.ai/catalog/standards/sist/bd1588d2-9ade-4485-819c-e08b6a9e2ee1/sist-en-60300-3-3-2017>

EUROPEAN STANDARD

EN 60300-3-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2017

ICS 21.020

Supersedes EN 60300-3-3:2004

English Version

Dependability management -
Part 3-3: Application guide - Life cycle costing
(IEC 60300-3-3:2017)

Gestion de la sûreté de fonctionnement - Partie 3-3: Guide
d'application - Évaluation du coût du cycle de vie
(IEC 60300-3-3:2017)

Zuverlässigkeitsmanagement - Teil 3-3:
Anwendungsleitfaden - Lebenszykluskosten
(IEC 60300-3-3:2017)

This European Standard was approved by CENELEC on 2017-03-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 60300-3-3:2017**European foreword**

The text of document 56/1713/FDIS, future edition 3 of IEC 60300-3-3, prepared by IEC/TC 56 "Dependability" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60300-3-3:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-12-03
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-03-03

This document supersedes EN 60300-3-3:2004.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Endorsement notice

SIST EN 60300-3-3:2017

The text of the International Standard IEC 60300-3-3:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60300-1:2014	NOTE	Harmonized as EN 60300-1:2014 (not modified).
IEC 62402	NOTE	Harmonized as EN 62402.
IEC 62508	NOTE	Harmonized as EN 62508.
IEC 62198	NOTE	Harmonized as EN 62198.
IEC 61014	NOTE	Harmonized as EN 61014.
IEC/ISO 31010	NOTE	Harmonized as EN 31010.



IEC 60300-3-3

Edition 3.0 2017-01

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Dependability management –
Part 3-3: Application guide – Life cycle costing

Gestion de la sûreté de fonctionnement –
Partie 3-3: Guide d'application – Évaluation du coût du cycle de vie

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 21.020

ISBN 978-2-8322-3886-8

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	11
4 Concepts of life cycle costing	11
4.1 Objectives of life cycle costing	11
4.2 Application of life cycle costing	12
4.3 Factors influencing LCC.....	13
4.4 Factors related to dependability	13
5 Life cycle costing process.....	14
5.1 General.....	14
5.2 Establish the organizational context.....	14
5.2.1 Formulate the context.....	14
5.2.2 Identify alternatives	16
5.3 Plan the analysis.....	16
5.3.1 Define scope and objectives of the analysis.....	16
5.3.2 Define analysis tasks and identify contributing personnel	16
5.3.3 Identify constraints	17
5.3.4 Identify relevant financial parameters.....	17
5.4 Define the analysis approach.....	18
5.4.1 Establish rules/methodology.....	18
5.4.2 Select or develop an LCC model.....	18
5.4.3 Define the cost breakdown structure	19
5.4.4 Identify areas of uncertainty.....	20
5.5 Perform the analysis	21
5.5.1 Establish methods for estimating cost elements.....	21
5.5.2 Collect cost data.....	21
5.5.3 Aggregate cost per item for each stage or time period	22
5.5.4 Perform LCC and sensitivity analysis.....	22
5.5.5 Review analysis.....	22
5.5.6 Assess achievement of analysis objectives.....	22
6 Finalize the analysis	23
6.1 Identify follow-up actions	23
6.2 Document analysis.....	23
Annex A (informative) Life cycle costing and the life cycle	24
A.1 General.....	24
A.2 Typical LCC analyses	25
A.3 Committed versus actual costs.....	25
Annex B (informative) Financial concepts	27
B.1 General.....	27
B.2 Consequential costs.....	27
B.3 Warranty costs.....	28
B.4 Liability costs	28

B.5	Opportunity costs, discounting, inflation and taxation	29
B.5.1	General	29
B.5.2	Opportunity costs	29
B.5.3	Taxation	29
B.5.4	Exchange rate	29
B.5.5	Generally accepted accounting principles	29
Annex C	(informative) Application of financial evaluation techniques	30
C.1	General	30
C.2	Discounted cash flow (DCF)	30
C.3	Internal rate of return (IRR)	30
C.4	Depreciation and amortization	30
C.5	Cost-benefit analysis	30
C.6	Time value of money	31
Annex D	(informative) Cost breakdown structures by life cycle stage	32
D.1	General	32
D.2	Life cycle stage cost element	32
D.2.1	General	32
D.2.2	Concept	32
D.2.3	Development	32
D.2.4	Realization	33
D.2.5	Utilization	33
D.2.6	Enhancement	34
D.2.7	Retirement	34
D.3	Cost element explanation	34
D.3.1	General	34
D.3.2	Project management	35
D.3.3	Engineering	35
D.3.4	Producibility engineering and planning	35
D.3.5	Manufacturing	35
D.3.6	Facilities	35
D.3.7	Support and test equipment	35
D.3.8	Initial training	35
D.3.9	Initial spares and repair parts	35
D.3.10	Consumables	35
D.3.11	Contractor services	35
Annex E	(informative) Evaluating intangibles	36
E.1	General	36
E.2	Intangibles	36
E.3	Valuing methods	37
Annex F	(informative) Methods for estimating cost elements	38
F.1	General	38
F.2	Parametric cost method	38
F.3	Analogous cost method	40
F.4	Engineering cost method	40
Annex G	(informative) Example of LCC comparison	42
G.1	General	42
G.2	Simple example of LCC comparison	42
G.2.1	General	42

G.2.2	Configuration option 1	42
G.2.3	Configuration option 2	42
G.2.4	Configuration option 3	42
G.2.5	Configuration option 4	43
G.2.6	LCC calculation	43
Bibliography.....		44
Figure 1 – Life cycle costing process		15
Figure 2 – Cost breakdown structure concept		19
Figure A.1 – Typical analyses across the life cycle		25
Figure A.2 – Example of committed and actual costs		26
Figure F.1 – Potential sources of costs		38
Figure F.2 – Example of cost elements used in a parametric cost analysis.....		39
Table G.1 – Summary of LCC comparison		43

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 60300-3-3:2017](https://standards.iteh.ai/catalog/standards/sist/bd1588d2-9ade-4485-819c-e08b6a9e2ee1/sist-en-60300-3-3-2017)

<https://standards.iteh.ai/catalog/standards/sist/bd1588d2-9ade-4485-819c-e08b6a9e2ee1/sist-en-60300-3-3-2017>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DEPENDABILITY MANAGEMENT –

Part 3-3: Application guide – Life cycle costing

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60300-3-3 has been prepared by the IEC technical committee 56: Dependability.

This third edition cancels and replaces the second edition published in 2004. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of a complete analysis process;
- b) greater reference to international accounting practices;
- c) increased discussion of financial concepts.

The text of this standard is based on the following documents:

FDIS	Report on voting
56/1713/FDIS	56/1720/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60300 series, published under the general title *Dependability management*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

<https://standards.iteh.ai/catalog/standards/sist/bd1588d2-9ade-4485-819c-e08b6a9e2ee1/sist-en-60300-3-3-2017>

INTRODUCTION

Life cycle costing is the process of performing an economic analysis to assess the cost of an item over a portion, or all, of its life cycle in order to make decisions that will minimize the total cost of ownership while still meeting stakeholder requirements. Generally, an organization may only be able to, or need to, evaluate cost for a portion of the total life of an item. Across the life of any item, decisions involving a trade-off between current and future costs will be necessary. This trade-off process will be enhanced by defining the short and long term implications of feasible expenditure decisions.

The principal use of this document is to compare one alternative system solution to another where future cost of ownership comprising maintenance, operations, enhancement and disposal actions is significant and require a balance between the cost of acquisition and the residual unrealized risk of ownership. Such a balance is achieved by technical and monetary assessments that take into account varying outcomes of availability, reliability, maintainability and supportability. Life cycle costing can also provide essential data to develop budgetary estimates.

This document is also intended to assist those who may be required to specify, commission and manage such activities when undertaken by others.

The highest value from life cycle costing is achieved early in the life of an item when many configuration options are possible and influence on future costs the greatest. Studies have shown that life cycle costs are mostly committed and the opportunity for affordable change is progressively reduced as item detailed design is approached.

Life cycle costing comprises only expense elements, which may be tangible or intangible; revenue or value outcomes are not included. Costs comprise all expected future expenditure including financial allowance for residual risk. Value outcomes, such as revenue, are analysed in the subsequent financial or economic trade-off analysis that use the results of the life cycle cost analysis.

Analysis outcomes are often presented as a single figure representing all future expenditures at a single point in time. The analysis may also be presented as a future cost profile without inclusion of the time value of money. However, as future costs are uncertain in both approaches, the analysis may also be presented as a probability distribution to highlight any potential sensitivity of the outcome to that uncertainty.

When assessing the impacts of potential options, analysts may need to cost intangible outcomes such as safety exposure, loss of public amenity or damage to corporate image. The use of multi-attribute rank ordering or semi-quantitative matrixes are not applicable for assessing these impacts as life cycle costing has a quantitative outcome of cost, namely: life cycle cost (LCC). Many quantitative techniques, such as “willingness to pay” or “choice modelling” have been developed and are often applied to assure all direct consequences are included in the analysis.

The approach defined in this document recognizes that life cycle costing has been applied for many decades across many industries, some of which have developed their own set of terms and language. An organization may adapt the terms used in this document to their context of use to ensure that the intent of this document is achieved.

DEPENDABILITY MANAGEMENT –

Part 3-3: Application guide – Life cycle costing

1 Scope

This part of IEC 60300 establishes a general introduction to the concept of life cycle costing and covers all applications. Although costs incurred over the life cycle consist of many contributing elements, this document particularly highlights the costs associated with the dependability of an item. This forms part of an overall dependability management programme as described in IEC 60300-1 [1]¹.

Guidance is provided on life cycle costing for use by managers, engineers, finance staff, and contractors; it is also intended to assist those who may be required to specify and commission such activities when undertaken by others.

2 Normative references

There are no normative references in this document.

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

acquisition cost

initial cost of developing and realizing an item so it can be utilized and placed into service

3.1.2

amortization

paying off of debt with a fixed repayment schedule in regular instalments over a period of time

Note 1 to entry: Amortization is also defined as the spreading out of capital expenses for intangible assets over a specific period of time (usually over the asset's useful life) for accounting and tax purposes.

3.1.3

base date

fixed point in time set as the common cost reference

3.1.4

cost breakdown structure

framework of cost elements so that they can be distinctly defined and estimated

¹ Numbers in square brackets refer to the Bibliography.

3.1.5**cost driver**

cost element that has a major influence on the life cycle cost

3.1.6**cost element**

component of life cycle cost for which cost data are, or can be, collected

3.1.7**depreciation**

method of allocating the cost of a tangible asset over its useful life

3.1.8**discount rate**

factor or rate reflecting the time value of money that is used to convert cash flows occurring at different times to a base date

3.1.9**intangible item**

identifiable non-monetary item without physical substance

Note 1 to entry: The item is separable, that is, is capable of being separated or divided from the entity and sold, transferred, licensed, rented or exchanged, either individually or together with a related contract, asset or liability.

Note 2 to entry: The item arises from contractual or other legal rights, regardless of whether those rights are transferable or separable from the entity or from other rights and obligations.

Note 3 to entry: An intangible item is recognised if, and only if:

- it is probable that the expected future economic benefits that are attributable to the asset will flow to the entity,
- the cost of the asset can be measured reliably.

[SOURCE: IAS 38]

3.1.10**item**

subject being considered

Note 1 to entry: The item may be an individual part, component, device, functional unit, equipment, subsystem, or system.

Note 2 to entry: The item may consist of hardware, software, people or any combination thereof.

Note 3 to entry: The item is often comprised of elements that may each be individually considered. See sub item (192-01-02) and indenture level (192-01-05) in IEC 60050-192:2015.

[SOURCE: IEC 60050-192:2015, 192-01-01, modified — Notes 4 and 5 deleted]

3.1.11**liability cost**

cost associated with actual or alleged non-compliance with statutory or contractual obligations

3.1.12**life cycle**

series of identifiable stages through which an item goes, from its conception to disposal

EXAMPLE A typical system lifecycle consists of: concept and definition; design and development; construction, installation and commissioning; operation and maintenance; mid-life upgrading, or life extension; and decommissioning and disposal.

Note 1 to entry: The stages identified will vary with the application.

[SOURCE: IEC 60050-192:2015, 192-01-09]