



SLOVENSKI STANDARD
SIST EN 50463-3:2018

01-januar-2018

Nadomešča:
SIST EN 50463-3:2013

Železniške naprave - Merjenje energije na vlaku - 3. del: Ravnanje s podatki

Railway applications - Energy measurement on board trains - Part 3: Data handling

Bahnanwendungen - Energiemessung auf Bahnfahrzeugen - Teil 3: Daten-Behandlung

Applications ferroviaires - Mesure d'énergie à bord des trains - Partie 3 : Traitement des données

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: EN 50463-3:2017
SIST EN 50463-3:2018
http://www.sist.si/standards/standards/50463-3:2017-4ae1-80b8-e44d62c0a748/sist-en-50463-3-2018

ICS:

45.060.10 Vlečna vozila Tractive stock

SIST EN 50463-3:2018 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 50463-3:2018

<https://standards.iteh.ai/catalog/standards/sist/1bda98d7-cbed-4ae1-80b8-e44d62c0a748/sist-en-50463-3-2018>

EUROPEAN STANDARD

EN 50463-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2017

ICS 45.060.10

Supersedes EN 50463-3:2012

English Version

Railway applications - Energy measurement on board trains - Part 3: Data handling

Applications ferroviaires - Mesure d'énergie à bord des
trains - Partie 3 : Traitement des données

Bahnanwendungen - Energiemessung auf Bahnfahrzeugen
- Teil 3: Daten-Behandlung

This European Standard was approved by CENELEC on 2017-05-08. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/1bda98d7-cbed-4ae1-80b8-e44d62c0a748/sist-en-50463-3-2018>



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	6
Introduction.....	7
1 Scope.....	10
2 Normative references.....	10
3 Terms, definitions and abbreviations	10
3.1 Terms and definitions	10
3.2 Abbreviations	12
4 Requirements	12
4.1 General	12
4.2 Time data.....	13
4.2.1 Source	13
4.2.2 Reference time source	13
4.2.3 Content.....	13
4.2.4 Resolution.....	13
4.2.5 Stability	13
4.2.6 Synchronization	13
4.2.7 Quality code for time data.....	13
4.3 Energy data.....	14
4.3.1 Source	14
4.3.2 Type.....	14
4.3.3 Format	14
4.3.4 Index value overrun	14
4.3.5 Merging with time data	14
4.3.6 Quality codes for energy data	14
4.3.7 k-factor	15
4.3.8 Accuracy	15
4.3.9 Transmission from EMF	15
4.4 Location data	15
4.4.1 Source	15
4.4.2 Format	16
4.4.3 Merging with time data	16
4.4.4 Accuracy	16
4.4.5 Quality codes for location data	16

4.5	Other received or produced data.....	17
4.5.1	Types.....	17
4.5.2	Data handling prioritization	17
4.5.3	Time tag	17
4.6	Consumption point ID (CPID).....	17
4.7	Production of CEBD.....	17
4.7.1	General.....	17
4.7.2	Type of Data.....	17
4.7.3	Time Reference Period	17
4.7.4	Energy data.....	18
4.7.5	Location data.....	18
4.7.6	Missing input data	18
4.7.7	Data integrity	18
4.7.8	Quality codes.....	19
4.7.9	Traction system code	19
4.8	DHS data storage	19
4.8.1	Storage periods.....	19
4.8.2	Memory Capacity	19
4.9	Transmission of CEBD from DHS to DCS.....	20
4.9.1	General.....	20
4.9.2	Type of info.....	20
4.9.3	Time between each transfer.....	20
4.9.4	Binding to a DCS.....	20
4.10	Marking and essential information.....	20
4.10.1	Marking of the DHS.....	20
4.10.2	Essential information	20
4.11	Event recording	21
4.11.1	General.....	21
4.11.2	Type of events	21
4.12	DCS.....	22
4.12.1	General.....	22
4.12.2	Reception of CEBD from DHS	22
4.12.3	Request to DHS for CEBD data	22
4.12.4	Storage of CEBD	22
4.12.5	Export of CEBD from DCS	22
4.12.6	Binding the communication with the EMS.....	22
4.12.7	EMS discovery.....	22

EN 50463-3:2017 (E)

5	Conformity assessment	22
5.1	General	22
5.1.1	Introduction	22
5.1.2	Applicability	23
5.1.3	Methodology	23
5.2	Testing framework	23
5.2.1	General	23
5.2.2	Reporting	24
5.3	Design review	25
5.3.1	General	25
5.3.2	Interfaces	25
5.3.3	Access control	25
5.3.4	Software	25
5.3.5	RAMS	25
5.3.6	Internal clock	25
5.3.7	Location data source	25
5.3.8	DHS priorities	25
5.3.9	Transmission of CEBD to DCS	25
5.3.10	Dataflow security	25
5.3.11	Event logs	26
5.4	Type testing	26
5.4.1	General	26
5.4.2	Visual inspection	26
5.4.3	Environmental testing	26
5.4.4	Mechanical testing	27
5.4.5	Electrical testing	27
5.4.6	Access control	28
5.4.7	Interfaces	29
5.4.8	Functional testing	29
5.5	Routine testing	35
5.5.1	General	35
5.5.2	Visual inspection	35
5.5.3	Check of marking	35
5.5.4	Functional testing	35
5.5.5	Insulation test	35
5.6	DCS conformity assessment	35
5.6.1	General	35

5.6.2	Design review	35
5.6.3	Functional Testing	35
Annex ZZ (informative) Relationship between this European Standard and the Essential Requirements of Directive 2008/57/EC		37
Bibliography		38
Figures		
Figure 1 — EMS functional structure and dataflow diagram		9
Figure 2 — Example of energy index value		11
Tables		
Table 1 — Time data quality codes		13
Table 2 — Energy data quality codes		15
Table 3 — Location data format		16
Table 4 — Location data quality codes		16
Table 5 — Traction system codes		19
Table ZZ.1 — Correspondence between this European Standard, the TSI “Locomotives and Passenger Rolling Stock” (REGULATION (EU) No 1302/2014 of 18 November 2014) and Directive 2008/57/EC amended by Directive 2011/18/EU		37
Table ZZ.2 — Correspondence between this European Standard, the TSI “Energy” (REGULATION (EU) No 1301/2014 of 18 November 2014) and Directive 2008/57/EC amended by Directive 2011/18/EU		37
https://standards.iteh.ai/catalog/standards/sist/1bda98d7-cbed-4ae1-80b8-e44d62c0a748/sist-en-50463-3-2018		

EN 50463-3:2017 (E)**European foreword**

This document (EN 50463-3:2017) has been prepared by CLC/TC 9X “Electrical and electronic applications for railways”.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-04-06
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2020-10-06

This document supersedes EN 50463-3:2012.

EN 50463-3 includes the following significant technical changes with respect to EN 50463-3:2012:

- updated requirements for DCS, CEBD, quality codes and logs (Clause 4).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

[https://standards.iteh.ai/catalog/standards/sist/1bda98d7-cbed-4ae1-80b8-](https://standards.iteh.ai/catalog/standards/sist/1bda98d7-cbed-4ae1-80b8-e44d63c0a748/sist-en-50463-3-2018)

This document is Part 3 of the EN 50463 series which consists of the following parts, under the common title *Railway applications — Energy measurement on board trains*:

- *Part 1: General*;
- *Part 2: Energy measuring*;
- *Part 3: Data handling*;
- *Part 4: Communication*;
- *Part 5: Conformity assessment*.

This series of European Standards follows the functional guidelines description in EN ISO/IEC 17000:2004, Annex A “Principles of conformity assessment”, tailored to the Energy Measurement System (EMS).

The requirements for Energy Measurement Systems in the relevant Technical Specifications for Interoperability are supported by this series of European Standards.

Introduction

The Energy Measurement System provides measurement and data suitable for billing and may also be used for energy management, e.g. energy saving.

This series of European Standards uses the functional approach to describe the Energy Measurement System and on-ground Data Collection Service. These functions are implemented in one or more physical devices. The user of this series of standards is free to choose the physical implementation arrangements.

a) Structure and main contents of the EN 50463 series:

This series of European Standards is divided into five parts. The titles and brief descriptions of each part are given below:

1) EN 50463-1 — General:

The scope of EN 50463-1 is the Energy Measurement System (EMS).

EN 50463-1 provides system level requirements for the complete EMS and common requirements for all devices implementing one or more functions of the EMS.

2) EN 50463-2 — Energy measuring:

The scope of EN 50463-2 is the Energy Measurement Function (EMF).

The EMF provides measurement of the consumed and regenerated active energy of a railway traction unit. If the traction unit is designed for use on AC traction systems the EMF also provides measurement of reactive energy. The EMF provides the measured quantities via an interface to the Data Handling System.

The EMF consists of the three functions: Voltage Measurement Function, Current Measurement Function and Energy Calculation Function. For each of these functions, accuracy classes are specified and associated reference conditions are defined. EN 50463-2 also defines all specific requirements for all functions of the EMF.

The Voltage Measurement Function measures the voltage of the Contact Line system and the Current Measurement Function measures the current taken from and returned to the Contact Line system. These functions provide signal inputs to the Energy Calculation Function.

The Energy Calculation Function inputs the signals from the Current and Voltage Measurement Functions and calculates a set of values representing the consumed and regenerated energies. These values are transferred to the Data Handling System and are used in the creation of Compiled Energy Billing Data (CEBD).

The standard has been developed taking into account that in some applications the EMF may be subjected to legal metrological control. All relevant metrological aspects are covered in EN 50463-2.

EN 50463-2 also defines the conformity assessment of the EMF.

3) EN 50463-3 — Data handling:

The scope of EN 50463-3 is the Data Handling System (DHS) and the associated requirements of Data Collecting System (DCS).

EN 50463-3:2017 (E)

The on board DHS receives, produces and stores data, ready for transmission to any authorized receiver of data onboard or on ground. The main goal of the DHS is to produce Compiled Energy Billing Data (CEBD) and transfer it to an on ground Data Collecting System (DCS). The DHS can support other functionality on board or on ground with data (e.g. for energy management, driver advisory systems, etc.), as long as this does not conflict with the main goal.

The DCS on-ground receives Compiled Energy Billing Data and transfer it to settlement system.

EN 50463-3 also defines the conformity assessment of the DHS and for the transfer of CEBD to an on-ground Data Collecting System (DCS).

4) EN 50463-4 — Communication:

The scope of EN 50463-4 is the communication services.

This part of EN 50463 gives requirements and guidance regarding the data communication between the functions implemented within EMS as well as between such functions and other on board units where data are exchanged using a communications protocol stack over a dedicated physical interface or a shared network.

It includes the reference to the on board to ground communication service and covers the requirements necessary to support data transfer between DHS and DCS including the transfer of CEBD on an interoperable basis.

EN 50463-4 also defines the conformity assessment of the communications services.

5) EN 50463-5 — Conformity assessment:

The scope of EN 50463-5 is the conformity assessment procedures for the EMS.

EN 50463-5 also covers re-verification procedures and conformity assessment in the event of the replacement of a device of the EMS.

b) EMS functional structure and dataflow:

Figure 1 illustrates the functional structure of the EMS, the main sub-functions and the structure of the dataflow and is informative only. Only the main interfaces required by this standard are displayed by arrows.

Since the communication function is distributed throughout the EMS, it has been widely omitted for clarity, except for the train to ground communication. Not all interfaces are shown.




Figure 1 — EMS functional structure and dataflow diagram

ITeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 50463-3:2018

<https://standards.iteh.ai/catalog/standards/sist/1bda98d7-cbed-4ae1-80b8-e44d62c0a748/sist-en-50463-3-2018>

EN 50463-3:2017 (E)**1 Scope**

This European Standard covers the requirements applicable to the Data Handling System (DHS) of an Energy Measurement System (EMS).

This document also includes the basic requirements for the Data Collecting System (DCS) on-ground, relating to the acquisition and storage and export of Compiled Energy Billing Data (CEBD).

The Conformity Assessment arrangements for the DHS and the DCS are specified in this document.

The settlement system is outside the scope of this standard, and the specification of the interface between DCS and settlement system is outside the scope of this standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 45545-2:2013+A1:2015, *Railway applications — Fire protection on railway vehicles — Part 2: Requirements for fire behaviour of materials and components*

EN 45545-5:2013+A1:2015, *Railway applications — Fire protection on railway vehicles — Part 5: Fire safety requirements for electrical equipment including that of trolley buses, track guided buses and magnetic levitation vehicles*

EN 50121-3-2:2015, *Railway applications — Electromagnetic compatibility — Part 3-2: Rolling stock — Apparatus*

EN 50155:2017, *Railway applications — Rolling stock — Electronic equipment*

EN 50463-1:2017, *Railway applications — Energy measurement on board trains — Part 1: General*

EN 50463-2:2017, *Railway applications — Energy measurement on board trains — Part 2: Energy measuring*

EN 50463-4:2017, *Railway applications — Energy measurement on board trains — Part 4: Communication*

EN 50463-5:2017, *Railway applications — Energy measurement on board trains — Part 5: Conformity assessment*

EN 60529:1991, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

EN 61373:2010, *Railway applications — Rolling stock equipment — Shock and vibration tests (IEC 61373:2010)*

World Geodetic System, revision WGS 84

3 Terms, definitions and abbreviations**3.1 Terms and definitions**

For the purposes of this document, the terms and definitions given in EN 50463-1 and the following apply.

NOTE When possible, the following definitions have been taken from the relevant chapters of the International Electrotechnical Vocabulary (IEV), IEC 60050–311, IEC 60050–312, IEC 60050–313, IEC 60050–314, IEC 60050–321 and IEC 60050–811. In such cases, the appropriate IEV reference is given. Certain new definitions or

modifications of IEV definitions have been added in this standard in order to facilitate understanding. Expression of the performance of electrical and electronic measuring equipment has been taken from EN 60359.

3.1.1

Coordinated Universal Time

UTC

time scale which forms the basis of a coordinated radio dissemination of standard frequencies and time signals, and corresponds exactly in rate with international atomic time, but differs from it by an integral number of seconds

Note 1 to entry: Coordinated universal time is established by the International Bureau of Weights and Measures (BIPM) and the International Earth Rotation Services (IERS).

Note 2 to entry: The UTC scales is adjusted by the insertion or deletion of seconds, so called positive or negative leap seconds, to ensure approximate agreement with UT1.

[SOURCE: IEC 60050-713:1998, 713-05-20]

3.1.2

energy delta value

energy consumed and/or regenerated during a time period

Note 1 to entry: See Figure 2 for example.

3.1.3

energy index value

total accumulated energy consumption and/or energy regeneration at the end of a time period

Note 1 to entry: See Figure 2 for example.




Figure 2 — Example of energy index value

3.1.4

flag

code indicating information relevant to the functioning of the EMS

Note 1 to entry: Examples include operational status, etc.

3.1.5

index value overrun

return to zero of the index value after reaching the maximum value allowed by the register