



**Universal Mobile Telecommunications System (UMTS);  
LTE;  
Transparent end-to-end Packet-switched  
Streaming Service (PSS);  
Progressive Download and Dynamic Adaptive  
Streaming over HTTP (3GP-DASH)  
(3GPP TS 26.247 version 15.6.0 Release 15)**



---

**Reference**RTS/TSGS-0426247vf60

---

**Keywords**LTE,UMTS

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	9
Introduction .....	9
1 Scope .....	10
2 References .....	10
3 Definitions, abbreviations and conventions .....	12
3.1 Definitions .....	12
3.2 Abbreviations .....	13
3.3 Conventions.....	13
4 Overview .....	13
5 System Description .....	14
5.1 Overview .....	14
5.2 Service Access.....	15
5.3 Protocols.....	16
5.3.1 General.....	16
5.3.2 Partial File Handling.....	16
6 Progressive Download over HTTP.....	17
6.1 General .....	17
6.2 Progressive Download.....	17
6.3 3GPP File Format Profiles .....	17
7 3GPP Dynamic Adaptive Streaming over HTTP.....	17
7.1 System Description.....	17
7.2 3GP-DASH Client Model .....	18
7.3 3GP-DASH Profiles .....	19
7.3.1 General.....	19
7.3.2 3GPP Adaptive HTTP Streaming (Release-9 AHS).....	19
7.3.3 3GP-DASH Release-10 Profile.....	19
7.3.3.1 Introduction.....	19
7.3.4 3GP-DASH Release 11 multiview stereoscopic 3D video profile.....	19
7.3.5 3GP-DASH Release 11 frame-packed stereoscopic 3D video profile.....	20
7.3.6 Media Codecs .....	20
7.3.7 Content Protection .....	20
7.3.8 Partial File Handling.....	21
7.3.9 3GP-DASH Enhanced Interoperability Point .....	21
7.3.10 DASH in TeleVision (TV) over 3GPP Services .....	22
8 DASH - Media Presentation.....	22
8.1 Introduction .....	22
8.2 Media Presentation Description .....	23
8.2.1 General.....	23
8.2.2 Schema and 3GPP Extension.....	23
8.2.3 (void) .....	24
8.2.4 (void) .....	24
8.3 MPD Assembly .....	24
8.4 Hierarchical Data Model .....	24
8.4.1 General.....	24
8.4.2 Period.....	25
8.4.2.1 General.....	25
8.4.2.2 Content Offering with Multiple Periods.....	26
8.4.3 Adaptation Sets and Representations .....	27

8.4.3.1	Overview .....	27
8.4.3.2	Common Attributes and Elements .....	27
8.4.3.3	Adaptation Set .....	28
8.4.3.4	Representation .....	29
8.4.3.5	Sub-Representation .....	29
8.4.3.6	Content Component .....	30
8.4.4	Segments and Segment Information .....	30
8.5	MPD Update .....	31
8.5.1	General .....	31
8.5.2	Media Presentation Description Delta .....	31
8.6	Additional Media Presentation Information .....	33
8.6.1	Introduction .....	33
8.6.2	Program Information .....	33
8.6.3	Descriptors .....	33
8.7	Base URL Processing .....	34
8.8	Event Streams .....	34
9	DASH - Usage of 3GPP File Format .....	34
9.1	Introduction .....	34
9.2	Segment Types and Formats .....	34
9.2.1	Introduction .....	34
9.2.2	Initialization Segment .....	35
9.2.3	Media Segment .....	35
9.2.3.1	General .....	35
9.2.3.2	Subsegments and Segment Index .....	35
9.2.3.3	Subsegment Index .....	35
9.2.3.4	3GP-DASH Media Segment Format .....	35
9.2.4	Self-Initializing Media Segment .....	35
9.2.5	Media Stream and Segment Properties .....	35
9.2.5.1	Media Stream Access Points .....	35
9.2.5.2	Non-overlapping Segments and Subsegments .....	36
9.2.5.3	Bitstream concatenation .....	36
9.3	Usage on Server and Client .....	36
9.4	Segment Properties with MPD constraints .....	36
9.4.1	General .....	36
9.4.1.1	Introduction .....	36
9.4.1.2	Media Presentation Timeline .....	36
9.4.1.3	Segment Index .....	36
9.4.2	Segment Alignment .....	36
9.4.3	Bitstream Switching .....	36
9.4.4	Sub-Representation .....	37
10	QoE for Progressive Download and DASH .....	37
10.1	General .....	37
10.2	QoE Metric Definitions .....	37
10.2.1	Introduction .....	37
10.2.2	Void .....	38
10.2.3	Representation Switch Events .....	38
10.2.4	Average Throughput .....	38
10.2.5	Initial Playout Delay .....	38
10.2.6	Buffer Level .....	39
10.2.7	Play List .....	39
10.2.8	MPD Information .....	41
10.2.9	Playout Delay for Media Start-up .....	42
10.2.10	Device information .....	42
10.3	Quality Metrics for Progressive Download .....	43
10.4	Quality Metrics for DASH .....	43
10.5	Quality Reporting Scheme for DASH .....	44
10.6	Quality Reporting Protocol .....	47
10.6.1	General .....	47
10.6.2	Report Format .....	47
10.6.3	Reporting Protocols .....	51

11	Live Services .....	52
11.1	Overview Dynamic and Live Media Presentations .....	52
11.2	Dynamic Segment Download.....	52
11.2.1	Background and Assumptions .....	52
11.2.2	MPD Information and Timing Model.....	53
11.2.2.1	MPD Information.....	53
11.2.2.2	Segment Information Derivation.....	54
11.2.2.2.1	Introduction .....	54
11.2.2.2.2	Definitions .....	54
11.2.2.2.3	MPD Information .....	54
11.2.2.2.4	Period Information.....	54
11.2.2.2.5	Representation Information .....	55
11.2.2.2.6	Media Time Information of Segment .....	55
11.2.2.2.7	Segment List Parameters .....	55
11.2.2.2.8	URL Generation with Segment Template .....	57
11.2.3	Service Offering Requirements and Guidelines.....	57
11.2.3.1	General Service Offering Requirements .....	57
11.2.3.2	Dynamic Service Offering Guidelines .....	57
11.2.3.2.1	Introduction .....	57
11.2.3.2.2	Basic Parameter Settings .....	58
11.2.3.3	Content Offering with Periods .....	59
11.2.3.3.1	General .....	59
11.2.3.4	Joining Recommendation.....	61
11.2.4	Client Operation, Recommendations and Guidelines (informative).....	62
11.2.4.1	Basic Operation.....	62
11.2.4.2	Joining, Initial Buffering and Playout Recommendations.....	64
11.2.4.2.1	General .....	64
11.2.4.2.2	Joining at the live edge .....	64
11.2.5	Considerations on live edge).....	65
11.3	Live Services with MPD Updates .....	65
11.3.1	Background and Assumptions .....	65
11.3.2	Preliminaries .....	65
11.3.2.1	MPD Information.....	65
11.3.2.2	Segment Information Derivation.....	66
11.3.3	Service Offering Requirements and Guidelines.....	66
11.3.3.1	General .....	66
11.3.3.2	Setting the Minimum Update Period Value .....	67
11.3.3.3	Permitted Updates in an MPD.....	67
11.3.3.4	Last Segment Message.....	68
11.3.4	MPD-based Live Client Operation based on MPD.....	68
11.4	Provisioning of Live Content in On-Demand Mode .....	69
11.4.1	Scenario .....	69
11.4.2	Content Offering Requirements and Recommendations.....	69
11.4.3	Client Behavior .....	70
11.5	Availability Time Synchronization between Client and Server .....	70
11.5.1	Background.....	70
11.5.2	Service Provider Requirements and Guidelines.....	70
11.5.3	Client Requirements and Guidelines.....	71
11.6	Robust Operation.....	71
11.6.1	General Robustness.....	71
11.6.2	Synchronization Loss of Segmenter .....	71
11.6.3	Encoder Clock Drift.....	71
11.6.4	Segment Unavailability.....	72
11.6.5	Swapping across Redundant Tools .....	72
12	Ad Insertion Enablers.....	72
12.1	Background .....	72
12.2	Enablers.....	72
12.2.1	Period elements and Remote Periods.....	72
12.2.2	Asset Identifiers .....	73
12.2.3	MPD updates .....	73

13	Server and network assisted DASH (SAND) Support .....	73
13.1	Introduction .....	73
13.2	SAND Modes for 3GP-DASH .....	74
13.3	DANE discovery .....	74
13.4	SAND Messages and Protocols for 3GP-DASH .....	75
13.5	SAND Message Handling Behaviors for DANEs and DASH clients .....	77
13.5.1	DASH client behaviour .....	77
13.5.2	DANE behaviour .....	77
13.6	Use of SAND for Network Assistance .....	78
13.6.1	General description .....	78
13.6.2	Common functions .....	79
13.6.2.1	Introduction .....	79
13.6.2.2	DANE discovery .....	79
13.6.2.3	Network Assistance session initiation .....	79
13.6.2.4	Network Assistance session termination .....	79
13.6.3	Rate recommendation function .....	79
13.6.4	Temporary delivery boost function .....	79
13.6.5	SAND messages usage and extensions .....	80
13.6.5.1	Introduction .....	80
13.6.5.2	Use of existing SAND messages .....	80
13.6.5.2.1	Shared resource allocation .....	80
13.6.5.2.2	Buffer level .....	80
13.6.5.2.3	Shared resource assignment .....	80
13.6.5.3	SAND message extensions .....	80
13.6.5.3.1	Network Assistance session initiation .....	80
13.6.5.3.2	Network Assistance session termination .....	82
13.6.5.3.3	Segment duration .....	83
13.6.5.3.4	Delivery boost request .....	83
13.6.5.3.6	Delivery boost response .....	84
13.6.6	Network Assistance transactions .....	85
13.6.6.1	General .....	85
13.6.6.2	Network Assistance request .....	85
13.6.7	Example workflow for Network Assistance .....	87
13.7	Use of SAND for Proxy Caching .....	89
13.7.1	Introduction .....	89
13.7.2	Status Messages for Proxy Caching .....	89
13.7.2.1	AnticipatedRequests .....	89
13.7.2.2	AcceptedAlternatives .....	89
13.7.3	PER Messages for Proxy Caching .....	89
13.7.3.1	ResourceStatus .....	89
13.7.3.2	MPDValidityEndTime .....	89
13.7.3.3	DeliveredAlternative .....	90
13.7.4	Example Workflow on SAND Use for Proxy Caching .....	90
13.8	Use of SAND for Consistent QoE/QoS .....	92
13.9	SAND extension messages XML schema .....	94
13.10	SAND for Multi-Network Access Mode .....	95
13.10.1	Introduction .....	95
13.10.2	DANE Functionalities for SAND4M .....	96
13.10.3	DASH Client Functionalities for SAND4M .....	96
13.10.4	Message Channel .....	96
13.10.4.1	General .....	96
13.10.4.2	Assistance .....	97
13.10.4.3	Enforcement .....	97
13.10.4.4	Error Case .....	97
<b>Annex A (informative):</b>	<b>Example DASH Client Behaviour .....</b>	<b>98</b>
A.1	Introduction .....	98
A.2	Overview .....	98
A.3	Segment List Generation .....	98

A.4	Seeking .....	98
A.5	Support for Trick Modes .....	98
A.6	Switching Representations .....	98
A.7	Reaction to Error Codes .....	98
A.8	Encoder Clock Drift Control .....	98
A.9	Handling Partial File Responses.....	99
A.10	Utilization of QoS Information .....	99
A.11	Utilization of Quality Metadata.....	99
<b>Annex B (normative):</b>	<b>Media Presentation Description Schema .....</b>	<b>100</b>
B.1	Introduction .....	100
B.2	Main Schema.....	100
B.3	3GPP Extension Schema .....	100
<b>Annex C (normative):</b>	<b>Descriptor Scheme Definitions.....</b>	<b>102</b>
C.1	Introduction .....	102
C.2	Void.....	102
C.3	Void.....	102
C.4	3D Video Disparity Range Descriptor Scheme .....	102
C.5	3D Video Display Information Scheme .....	103
<b>Annex D (informative):</b>	<b>MPD Examples.....</b>	<b>104</b>
D.1	On-Demand Service .....	104
D.2	Live Service.....	104
D.3	MPD Assembly .....	106
D.4	MPD Deltas .....	107
<b>Annex E (normative):</b>	<b>Void.....</b>	<b>111</b>
<b>Annex F (normative):</b>	<b>OMA DM QoE Management Object .....</b>	<b>112</b>
<b>Annex G (normative):</b>	<b>File format extensions for 3GP DASH support.....</b>	<b>118</b>
G.1	Introduction .....	118
G.2	Void.....	118
G.3	Void.....	118
G.4	Void.....	118
G.5	Void.....	118
G.6	Void.....	118
<b>Annex H (normative):</b>	<b>MIME Type Registration for MPD.....</b>	<b>119</b>
H.1	MPD MIME Type .....	119
H.1.1	Introduction .....	119
H.1.2	Void.....	119
H.1.3	Void.....	119
H.2	MPD Delta MIME Type.....	119
H.2.1	Introduction .....	119

H.2.2	MIME Type and Subtype .....	119
<b>Annex I (informative):</b>	<b>Signalling of DASH AVP values for QoS handling in the PCC.....</b>	<b>121</b>
<b>Annex J (normative):</b>	<b>MIME Type Registration for QoE Reports.....</b>	<b>123</b>
J.1	Introduction .....	123
J.2	MIME Type and Subtype .....	123
<b>Annex K (normative):</b>	<b>ITU-T P.1203 Audio/Video MOS Estimation.....</b>	<b>125</b>
K.1	Introduction .....	125
K.2	Calculation .....	125
<b>Annex L (normative):</b>	<b>QoE Measurement Collection Functionalities.....</b>	<b>128</b>
L.1	Configuration and reporting .....	128
L.2	XML configuration.....	130
<b>Annex M (informative):</b>	<b>Change history .....</b>	<b>132</b>
History .....		135

**iTeh STANDARD PREVIEW**  
 (standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/b32d1299-fad4-4db3-9bbb-b448c1290404/etsi-ts-126-247-v15.6.0-2020-09>

---

## Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The 3GPP transparent end-to-end packet-switched streaming service (PSS) specification consists of seven 3GPP TSs: 3GPP TS 22.233 [1], 3GPP TS 26.233 [2], 3GPP TS 26.234 [3], 3GPP TS 26.244 [4], 3GPP TS 26.245 [5], 3GPP TS 26.246 [6], and the present document.

The TS 22.233 contains the service requirements for the PSS. The TS 26.233 provides an overview of the PSS. The TS 26.234 provides the details of the protocols and codecs used by the PSS. The TS 26.244 defines the 3GPP file format (3GP) used by the PSS and MMS services. The TS 26.245 defines the Timed text format used by the PSS and MMS services. The TS 26.246 defines the 3GPP SMIL language profile. The present document defines Progressive Download and Dynamic Adaptive Streaming over HTTP.

The TS 26.244, TS 26.245 and TS 26.246 start with Release 6. Earlier releases of the 3GPP file format, the Timed text format and the 3GPP SMIL language profile can be found in TS 26.234.

The TS 26.247 starts with Release 10. Earlier releases of Progressive Download and Dynamic Adaptive Streaming over HTTP can be found in TS 26.234.

---

## Introduction

Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH) collects a set of technologies how progressive download and adaptive streaming of continuous media may be carried out exclusively over HTTP.

---

# 1 Scope

The present document specifies Progressive Download and Dynamic Adaptive Streaming over HTTP (3GP-DASH). This specification is part of Packet-switched Streaming Service (PSS). HTTP-based progressive download and dynamic adaptive streaming are separated from TS 26.234 to differentiate from RTP-based streaming that is maintained in TS 26.234. HTTP-based progressive download and dynamic adaptive streaming may be deployed independently from RTP-based PSS, for example by using standard HTTP/1.1 servers for hosting data formatted as defined in the present document.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 22.233: "Transparent End-to-End Packet-switched Streaming Service; Stage 1".
- [2] 3GPP TS 26.233: "Transparent end-to-end Packet-switched Streaming service (PSS); General description".
- [3] 3GPP TS 26.234: "Transparent end-to-end packet switched streaming service (PSS); Protocols and codecs".
- [4] 3GPP TS 26.244: "Transparent end-to-end packet switched streaming service (PSS); 3GPP file format (3GP)".
- [5] 3GPP TS 26.245: "Transparent end-to-end packet switched streaming service (PSS); Timed text format".
- [6] 3GPP TS 26.246: "Transparent end-to-end packet switched streaming service (PSS); 3GPP SMIL Language Profile".
- [7] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [8] IETF STD 0007: "Transmission Control Protocol", Postel J., September 1981.
- [9] IETF RFC 2616: "Hypertext Transfer Protocol – HTTP/1.1", Fielding R. et al., June 1999.
- [10] Open Mobile Alliance, Service and Content Protection for Mobile Broadcast Services, Approved Version 1.0, February 2009.
- [11] ISO/IEC 14496-12:2012 | 15444-12:2012 "Information technology - Coding of audio-visual objects - Part 12: ISO base media file format" | "Information technology - JPEG 2000 image coding system - Part 12: ISO base media file format".
- [12] IETF RFC 2818: "HTTP Over TLS", E. Rescorla, May 2000.
- [13] IETF RFC 5646: "Tags for Identifying Languages", A. Phillips, M. Davis, September 2009.
- [14] (void)
- [15] Open Mobile Alliance: "DRM Content Format V 2.0".
- [16] Open Mobile Alliance: "DRM Content Format V 2.1".

- [17] IETF RFC 3986: "Uniform Resource Identifiers (URI): Generic Syntax", Berners-Lee T., Fielding R. and Masinter L., January 2005.
- [18] IETF RFC 1952: "GZIP file format specification" version 4.3, P. Deutsch, May 1996.
- [19] IETF RFC 1738: "Uniform Resource Locators (URL)", December 1994.
- [20] (void)
- [21] (void)
- [22] OMA-ERELD-DM-V1\_2-20070209-A: "Enabler Release Definition for OMA Device +Management, Approved Version 1.2"
- [23] 3GPP TS 33.310: "Network Domain Security (NDS); Authentication Framework (AF)".
- [24] IETF RFC 2045: "Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies".
- [25] IETF RFC 2231: "MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations".
- [26] IETF RFC 6381: "The 'Codecs' and 'Profiles' Parameters for "Bucket" Media Types," August 2011.
- [27] Void.
- [28] IEEE 1003.1-2008, IEEE Standard for Information Technology - Portable Operating System Interface (POSIX), Base Specifications, Issue 7
- [29] IETF RFC 4337, "MIME Type Registration for MPEG-4," March 2006
- [30] IETF RFC 3023, "XML Media Types," January 2001.
- [31] 3GPP TS 23.203: "Policy and charging control architecture".
- [32] 3GPP TS 29.213: "Policy and Charging Control signalling flows and Quality of Service (QoS) parameter mapping".
- [33] 3GPP TS 29.214: "Policy and Charging Control over Rx reference point".
- [34] void
- [35] ITU-T Recommendation H.264 (04/2013): "Advanced video coding for generic audiovisual services".
- [36] 3GPP TR 26.946: "Multimedia Broadcast/Multicast Service (MBMS); User service guidelines".
- [37] IETF RFC 3629: "UTF-8, a transformation format of ISO 10646," November 2003.
- [38] IETF RFC 4288: "Media Type Specifications and Registration Procedures," December 2005.
- [39] IETF RFC 4648: "The Base16, Base32, and Base64 Data Encodings," October 2006.
- [40] IETF RFC 5234: "Augmented BNF for Syntax Specifications: ABNF", Crocker D. and Overell P., January 2008.
- [41] 3GPP TR 26.905: "Mobile stereoscopic 3D video".
- [42] 3GPP TS 26.346: " Multimedia Broadcast/Multicast Service (MBMS);Protocols and codecs"
- [43] ISO/IEC 23009-1:2014/Amd. 1:2015/Cor.1:2015" Information technology -- Dynamic adaptive streaming over HTTP (DASH) -- Part 1: Media presentation description and segment formats".
- [44] ISO/IEC 23009-3 "Information technology -- Dynamic adaptive streaming over HTTP (DASH) -- Part 3: Implementation and Deployment Guidelines".

- [45] ISO/IEC 23009-2 " Information technology -- Dynamic adaptive streaming over HTTP (DASH) -- Part 2: Conformance and Reference Software".
- [46] 3GPP TR 26.938: "Packet-switched Streaming Service (PSS); Improved support for dynamic adaptive streaming over HTTP in 3GPP".
- [47] ISO/IEC 23001-7:2015: "Information technology -- MPEG systems technologies -- Part 7: Common encryption in ISO base media file format files".
- [48] IETF RFC 7164, "RTP and Leap Seconds", March 2014.
- [49] ITU-T P.1203 (11/2016), "Parametric bitstream-based quality assessment of progressive download and adaptive audiovisual streaming services over reliable transport".
- [50] ITU-T P.910 (04/2008), "Subjective video quality assessment methods for multimedia applications".
- [51] "Mobile Location Protocol (MLP) ", Open Mobile Alliance, OMA-LIF-MLP-V3\_1, Approved Version 3.1 – 20 Sep 2011.
- [52] IEEE 1003.1-2008 "IEEE Standard for Information Technology - Portable Operating System Interface (POSIX(R))".
- [53] 3GPP TS 25.331 "Radio Resource Control (RRC); Protocol specification".
- [54] ISO/IEC 23009-5:2017: "Information Technology — Dynamic adaptive streaming over HTTP (DASH) — Part 5: Server and network assisted DASH (SAND)".
- [55] 3GPP TR 26.957: "Study on Server And Network-assisted DASH (SAND) for 3GPP Multimedia Services".
- [56] IETF RFC 6455: "The WebSocket Protocol".
- [57] 3GPP TS 23.003: "Numbering, addressing and identification".
- [58] 3GPP TS 26.116: "Television (TV) over 3GPP services; Video profiles".
- [59] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".
- [60] 3GPP TS 26.347: " Multimedia Broadcast/Multicast Service (MBMS); Application Programming Interface and URL".
- [61] 3GPP TS 27.007: " Technical Specification Group Core Network and Terminals; AT command set for User Equipment (UE)".

---

## 3 Definitions, abbreviations and conventions

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in TR 21.905 [7], in ISO/IEC 23009-1 [43], section 3.1, and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in TR 21.905 [7].

**frame-packed stereoscopic 3D video:** a video consisting of two views in which both views were packed into a single stream before compression.

**multiview stereoscopic 3D video:** a video consisting of two views packed into a single stream during compression.