

SLOVENSKI STANDARD SIST EN IEC 60974-1:2018

01-december-2018

Nadomešča:

SIST EN 60974-1:2012

Naprave za obločno varjenje - 1. del: Viri varilnega toka (IEC 60974-1:2017)

Arc welding equipment - Part 1: Welding power sources (IEC 60974-1:2017)

Lichtbogenschweißeinrichtungen - Teil 1: Schweißstromquellen (IEC 60974-1:2017)

iTeh STANDARD PREVIEW

Matériel de soudage à l'arc - Partie 1: Sources de courant de soudage (IEC 60974-1:2017) (standards.iteh.ai)

SIST EN IEC 60974-1:2018

Ta slovenski standard/jeristoveten zbg/stanEN/IEC 160974+1:2018 880e-

dfaf023a51f9/sist-en-iec-60974-1-2018

ICS:

25.160.30 Varilna oprema Welding equipment

SIST EN IEC 60974-1:2018 en

SIST EN IEC 60974-1:2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 60974-1:2018 https://standards.iteh.ai/catalog/standards/sist/81a5adcb-44b8-4b1a-880e-dfaf023a51f9/sist-en-iec-60974-1-2018 EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN IEC 60974-1**

September 2018

ICS 25.160

Supersedes EN 60974-1:2012

English Version

Arc welding equipment - Part 1: Welding power sources (IEC 60974-1:2017)

Matériel de soudage à l'arc - Partie 1: Sources de courant de soudage (IEC 60974-1:2017) Lichtbogenschweißeinrichtungen - Teil 1: Schweißstromquellen (IEC 60974-1:2017)

This European Standard was approved by CENELEC on 2018-07-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

(standards.iteh.ai)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom Lavcatalog/standards/sist/81a5adcb-44b8-4b1a-880e-

dfaf023a51f9/sist-en-iec-60974-1-2018



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 60974-1:2018 (E)

European foreword

The text of document 26/610/FDIS, future edition 5 of IEC 60974-1, prepared by IEC/TC 26 "Electric welding" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60974-1:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2019-03-28 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2021-09-28 document have to be withdrawn

This document supersedes EN 60974-1:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW

Endorsement notice (standards.iten.ai)

The text of the International Standard IEC 60974-1:2017 was approved by CENELEC as a European Standard without any modification. dfaf023a51f9/sist-en-iec-60974-1-2018

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60038:2009	NOTE	Harmonized as EN 60038:2011 (modified)
IEC 60085	NOTE	Harmonized as EN 60085
IEC 60204-1	NOTE	Harmonized as EN 60204-1
IEC 60309-1	NOTE	Harmonized as EN 60309-1
IEC 60335-2-29	NOTE	Harmonized as EN 60335-2-29
IEC 60384-14	NOTE	Harmonized as EN 60384-14
IEC 60950-1	NOTE	Harmonized as EN 60950-1
IEC 60974-3	NOTE	Harmonized as EN 60974-3
IEC 60974-4	NOTE	Harmonized as EN 60974-4
IEC 60974-6	NOTE	Harmonized as EN 60974-6
IEC 60974-9	NOTE	Harmonized as EN IEC 60974-9
IEC 60974-10	NOTE	Harmonized as EN 60974-10
IEC 60974-12	NOTE	Harmonized as EN 60974-12
IEC 61032:1997	NOTE	Harmonized as EN 61032:1998 (not modified)
IEC 61558-1	NOTE	Harmonized as EN 61558-1
IEC 62281	NOTE	Harmonized as EN 62281
ISO 13732-1	NOTE	Harmonized as EN ISO 13732-1

EN IEC 60974-1:2018 (E)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-151	iT	International Electrotechnical Vocabulary - Part 151: Electrical and magnetic devices	- - 	-
IEC 60050-851	-	International Electrotechnical Vocabulary - Part 851: Electric welding	-	-
IEC 60245-6	- https://sta	Rubber insulated cables - Rated voltages up to and including 450/750 V Part 6: Arc welding electrode cables six 8 a 5 a dcb - 44 b 8 - 4 b a 10 23 a 5 19/8 st - cr - cc - 60974 - 1 - 2018	- 1a-880e-	-
IEC 60417	-	Graphical symbols for use on equipment. Index, survey and compilation of the single sheets.	HD 243 S12	-
IEC 60445	-	Basic and safety principles for man- machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors	-	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60664-3	-	Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution	EN 60664-3	-
IEC 60695-11-10	-	Fire hazard testing Part 11-10: Test flames - 50 W horizontal and vertical flame test methods	EN 60695-11-10	-
IEC 60974-7	-	Arc welding equipment Part 7:Torches	EN 60974-7	-

EN IEC 60974-1:2018 (E)

IEC 61140	- Protection against electric Common aspects for insta equipment		-
IEC 61558-2-4	- 1	cts for supply -4: Particular or isolating supply units	-
IEC 61558-2-6	- Safety of transformers, read supply units and similar product voltages up to 1 100 V. Particular requirements and te isolating transformers and punits incorporating safety transformers.	cts for supply Part 2-6: sts for safety ower supply	-
IEC 62133-1	- Secondary cells and batterie alkaline or other non-acid e Safety requirements for port secondary cells, and for bat from them, for use in portable - Part 1: Nickel systems	electrolytes - table sealed tteries made	-
IEC 62133-2	Secondary cells and batterie alkaline or other non-acid e Safety requirements for por secondary lithium cells, and made Sfrom them, (for use applications - Part 2: Lithium s	electrolytes - table sealed W for batteries in portable	-
ISO 7010	2011 Graphical Symbols 6 Safety2 https://stan.safetys.ignstalRegistered safet dfaf023a51f9/sist-en-iec-6097a	√ sighs 44b8-4b1a-880e-	2012



IEC 60974-1

Edition 5.0 2017-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Arc welding equipment-STANDARD PREVIEW Part 1: Welding power sources and ards.iteh.ai)

Matériel de soudage à l'arc – <u>SIST EN IEC 60974-1:2018</u>

Partie 1: Sources de courant de soudage /sist/81a5adcb-44b8-4b1a-880e-

dfaf023a51f9/sist-en-iec-60974-1-2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 25.160.30 ISBN 978-2-8322-3854-7

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FC	FOREWORD9				
1	Scop	e	.11		
2	Norm	ative references	.11		
3	Term	s and definitions	.12		
	3.1	General terms	.12		
	3.2	Terms related to battery systems	.21		
4	Envir	onmental conditions	.24		
5	Tests	5	. 25		
	5.1	Test conditions	. 25		
	5.2	Measuring instruments	.25		
	5.3	Conformity of components	.25		
	5.4	Type tests	.26		
	5.5	Routine tests	. 26		
6	Prote	ection against electric shock	.27		
	6.1	Insulation	.27		
	6.1.1	General	.27		
	6.1.2	Clearances	.28		
	6.1.3	Creepage distances A. N.D. A. R.D. D. D. D. T. W. H. W.	.30		
	6.1.4	Insulation resistance	. 32		
	6.1.5	0 (200010001001001)			
	6.2	Protection against electric shock in normal service (direct contact)			
	6.2.1	Protection provided by the enclosure 1.2018	.34		
	6.2.2	Capatha //standards.iteh.ai/catalog/standards/sist/81a5adcb-44b8-4b1a-880e-	. 34		
	6.2.3	3 11 7 1			
	6.2.4	3			
	6.2.5	S .			
	6.2.6		.36		
	6.3	Protection against electric shock in case of a fault condition (indirect contact)	.37		
	6.3.1				
	6.3.2	Isolation between windings of the supply circuit and the welding circuit	.37		
	6.3.3	Internal conductors and connections	.37		
	6.3.4	Additional requirements for plasma cutting systems	.38		
	6.3.5	Movable coils and cores	.38		
	6.3.6	Touch current in fault condition	.38		
7	Therr	mal requirements	. 39		
	7.1	Heating test	. 39		
	7.1.1	Test conditions	. 39		
	7.1.2	Tolerances of the test parameters	.39		
	7.1.3				
	7.2	Temperature measurement			
	7.2.1	Measurement conditions			
	7.2.2	•			
	7.2.3				
	7.2.4	•			
	7.2.5	Determination of the ambient air temperature	.41		

	7.2.6	Recording of temperatures	41
	7.3	Limits of temperature rise	41
	7.3.1	Windings, commutators and slip-rings	41
	7.3.2	External surfaces	42
	7.3.3	Other components	43
	7.4	Loading test	43
	7.5	Commutators and slip-rings	44
8	Ther	mal protection	
	8.1	General requirements	44
	8.2	Construction	
	8.3	Location	
	8.4	Operating capacity	
	8.5	Operation	
	8.6	Resetting	
	8.7	Indication	
9	_	ormal operation	
9		·	
	9.1	General requirements	
	9.2	Stalled fan test	
	9.3	Short circuit test	
4.0	9.4	Overload test	47
10		nection to the supply network	47
	10.1	Supply voltage (standards.iteh.ai) Multi-supply voltage	47
	10.2		
	10.3	Means of connection to the supply circuit4-1:2018	
	10.4	Marking offterminals itch avcatalog/standards/sist/81a5adcb-44b8-4b1a-880e-	48
	10.5	Protective circuit dfaf023a51f9/sist-en-iec-60974-1-2018	
	10.5.	•	
	10.5.	71	
	10.5.		
	10.6	Cable anchorage	
	10.7	Inlet openings	
	10.8	Supply circuit on/off switching device	
	10.9	Supply cables	52
	10.10	Supply coupling device (attachment plug)	52
11	Outp	ut	53
	11.1	Rated no-load voltage	53
	11.1.	1 Rated no-load voltage for use in environments with increased risk of electric shock	53
	11.1.	2 Rated no-load voltage for use in environments without increased risk of electric shock	53
	11.1.	Rated no-load voltage for the use with mechanically held torches with increased protection for the operator	53
	11.1.	· · · · · · · · · · · · · · · · · · ·	
	11.1.		
	11.1.	·	
	11.2	Type test values of the conventional load voltage	
	11.2.		
	11.2.	9	
	11 2		

_	4	_
---	---	---

	11.2.	4	Submerged arc welding	56
	11.2.		Plasma cutting	
	11.2.		Plasma welding	
	11.2.		Plasma gouging	
	11.2.		Additional requirements	
	11.3		hanical switching devices used to adjust output	
	11.4		ding circuit connections	
	11.4.		Protection against unintentional contact	
	11.4.	-	Location of coupling devices	
	11.4.		Outlet openings	
	11.4.		Three-phase multi-operator welding transformer	
	11.4.		Marking	
	11.4.		Connections for plasma cutting torches	
	11.4.	-	rer supply to external devices connected to the welding circuit	
			iliary power supply	
	11.6			
40	11.7		ding cablesrcuits	
12				
	12.1		eral requirement	
	12.2		ation of control circuits	
	12.3	Wor	king voltages of remote control circuits	59
13	Haza		ducing device STANDARD PREVIEW	
	13.1	Gen	eral requirements standards.iteh.ai) es of hazard reducing devices	60
	13.2	Тур		
	13.2.	1	Voltage reducing devicer EN-IBC 60974-1-2018	
	13.2.	2	Switching device for ACato DCdards/sist/81a5adcb-44b8-4b1a-880e	60
	13.3	Req	uirements for hazard reducing devices 974-1-2018	
	13.3.	1	Disabling the hazard reducing device	60
	13.3.	2	Interference with operation of a hazard reducing device	61
	13.3.	3	Indication of satisfactory operation	61
	13.3.	4	Fail to a safe condition	61
14	Mech	anic	al provisions	61
	14.1	Gen	eral requirements	61
	14.2	Enc	osure	61
	14.2.	1	Enclosure materials	61
	14.2.	2	Enclosure strength	62
	14.3	Han	dling means	62
	14.3.		Mechanised handling	
	14.3.	2	Manual handling	
	14.4	Droi	o withstand	
	14.5		ng stability	
15			ste	
	15.1	• .	eral requirements	
	15.1		cription	
	15.2		tents	
	15.4		rances	
	15.4		ction of rotation	
16				
10	-		nt of the output	
	16.1	Гур	e of adjustment	68

16.2 Marking of the adjusting device	
16.3 Indication of current or voltage control	69
17 Instructions and markings	
17.1 Instructions	70
17.2 Markings	
Annex A (informative) Nominal voltages of supply networks	72
Annex B (informative) Example of a combined dielectric test	73
Annex C (normative) Unbalanced load in case of AC tungsten inert-gas welding power sources	
C.1 General	74
C.2 Unbalanced load	74
C.3 Example for an unbalanced load	75
Annex D (informative) Extrapolation of temperature to time of shutdown	76
Annex E (normative) Construction of supply circuit terminals	77
E.1 Size of terminals	
E.2 Connections at the terminals	77
E.3 Construction of the terminals	78
E.4 Fixing of the terminals	78
Annex F (informative) Cross-reference to non-SI units	
Annex G (informative) Suitability of supply network for the measurement of the true r.m.s. value of the supply current	80
Annex H (informative) Plotting of static characteristics h.ai)	81
H.1 Ceneral	Ω1
H 2 Method SIST EN IEC 60974-1:2018	81
https://standards.iteh.ai/catalog/standards/sist/81a5adcb-44b8-4b1a-880e-	81
H.2 Method SIST EN IEC 60974-1:2018 H.3 Analysis of the results diaf023a51f9/sist-en-iec-60974-1:2018 Annex I (normative) Test methods for a 10 Nm impact	82
I.1 Pendulum impact hammer	
I.2 Free fall spherical steel weight	
Annex J (normative) Thickness of sheet metal for enclosures	
Annex K (informative) Examples of rating plates	
Annex L (informative) Graphical symbols for arc welding equipment	
L.1 General	
L.2 Use of symbols	
L.2.1 General	
L.2.2 Selection of symbols	
L.2.4 Use of colour	
L.3 Symbols	
L.3.1 General	
L.3.2 Letter symbols	
L.3.3 Graphical symbols	
L.4 Examples of combinations of symbols	
L.5 Examples of control panels	
Annex M (informative) Efficiency and idle state power measurement	
M.1 Measuring efficiency	
M.2 Measuring idle state power	
Annex N (normative) Touch current measurement in fault condition	

Annex O (nor	mative) Battery-powered welding power sources	128
O.1 Ge	neral	128
O.4 En	vironmental conditions	129
O.5 Tes	sts	129
O.5.1	Test conditions	129
0.5.3	Conformity of components	130
O.6 Pro	tection against electric shock	131
0.6.1	Insulation	131
0.6.2	Protection against electric shock in normal service	132
O.7 The	ermal requirements	133
0.7.1	Heating test	133
0.7.2	Temperature measurement	134
0.7.4	Loading test	134
0.7.201	Normal charging of lithium-ion systems	134
O.8 The	ermal protection	135
0.8.1	General requirements	135
0.8.4	Operating capacity	135
O.9 Abı	normal operation	
0.9.1	General requirements	
0.9.2	Stalled fan test Short circuit test TANDARD PREVIEW	136
0.9.3		
0.9.4	Overload test	136
O.9.201		
O.9.202	Welding circuit components – abnormal conditions	
O.9.203	Lithium-ion charging systems abnormal conditions 12-880e	
0.9.204	Lithium-ion battery short crouitn-icc-60974-1-2018.	
O.9.205	Batteries other than lithium-ion – overcharging	
O.9.206	Battery pack disconnection	
O.9.207	General purpose batteries	
O.10 Co	nnection to the supply network	
O.10.5	Protective circuit	140
O.10.8	Supply circuit on/off switching device	
	chanical provisions	
0.14.1	General requirements	
0.14.2	Enclosure	
0.14.4	Drop withstand	
O.15 Ra	ting plate	
O.15.3	Contents	
	tructions and markings	
0.17.1	Instructions	
0.17.2	Markings	
Bibliography.		146
Figure 1 – Ex	ample of insulation configuration for Class I equipment	28
Figure 2 – Me	easurement of welding circuit touch current	36
Figure 3 – Me	easurement of touch current in normal condition	36
Figure 4 – Me	easurement of r.m.s. values	55
	easurement of peak values	
5	•	

Figure 6 – Principle of the rating plate	64
Figure B.1 – Combined high-voltage transformers	73
Figure C.1 – Voltage and current during AC tungsten inert-gas welding	74
Figure C.2 – Unbalanced voltage during AC tungsten inert-gas welding	75
Figure C.3 – AC welding power source with unbalanced load	75
Figure I.1 – Test set-up	82
Figure K.1 – Single-phase transformer	87
Figure K.2 – Three-phase rotating frequency converter	88
Figure K.3 – Subdivided rating plate: single-/three-phase transformer rectifier	89
Figure K.4 – Engine-generator-rectifier	90
Figure K.5 – Single-/three-phase inverter type	91
Figure K.6 – Battery powered welding power source with integral battery	92
Figure K.7 – Battery powered welding power source with detachable / separable battery	93
Figure L.1 – Input voltage power switch	119
Figure L.2 – Arc force control potentiometer	119
Figure L.3 – Remote receptacle and selector switches	119
Figure L.4 – Terminals with inductance selector for MIG/MAG welding	119
Figure L.5 – Process switch (MMA, FIG, MIG) RD. PREVIEW	120
Figure L.6 – Selector switch on AC/DC equipment iteh.ai.	120
Figure L.7 – Panel indicator lights (overheat, fault, arc striking, output voltage)	120
Figure L.8 – Setting pulsing parameters using digital display	
Figure N.1 – Measuring network for weighted touch current diat023a51f9/sist-en-iec-60974-1-2018	123
Figure N.2 – Diagram for touch current measurement on fault condition at operating temperature for single-phase connection of appliances other than those of class II	
Figure N.3 – Diagram for touch current measurement on fault condition for three-phase	
four-wire system connection of appliances other than those of class II	
Figure O.1 – Marking of battery voltage class B electric components	145
Table 1 – Minimum clearances for overvoltage category III	
Table 2 – Minimum creepage distances	
Table 3 – Insulation resistance	
Table 4 – Dielectric test voltages	
Table 5 – Minimum distance through insulation	
Table 6 – Temperature limits for windings, commutators and slip-rings	
Table 7 – Temperature limits for external surfaces	
Table 8 – Cross-section of the output short-circuit conductor	
Table 9 – Current and time requirements for protective circuits	
Table 10 – Minimum cross-sectional area of the external protective copper conductor	
Table 11 – Verification of continuity of the protective circuit	
Table 12 – Pull	
Table 13 – Summary of allowable rated no-load voltages	
Table 14 – Hazard reducing device requirements	60

- 8 - IEC 60974-1:2017 © IEC 2017

Table E.1 – Range of conductor dimensions to be accepted by the supply circuit terminals	77
Table F.1 – Cross-reference for mm ² to American wire gauge (AWG)	79
Table I.1 – Angle of rotation $ heta$ to obtain 10 Nm impact	82
Table I.2 – Mass of the free fall weight and height of the free fall	83
Table J.1 – Minimum thickness of sheet metal for steel enclosures	85
Table J.2 – Minimum thickness of sheet metal for enclosures of aluminium, brass or copper	86
Table L.1 – Letters used as symbols	95

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 60974-1:2018

https://standards.iteh.ai/catalog/standards/sist/81a5adcb-44b8-4b1a-880e-dfaf023a51f9/sist-en-iec-60974-1-2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ARC WELDING EQUIPMENT -

Part 1: Welding power sources

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- https://standards.itch.ai/catalog/standards/sist/81a5adcb-44b8-4b1a-880e5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to lec marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60974-1 has been prepared by IEC technical committee 26: Electric welding.

This fifth edition cancels and replaces the fourth edition published in 2012 and constitutes a technical revision.

The significant changes with respect to the previous edition are the following:

- improvement of Figure 1 (6.1.1);
- modification of Table 3 (6.1.4);
- description of energy efficiency measurements in Annex M;
- inclusion of battery supplied welding power sources in the scope. Requirements therefore are described in Annex O.