
**Information technology — Digitally
recorded media for information
interchange and storage — 120 mm Triple
Layer (100,0 Gbytes per disk) and
Quadruple Layer (128,0 Gbytes per disk)
BD Recordable disk**

iTeh STANDARD PREVIEW

*Technologies de l'information — Supports enregistrés numériquement
pour échange et stockage d'information — Disques BD enregistrables
de 120 mm triple couche (100,0 Go par disque) et quadruple couche
(128,0 Go par disque)*

[ISO/IEC 30191:2013](https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-edd64b8da7bf/iso-iec-30191-2013)

[https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-
edd64b8da7bf/iso-iec-30191-2013](https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-edd64b8da7bf/iso-iec-30191-2013)

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 30191:2013](https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-edd64b8da7bf/iso-iec-30191-2013)

<https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-edd64b8da7bf/iso-iec-30191-2013>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	xiii
Introduction.....	xiv
1 Scope	1
2 Conformance	2
2.1 Optical disk	2
2.2 Generating system	2
2.3 Receiving system	2
2.4 Compatibility statement.....	2
3 Normative references	2
4 Terms and definitions	3
5 Conventions and notations	7
5.1 Terminology	7
5.1.1 Meaning of words	7
5.1.2 Levels of grouping	7
5.2 Representation of numbers.....	7
5.3 Integer calculus	8
5.4 Names	8
6 List of acronyms	9
7 General description of disk	11
8 General requirements	13
8.1 Environments.....	13
8.1.1 Test environment.....	13
8.1.2 Operating environment.....	13
8.1.3 Storage environment.....	14
8.1.4 Transportation	15
8.2 Safety requirements	15
8.3 Flammability.....	15
9 Reference drive.....	16
9.1 General	16
9.2 Measurement conditions	16
9.3 Optical system	16
9.4 Optical beam	17
9.5 HF read channel.....	17
9.6 Radial PP read channel.....	18
9.7 Disk Clamping.....	18
9.8 Rotation of disk and Measurement Velocity	18
9.9 Normalized servo transfer function.....	19
9.10 Measurement Velocities and Reference servos for axial tracking	19
9.10.1 General	19
9.10.2 Reference servo for axial tracking at 1x Measurement Velocity	20
9.10.3 Reference servo for axial tracking at 2x Measurement Velocity	21
9.11 Measurement Velocities and Reference servos for radial tracking	22
9.11.1 General	22
9.11.2 Reference servo for radial tracking at 1x Measurement Velocity	22
9.11.3 Reference servo for radial tracking at 2x Measurement Velocity	23
10 Dimensional characteristics.....	24
10.1 General	24

10.2	Disk reference planes and reference axis	25
10.3	Overall dimensions	26
10.4	First transition Area	26
10.5	Protection ring	26
10.6	Clamping Zone	27
10.7	Second transition Area	27
10.8	Information Area	27
10.8.1	General	27
10.8.2	Subdivision of Information Zone on TL disk	28
10.8.3	Subdivision of Information Zone on QL disks	29
10.9	Rim Area	30
11	Mechanical characteristics	32
11.1	Mass	32
11.2	Moment of inertia	32
11.3	Dynamic imbalance	32
11.4	Axial runout	32
11.4.1	General	32
11.4.2	Residual axial tracking error for 1x Measurement Velocity	32
11.4.3	Residual axial tracking error for 2x Measurement Velocity	33
11.5	Radial runout	33
11.5.1	General	33
11.5.2	Residual radial tracking error on 1x Measurement Velocity	33
11.5.3	Residual radial tracking error on 2x Measurement Velocity	34
11.6	Durability of Cover Layer	34
11.6.1	Impact resistance of Cover Layer	34
11.6.2	Scratch resistance of Cover Layer	34
11.6.3	Repulsion of fingerprints by Cover Layer	34
12	Optical characteristics in Information Area	35
12.1	General	35
12.2	Refractive index of the Transmission Stacks (TS)	35
12.3	Thickness of Transmission Stacks (TS)	35
12.3.1	Thickness of Transmission Stack of TL disks	35
12.3.2	Example of target thickness of Spacer Layers for TL disks	36
12.3.3	Thickness of Transmission Stacks of QL disks	36
12.3.4	Example of target thickness of Spacer Layers for QL disks	37
12.4	Reflectivity of Recording Layers	40
12.5	Birefringence	40
12.6	Angular deviations	41
13	Data Format	42
13.1	General	42
13.2	Data Frame	44
13.3	Error-Detection Code (EDC)	44
13.4	Scrambled Data Frame	44
13.5	Data Block	45
13.6	LDC Block	46
13.7	LDC Code words	46
13.8	LDC Cluster	47
13.8.1	General	47
13.8.2	First interleaving step	47
13.8.3	Second interleaving step	48
13.9	Addressing and Control Data	50
13.9.1	General	50
13.9.2	Address Units	50
13.9.3	User Control Data	54
13.9.4	Byte/Bit assignments for User Control Data	54
13.10	Access Block	56
13.11	BIS Block	56
13.12	BIS Code words	57

STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 30191:2013
<http://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-01671b817171/iso-iec-30191-2013>

13.13	BIS Cluster	58
13.14	ECC Cluster	62
13.15	Recording Frames	63
13.16	Physical Cluster	63
13.17	17PP Modulation for Recordable data	63
13.17.1	General	63
13.17.2	Bit conversion rules	64
13.17.3	dc-control procedure	64
13.17.4	Frame Sync	64
13.18	Modulation and NRZI conversion	66
14	Physical Data Allocation and Linking	67
14.1	General	67
14.2	Recording-Unit Block (RUB)	67
14.2.1	General	67
14.2.2	Data Run-in	67
14.2.3	Data Run-out	68
14.2.4	Guard_3 field	69
14.3	Locating data relative to wobble addresses	70
15	Track Format	71
15.1	General	71
15.2	Track shape	71
15.3	Track path	72
15.4	Track Pitch	73
15.4.1	Track Pitch in Zone reserved for BCA	73
15.4.2	Track Pitch in Embossed HFM Area	73
15.4.3	Track Pitch in Recordable Areas	73
15.4.4	Track Pitch between Embossed HFM Area and Recordable Area	73
15.5	Track layout of HFM Groove	73
15.5.1	General	73
15.5.2	Data Format	74
15.5.3	Addressing and Control Data	75
15.5.4	Recording Frames	79
15.6	Track layout of Wobbled Grooves	80
15.6.1	General	80
15.6.2	Modulation of wobbles	81
15.6.3	Wobble polarity	82
15.7	ADIP information	82
15.7.1	General	82
15.7.2	ADIP-Unit Types	83
15.7.3	ADIP word structure	83
15.7.4	ADIP data structure	84
15.7.5	ADIP error correction	88
15.8	Disk Information in ADIP Aux Frame	90
15.8.1	General	90
15.8.2	Error protection for Disk Information Aux Frames	90
15.8.3	Disk-Information Data structure	91
16	General description of Information Zone	137
16.1	General	137
16.2	Format of Information Zone on Triple-Layer disk	137
16.3	Format of Information Zone on Quadruple-Layer disk	137
17	Layout of Recordable Area of Information Zone	137
18	Inner Zone(s)	147
18.1	General	147
18.2	Permanent Information & Control Data (PIC) Zone	154
18.2.1	General	154
18.2.2	Content of PIC Zone	154
18.2.3	Emergency Brake	156

18.3	Recordable Area of Lead-in Zone of TL disk	158
18.3.1	Protection-Zone 2	158
18.3.2	Buffer	158
18.3.3	INFO 2 / Reserved 8	158
18.3.4	INFO 2 / Reserved 7	158
18.3.5	INFO 2 / Reserved 6	158
18.3.6	INFO 2 / Reserved 5	159
18.3.7	INFO2 / PAC 2.....	159
18.3.8	INFO2 / DMA 2	159
18.3.9	INFO2 / Control Data 2.....	159
18.3.10	INFO2 / Buffer 2.....	159
18.3.11	OPC 0 / Test Zone	159
18.3.12	Usage of OPC Areas.....	159
18.3.13	OPC 0 / OPC 0 Buffer.....	161
18.3.14	TDMA 0.....	161
18.3.15	INFO1 / Pre-write Area.....	161
18.3.16	INFO1 / Drive Area	161
18.3.17	INFO1 / DMA 1	162
18.3.18	INFO 1 / Control Data 1.....	163
18.3.19	INFO 1 / PAC 1.....	163
18.4	Recordable Area of Inner Zone 1 of TL disk	163
18.4.1	Buffer	163
18.4.2	OPC 1 / Test Zone	163
18.4.3	Reserved.....	163
18.4.4	INFO 2 / Reserved 8	163
18.4.5	INFO 2 / Reserved 7	163
18.4.6	INFO 2 / Reserved 6	163
18.4.7	INFO 2 / Reserved 5	163
18.4.8	INFO2 / PAC 2.....	163
18.4.9	INFO 2 / DMA 2	164
18.4.10	INFO 2 / Control Data 2.....	164
18.4.11	INFO 2 / Buffer 2.....	164
18.4.12	TDMA 1.....	164
18.4.13	Reserved.....	164
18.4.14	INFO1 / Pre-write Area.....	164
18.4.15	INFO1 / Drive Area	164
18.4.16	INFO1 / DMA 1	164
18.4.17	INFO 1 / Control Data 1.....	164
18.4.18	INFO 1 / PAC 1.....	164
18.5	Recordable Area of Inner Zone 2 of TL disk	165
18.5.1	Buffer	165
18.5.2	OPC 2 / Test Zone	165
18.5.3	OPC 2 / OPC 2 Buffer.....	165
18.5.4	Reserved.....	165
18.5.5	INFO 2 / Reserved 8	165
18.5.6	INFO 2 / Reserved 7	165
18.5.7	INFO 2 / Reserved 6	165
18.5.8	INFO 2 / Reserved 5	165
18.5.9	INFO 2 / Reserved	165
18.5.10	INFO2 / DMA 2	165
18.5.11	INFO2 / Control Data 2.....	166
18.5.12	INFO2 / Buffer 2.....	166
18.5.13	TDMA 2.....	166
18.5.14	Buffer	166
18.5.15	INFO1 / Pre-write Area.....	166
18.5.16	INFO1 / Drive Area	166
18.5.17	INFO1 / DMA 1	166
18.5.18	INFO 1 / Control Data 1.....	166
18.5.19	INFO 1 / Reserved	166
18.6	Recordable Area of Lead-in Zone of QL disk.....	166

iTeH STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 30191:2013
<https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-edd64b8da7bf/iso-iec-30191-2013>

18.6.1	Protection-Zone 2	166
18.6.2	Buffer	167
18.6.3	INFO 2 / Reserved 8	167
18.6.4	INFO 2 / Reserved 7	167
18.6.5	INFO 2 / Reserved 6	167
18.6.6	INFO 2 / Reserved 5	167
18.6.7	INFO2 / PAC 2	167
18.6.8	INFO2 / DMA 2	167
18.6.9	INFO2 / Control Data 2	167
18.6.10	INFO2 / Buffer 2	167
18.6.11	OPC 0 / Test Zone	167
18.6.12	Buffer	168
18.6.13	INFO1 / Pre-write Area	168
18.6.14	INFO1 / Drive Area	168
18.6.15	INFO1 / DMA 1	168
18.6.16	INFO 1 / Control Data 1	168
18.6.17	INFO 1 / PAC 1	168
18.7	Recordable Area of Inner Zone 1 of QL disk	168
18.7.1	Buffer	168
18.7.2	OPC 1 / Test Zone	168
18.7.3	INFO 2 / Reserved 8	168
18.7.4	INFO 2 / Reserved 7	169
18.7.5	INFO 2 / Reserved 6	169
18.7.6	INFO 2 / Reserved 5	169
18.7.7	INFO2 / PAC 2	169
18.7.8	INFO 2 / DMA 2	169
18.7.9	INFO 2 / Control Data 2	169
18.7.10	INFO 2 / Buffer 2	169
18.7.11	TDMA 0	169
18.7.12	Buffer	169
18.7.13	INFO1 / Pre-write Area	169
18.7.14	INFO1 / Drive Area	169
18.7.15	INFO1 / DMA 1	170
18.7.16	INFO 1 / Control Data 1	170
18.7.17	INFO 1 / PAC 1	170
18.8	Recordable Area of Inner Zone 2 of QL disk	170
18.8.1	Buffer	170
18.8.2	INFO 2 / Reserved 8	170
18.8.3	INFO 2 / Reserved 7	170
18.8.4	INFO 2 / Reserved 6	170
18.8.5	INFO 2 / Reserved 5	170
18.8.6	INFO 2 / Reserved	170
18.8.7	INFO2 / DMA 2	171
18.8.8	INFO2 / Control Data 2	171
18.8.9	INFO2 / Buffer 2	171
18.8.10	TDMA 1	171
18.8.11	Buffer	171
18.8.12	OPC 2 / Test Zone	171
18.8.13	OPC 2 / OPC 2 Buffer	171
18.8.14	TDMA 2	171
18.8.15	INFO1 / Pre-write Area	171
18.8.16	INFO1 / Drive Area	171
18.8.17	INFO1 / DMA 1	172
18.8.18	INFO 1 / Control Data 1	172
18.8.19	INFO 1 / Reserved	172
18.9	Recordable Area of Lead-out Zone of QL disk	172
18.9.1	OPC 3 / Test Zone	172
18.9.2	Buffer	172
18.9.3	INFO 2 / Reserved 8	172
18.9.4	INFO 2 / Reserved 7	172

18.9.5	INFO 2 / Reserved 6	172
18.9.6	INFO 2 / Reserved 5	172
18.9.7	INFO2 / Reserved	172
18.9.8	INFO 2 / DMA 2	173
18.9.9	INFO 2 / Control Data 2.....	173
18.9.10	INFO 2 / Buffer 2.....	173
18.9.11	TDMA 3.....	173
18.9.12	INFO1 / Pre-write Area.....	173
18.9.13	INFO1 / Drive Area	173
18.9.14	INFO1 / DMA 1	173
18.9.15	INFO 1 / Control Data 1.....	173
18.9.16	INFO 1 / Reserved	173
19	Data Zone.....	174
20	Outer Zones	174
20.1	General.....	174
20.2	Recordable Area of Outer Zones.....	175
20.2.1	INFO3 / Buffer 4.....	175
20.2.2	INFO3 / DMA 3	175
20.2.3	INFO3 / Control Data 3.....	175
20.2.4	Angular buffer	175
20.2.5	INFO4 / DMA 4	176
20.2.6	INFO4 / Control Data 4.....	176
20.2.7	INFO4 / Buffer 6.....	176
20.2.8	DCZ0 / Test Zone, DCZ1 / Test Zone, DCZ2 / Test Zone and DCZ3 / Test Zone	176
20.2.9	Usage of DCZ Area	176
20.2.10	Protection-Zone 3	177
21	Physical-Access Control Clusters	178
21.1	General.....	178
21.2	Layout of PAC Zones	178
21.3	General structure of PAC Clusters	179
21.4	IS1 and IS2 PAC Clusters.....	183
22	Disk Management	184
22.1	General.....	184
22.2	Recording Management	184
22.2.1	Sequential-Recording Mode (SRM).....	184
22.2.2	Recording User Data in SRR.	184
22.2.3	SRR status.....	185
22.2.4	Closing SRR	185
22.3	Temporary Disk-Management Areas (TDMA)	185
22.3.1	General.....	185
22.3.2	TDMA Access Indicators.....	185
22.4	Disk-Management Structure (DMS).....	186
22.4.1	General.....	186
22.4.2	Temporary Disk-Management Structure (TDMS).....	187
22.4.3	TDMS in Sequential-Recording Mode.....	187
22.4.4	Temporary Disk-Definition Structure (TDDS)	188
22.4.5	Temporary Defect List (TDFL)	194
22.4.6	Sequential-Recording Range Information (SRR).....	195
22.5	Unrecorded (blank) disk structure	197
22.5.1	General.....	197
22.5.2	Pre-recorded Areas on Unrecorded disk	197
22.5.3	Pre-recorded BCA.....	204
22.5.4	Pre-recorded INFO 2 / Reserved 5, Reserved 8 and Pre-recorded INFO1 / Pre-write Area	204
22.5.5	Pre-recorded INFO 1 / PAC 1 and Pre-recorded INFO2 / PAC 2	204
22.5.6	OPC 0 / Test Zone , OPC 1 / Test Zone, OPC 2 / Test Zone and OPC 3 / Test Zone.....	205
22.5.7	TDMA0.....	205
22.5.8	Initialization of disk.....	205
22.6	Recorded (Closed) disk structure	206

STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 30191:2013

https://standards.iteh.ai/catalog/standards/sist/cc3954e8-9441-423e-ba91-cdd64b8da70f/iso-iec-30191-2013

22.6.1	General	206
22.6.2	DMA Zones	206
22.6.3	Disk-Management Structure (DMS)	206
23	Assignment of Logical-Sector Numbers (LSNs)	210
24	Characteristics of Grooved Areas	211
25	Method of testing for Grooved Area	211
25.1	General	211
25.2	Environment	211
25.3	Reference drive	211
25.3.1	General	211
25.3.2	Read power	211
25.3.3	Read channels	211
25.3.4	Tracking requirements	212
25.3.5	Scanning velocities	212
25.4	Definition of signals	212
26	Signals from HFM Grooves	214
26.1	Push-Pull polarity	214
26.2	Push-Pull signal	214
26.3	Wobble signal	214
26.4	Jitter of HFM signal	214
27	Signals from Wobbled Grooves	215
27.1	Phase depth	215
27.2	Push-Pull signal	215
27.3	Wobble signal	215
27.3.1	General	215
27.3.2	Measurement of NWS	215
27.3.3	Measurement of wobble CNR	216
27.3.4	Measurement of harmonic distortion of wobble	216
28	Characteristics of Recording Layer	216
29	Method of testing for Recording Layer	217
29.1	General	217
29.2	Environment	217
29.3	Reference drive	217
29.3.1	General	217
29.3.2	Read power	217
29.3.3	Read channels	217
29.3.4	Tracking requirements	217
29.3.5	Scanning velocities	217
29.4	Write conditions	218
29.4.1	Write-pulse waveform	218
29.4.2	Write powers	218
29.4.3	Write conditions for i-MLSE measurement	219
29.5	Definition of signals	219
30	Signals from Recorded aAreas	220
30.1	HF signals	220
30.2	Modulated amplitude	220
30.3	Reflectivity-Modulation product	221
30.4	Asymmetry	221
30.5	i-MLSE	222
30.6	Read stability	222
31	Local defects	224
32	Characteristics of User Data	224
33	Method of testing for User Data	225
33.1	General	225

33.2	Environment	225
33.3	Reference drive	225
33.3.1	General.....	225
33.3.2	Read power.....	225
33.3.3	Read channels.....	225
33.3.4	Error correction.....	225
33.3.5	Tracking requirements	225
33.3.6	Scanning velocities	225
33.4	Definition of signals.....	226
34	Minimum quality of recorded information.....	227
34.1	Symbol Error Rate	227
34.2	Maximum burst errors.....	227
34.3	User-written Data	227
35	BCA	228
Annex A	(normative) Thickness of Transmission Stacks in case of multiple layers.....	229
A.1	General.....	229
A.2	Refractive index n_i of all layers	229
A.3	Thickness variations of Transmission Stack for a TL disk	229
A.4	Thickness variations of Transmission Stack for a QL disk	229
A.5	Thickness variations of Spacer Layers for a TL disk.....	230
A.6	Thickness variations of Spacer Layers for a QL disk.....	230
A.7	Example of thickness calculation for a TL disk.....	231
Annex B	(normative) Measurement of reflectivity	232
B.1	General.....	232
B.2	Calibration method	232
B.3	Measuring method	233
B.4	Procedure for compensating stray light effect from observed reflectivity	234
Annex C	(normative) Measurement of scratch resistance of Cover Layer	236
C.1	General.....	236
C.2	Taber Abrasion test	236
Annex D	(normative) Measurement of repulsion of grime by Cover Layer.....	238
D.1	General.....	238
D.2	Specifications of stamp	238
D.3	Preparation of ink	239
D.4	Preparation of ink pad.....	239
D.5	Using ink pad and stamp	240
Annex E	(normative) Measurement of wobble amplitude	241
E.1	Measurement methods.....	241
E.2	Calibration of filters	245
Annex F	(normative) Write-pulse waveform for testing	246
F.1	General write-pulse waveform.....	246
F.2	Extended N-1 write strategy.....	247
F.3	Extended Castle write strategy	250
F.4	Definition of pulse widths and rise and fall times	254
Annex G	(normative) Optimum Power Control (OPC) procedure for media	255
G.1	General.....	255
G.2	Mathematical model for modulation versus power function	255
G.3	Procedure for determination of OPC parameters for media	257
G.4	Procedure to determine Beta value	257
Annex H	(normative) HF signal Pre-processing for i-MLSE(Integrated-Maximum Likelihood Sequence Error Estimation) measurements	259
H.1	General.....	259
H.2	General implementation of i-MLSE measurement system	259
H.3	Specifications of Analogue filters (HPF, LPF)	259
H.4	Specifications of A/D converter	260

H.5	Specifications of Offset canceller.....	260
H.6	Specifications of Auto Gain Controller (AGC).....	260
H.7	Specifications of Interpolator.....	261
H.8	Specifications of Phase Lock Loop.....	262
H.9	Specifications of Digital Equalizer.....	263
H.10	Specifications of Adaptive Equalizer.....	263
H.11	Specifications of Viterbi decoder.....	263
H.12	Description of i-MLSE (Integrated-Maximum Likelihood Sequence Error Estimation).....	264
H.12.1	General.....	264
H.12.2	General implementation of i-MLSE detection units.....	264
H.12.3	Pattern detector.....	265
H.12.4	Metric Difference calculator.....	266
H.12.5	Error rate estimation.....	267
H.12.6	i-MLSE calculation.....	269
Annex I	(normative) Measurement procedures.....	271
I.1	General.....	271
I.2	Initial adjustments of Reference drive.....	271
I.3	i-MLSE measurement.....	272
I.4	Modulated amplitude measurements.....	272
I.5	Measurement of Resolution I_{3pp} / I_{8pp} (informative).....	272
I.6	Measurement of Modulation I_{8pp} / I_{8H} and I_{3pp} / I_{8H}	273
I.7	Asymmetry measurement.....	274
I.7.1	General.....	274
I.7.2	Sampling method.....	274
I.7.3	Level calculation block (Averaging method).....	276
I.7.4	Asymmetry calculation.....	277
I.8	Measurement of light reflectivity.....	278
I.8.1	General.....	278
I.8.2	Measurement procedure of light reflectivity.....	278
I.9	Tracking-error signal measurements (PP_{norm} measurement procedure).....	279
I.10	Residual error of axial tracking measurement procedure.....	281
I.11	Residual error of radial tracking measurement procedure.....	282
I.12	Random SER measurement.....	282
Annex J	(informative) Measurement of birefringence.....	283
J.1	Principle of measurement.....	283
J.2	Measurements conditions.....	283
J.3	Example of measurement procedure.....	284
J.4	Interchangeability of measuring results.....	284
Annex K	(informative) Measurement of thickness of Cover Layer and Spacer Layer.....	285
K.1	Focusing method.....	285
K.2	Interferometer method.....	285
Annex L	(informative) Measurement of impact resistance of Cover Layer.....	288
L.1	General.....	288
L.2	Recommendation for drives.....	288
L.3	Measurements of impact resistance of Cover Layer.....	288
Annex M	(informative) Groove deviation and the wobble amplitude.....	290
M.1	Relation between normalized wobble signal and wobble amplitude.....	290
M.2	Tolerances of normalized wobble signal.....	290
Annex N	(informative) Guideline for write pulse adjustment using L-SEAT edge-shift.....	292
N.1	General.....	292
N.2	General implementation of edge-shift detection system.....	292
N.2.1	Edge-shift evaluation unit.....	292
N.2.2	Analogue filters (HPF, LPF).....	292
N.2.3	AD Converter.....	292
N.2.4	Offset Canceller.....	293
N.2.5	Auto Gain Controller (AGC).....	293
N.2.6	Interpolator.....	293

N.2.7	Phase Locked Loop	293
N.2.8	Digital Equalizer	293
N.2.9	Adaptive Equalizer	293
N.2.10	Viterbi decoder	293
N.2.11	L-SEAT evaluation block.....	294
N.3	HF signal processing for L-SEAT.....	294
N.3.1	General.....	294
N.3.2	Definition of L-SEAT	294
N.3.3	Edge detection bit patterns	295
N.4	General implementation of L-SEAT evaluation block.....	298
N.5	General write pulse adjustment procedure.....	299
	Bibliography	301

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 30191:2013](https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-edd64b8da7bf/iso-iec-30191-2013)

<https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-edd64b8da7bf/iso-iec-30191-2013>

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

ISO/IEC 30191 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 23, *Digitally recorded media for information interchange and storage*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 30191:2013](https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-edd64b8da7bf/iso-iec-30191-2013)

<https://standards.iteh.ai/catalog/standards/sist/ee3954c8-94a1-423c-ba91-edd64b8da7bf/iso-iec-30191-2013>

Introduction

In March 2002, 9 companies started BDF (Blu-ray Disc Founders) aiming for the creation of the Formats with large capacity and high speed transfer rate, that enable the recording and reproducing of the high definition video contents. In October 2004, more than 100 companies joined and BDF was changed to an open forum named BDA (Blu-ray Disc Association). In October 2005, BDA issued the first version of the Blu-ray Disc™ Recordable Format Part1 and in April 2008 Version 1.3 of Blu-ray Disc™ Recordable Format Part1 was issued, which enabled the Recording Velocity up to 6x. In June 2010, BDA issued Blu-ray Disc™ Recordable Format Part1 Version 2.0, which specifies the TL and QL of BD Recordable disk.

By the end of 2010, over 100 million Blu-ray Disc™ had already been shipped, and Blu-ray™ devices such as players, recorders, game consoles and PC drives were in use all over the world.

The BDA also conducts verification activities for both disks and devices and has established more than 10 Testing Centers in Asia, Europe and the USA.

The BDA gave consumer applications the highest priority in the first few years. But it was known, of course, that International Standardization would be required before many government entities and their contractors would be allowed to use Blu-ray Disc™. In February and January of 2011, the chairs of ISO/IEC JTC 1/SC 23 and JIIMA (Japan Image & Information Management Association) formally requested the BDA to consider International Standardization. The reason for this was to enable the inclusion of writable BDs, along with DVDs and CDs, in an International Standard specifying test methods for the estimation of lifetime of optical storage media for long-term data storage. In October 2011, the President of the BDA responded that his organization had decided to pursue International Standard of the basic physical formats for the Recordable and Rewritable Blu-ray™ Formats.

ISO/IEC 30191:2013

In December of 2011, the BDA sent project proposals for the International standardization of 4 formats to ISO/IEC JT1/SC 23 via the Japan national body. They are 120 mm Single Layer (25,0 Gbytes per disk) and Dual Layer (50,0 Gbytes per disk) BD Recordable disks, 120 mm Single Layer (25,0 Gbytes per disk) and Dual Layer (50,0 Gbytes per disk) BD Rewritable disks, 120 mm Triple Layer (100,0 Gbytes per disk) and Quadruple Layer (128,0 Gbytes per disk) BD Recordable disks and a 120 mm Triple Layer (100,0 Gbytes per disk) BD Rewritable disk.

This International Standard specifies the mechanical, physical and optical characteristics of a 120 mm recordable optical disk with a capacity of 100,0 Gbytes or 128,0 Gbytes.

A few additional specifications are required in order to write and read video-recording applications, such as the BDMV and BDAV formats, which have been specified by the BDA for use on BD Recordable disks. These specifications, which are related to the Application, the file system or the Content-protection system, are required for the disk, the generating system and the receiving system. For more information of the Application, the Content-protection system and the additional requirements for the Blu-ray™ Format specifications, see <http://www.blu-raydisc.info>.

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of patents.

ISO and IEC take no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured ISO and IEC that they are willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of holders of these patent rights are registered with ISO and IEC. Information may be obtained from:

Hitachi Consumer Electronics Co.,Ltd.
Intellectual Property Management
292, Yoshida-cho, Totsuka-ku, Yokohama, 244-0817, Japan

Hitachi, Ltd.,
IT Platform R&D Management Division Patent Strategy
322-2, Nakazato, Odawara-shi, Kanagawa, 250-0872, Japan

Panasonic Corporation
Intellectual Property Center
OBP Panasonic Tower 8th Floor, 2-1-61, Shiromi, Chuoh-ku, Osaka, 540-6208, Japan

Pioneer Corporation
Intellectual Property Division, Legal & Intellectual Property Division,
1-1, Shin-Ogura, Saiwai-ku, Kawasaki-Shi, Kanagawa, 212-0031, Japan

Sony Corporation
IP Asset Management Department Intellectual Property Division,
1-7-1, Konan, Minato-ku, Tokyo, 108-0075, Japan

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line databases of patents relevant to their standards. Users are encouraged to consult the databases for the most up to date information concerning patents.

NOTE Blu-ray™, Blu-ray Disc™ and the logos are trademark of the Blu-ray Disc Association.