



SLOVENSKI STANDARD
kSIST FprEN 15651-5:2016

01-november-2016

**Tesnilne mase za nekonstrukcijske stike v stavbah in na površinah za pešce - 5.
del: Ocenjevanje in preverjanje nespremenljivosti lastnosti, označevanje in
etiketiranje**

Sealants for non-structural use in joints in buildings and pedestrian walkways - Part 5:
Assessment and verification of constancy of performance, marking and labelling

Fugendichtstoffe für nicht tragende Anwendungen in Gebäuden und Fußgängerwegen -
Teil 5: Bewertung und Überprüfung der Leistungsbeständigkeit, Kennzeichnung und
Etikettierung

Mastics pour joints pour des usages non structuraux dans les constructions immobilières
et pour chemins piétonniers - Partie 5 : Évaluation et vérification de la constance des
performances, du marquage et de l'étiquetage

Ta slovenski standard je istoveten z: FprEN 15651-5

ICS:

91.100.50 Veziva. Tesnilni materiali Binders. Sealing materials

kSIST FprEN 15651-5:2016

en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

FINAL DRAFT
FprEN 15651-5

September 2016

ICS 91.100.50

English Version

Sealants for non-structural use in joints in buildings and pedestrian walkways - Part 5: Assessment and verification of constancy of performance, marking and labelling

Mastics pour joints pour des usages non structuraux dans les constructions immobilières et pour chemins piétonniers - Partie 5 : Évaluation et vérification de la constance des performances, du marquage et de l'étiquetage

Fugendichtstoffe für nicht tragende Anwendungen in Gebäuden und Fußgängerwegen - Teil 5: Bewertung und Überprüfung der Leistungsbeständigkeit, Kennzeichnung und Etikettierung

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 349.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

European foreword.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Sampling	5
4.1 General	5
4.2 Record	5
4.3 Frequency of sampling	5
5 Assessment and verification of constancy of performance (AVCP)	5
5.1 General	5
5.2 Type testing	5
5.2.1 General	5
5.2.2 Test samples, testing and compliance criteria	6
5.2.3 Test reports	6
5.2.4 Shared other party results	7
5.3 Factory production control (FPC)	7
5.3.1 General	7
5.3.2 Requirements	8
5.3.3 Product specific requirements	10
5.3.4 Initial inspection of factory and of FPC	10
5.3.5 Continuous surveillance of FPC	11
5.3.6 Procedure for modifications	11
5.3.7 One-off products, pre-production products (e.g. prototypes) and products produced in very low quantity	11
6 Marking and labelling	12
Bibliography	13

European foreword

This document (FprEN 15651-5:2016) has been prepared by Technical Committee CEN/TC 349 “Sealants for joints in building construction”, the secretariat of which is held by AFNOR.

This document will supersede EN 15651-5:2012.

This document is a European Standard, which supports all product European Standards within the framework series of EN 15651 on *Sealants for non-structural use in joints in buildings and pedestrian walkways*, as follows:

- *Part 1: Sealants for facade elements,*
- *Part 2: Sealants for glazing,*
- *Part 3: Sealants for sanitary joints,*
- *Part 4: Sealants for pedestrian walkways,*
- *Part 5: Assessment and verification of constancy of performance, marking and labelling (this document).*

Part 5 has been revised in order to take into account the new terminology and concept of the Regulation (EU) No 305/2011.

FprEN 15651-5:2016(E)**1 Scope**

This European Standard specifies procedures for assessment and verification of constancy of performance of sealants for non-structural use in joints in building construction and pedestrian walkways.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 6927, *Buildings and civil engineering works - Sealants - Vocabulary (ISO 6927)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 6927 and the following apply.

3.1**product**

one-component sealant and multi-components sealants

3.2**batch**

quantity of material made in a single operation, or in the case of continuous production for a defined quantity that is demonstrated by the manufacturer to have a uniform composition and does not exceed one day's production

3.3**identification test**

test carried out to verify a declared value of the composition or property of the product in terms of consistency of the production

Note 1 to entry: This can be used to ensure that the product being tested under FPC corresponds to the product subjected to the product type determination, within the permitted tolerances.

3.4**performance test**

test carried out to verify a value for a required property of the product in terms of its specified performance during application and use

Note 1 to entry: This is to ensure that the product conforms to its specified performance characteristics.

3.5**declared value**

value declared and documented by the manufacturer for identification or performance requirements

3.6**threshold value**

value given to guarantee a minimum product performance below which it could not be considered fit for a specific intended use