

ETSI GS CIM 009 V1.4.1 (2021-02)



Context Information Management (CIM); iTeh STANDARD REVIEW NGSI-LD API (standards.iteh.ai)

[ETSI GS CIM 009 V1.4.1 \(2021-02\)](#)
<https://standards.iteh.ai/catalog/standards/sist/45327cac-52a0-415c-8e6e-477d7d5bece3/etsi-gs-cim-009-v1-4-1-2021-02>

Disclaimer

The present document has been produced and approved by the cross-cutting Context Information Management (CIM) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference
RGS/CIM-0009v141

Keywords
API, architecture, GAP, information model,
interoperability, smart city, WoT

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse 06 N° 7303/88

iTeh STANDARD PREVIEW (standards.iteh.ai)

Important notice

[ETSI GS CIM 009 V1.4.1 \(2021-02\)](#)

The present document can be downloaded from:
<https://standards.iteh.ai/catalog/standards/sist/45327cac-52a0-415c-8e6e-47d702bec3/etsi-gs-cim-009-v1.4.1-2021-02>
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
Modal verbs terminology.....	14
Executive summary	14
Introduction	15
1 Scope	16
2 References	16
2.1 Normative references	16
2.2 Informative references.....	18
3 Definition of terms, symbols and abbreviations.....	20
3.1 Terms.....	20
3.2 Symbols	22
3.3 Abbreviations	22
4 Context Information Management Framework.....	23
4.1 Introduction	23
4.2 NGSI-LD Information Model.....	23
4.2.1 Introduction.....	23
4.2.2 NGSI-LD Meta Model.....	24
4.2.3 Cross Domain Ontology	25
4.2.4 NGSI-LD domain-specific models and instantiation.....	26
4.2.5 UML representation.....	26
4.3 NGSI-LD Architectural considerations	27
4.3.1 Introduction.....	27
4.3.2 Centralized architecture https://standards.iteh.ai/catalog/standards/sist/45327vac-52a0-415c-8c6e-477d7d5becc/etsi-gs-cim-009-v1-4-1-2021-02	28
4.3.3 Distributed architecture https://standards.iteh.ai/catalog/standards/sist/45327vac-52a0-415c-8c6e-477d7d5becc/etsi-gs-cim-009-v1-4-1-2021-02	28
4.3.4 Federated architecture	29
4.4 Core NGSI-LD @context.....	30
4.5 NGSI-LD Data Representation.....	31
4.5.1 NGSI-LD Entity Representation.....	31
4.5.2 NGSI-LD Property Representation.....	32
4.5.3 NGSI-LD Relationship Representation	32
4.5.4 Simplified Representation.....	33
4.5.5 Multi-Attribute Support	33
4.5.6 Temporal Representation of an Entity	34
4.5.7 Temporal Representation of a Property	34
4.5.8 Temporal Representation of a Relationship.....	34
4.5.9 Simplified Temporal Representation of an Entity	34
4.5.10 Entity Type List Representation	35
4.5.11 Detailed Entity Type List Representation.....	35
4.5.12 Entity Type Information Representation.....	35
4.5.13 Attribute List Representation	36
4.5.14 Detailed Attribute List Representation	36
4.5.15 Attribute Information Representation	36
4.5.16 GeoJSON Representation of Entities	36
4.5.16.0 Foreword	36
4.5.16.1 Top-level "geometry" field selection algorithm.....	37
4.5.16.2 GeoJSON Representation of an individual Entity.....	37
4.5.16.3 GeoJSON Representation of Multiple Entities	37
4.5.17 Simplified GeoJSON Representation of Entities	38
4.5.17.0 Foreword	38
4.5.17.1 Simplified GeoJSON Representation of an individual Entity	38
4.5.17.2 Simplified GeoJSON Representation of multiple Entities	38
4.5.18 NGSI-LD LanguageProperty Representation	38

4.5.19	Aggregated Temporal Representation of an Entity.....	39
4.5.19.0	Foreword	39
4.5.19.1	Supported behaviours for aggregation functions.....	39
4.6	Data Representation Restrictions	41
4.6.1	Supported text encodings.....	41
4.6.2	Supported names.....	41
4.6.3	Supported data types for Values	42
4.6.4	Supported Entity Content.....	43
4.6.5	Supported data types for LanguageMaps.....	43
4.7	Geospatial Properties.....	43
4.7.1	GeoJSON Geometries.....	43
4.7.2	Representation of GeoJSON Geometries in JSON-LD	44
4.8	Temporal properties	44
4.9	NGSI-LD Query Language	45
4.10	NGSI-LD Geo-query language.....	50
4.11	NGSI-LD Temporal Query language	52
4.12	NGSI-LD Query pagination	53
4.13	Counting the Number of Results	53
4.14	Supporting Multiple Tenants.....	54
4.15	NGSI-LD Language Filter.....	54
5	API Operation Definition	55
5.1	Introduction	55
5.2	Data Types.....	55
5.2.1	Introduction.....	55
5.2.2	Common members	55
5.2.3	@context.....	55
5.2.4	Entity	56
5.2.5	Property	56
5.2.6	Relationship	56
5.2.7	GeoProperty	57
5.2.8	EntityInfo.....	57
5.2.9	CsourceRegistration.....	58
5.2.10	RegistrationInfo	60
5.2.11	TimeInterval	60
5.2.12	Subscription	60
5.2.13	GeoQuery.....	62
5.2.14	NotificationParams	62
5.2.14.1	NotificationParams data type definition.....	62
5.2.14.2	Additional members	62
5.2.15	Endpoint.....	63
5.2.16	BatchOperationResult	63
5.2.17	BatchEntityError.....	64
5.2.18	UpdateResult.....	64
5.2.19	NotUpdatedDetails.....	64
5.2.20	EntityTemporal	64
5.2.21	TemporalQuery	65
5.2.22	KeyValuePair.....	65
5.2.23	Query	65
5.2.24	EntityTypeList	66
5.2.25	EntityType	66
5.2.26	EntityTypeInfo.....	67
5.2.27	AttributeList.....	67
5.2.28	Attribute	67
5.2.29	Feature	68
5.2.30	FeatureCollection.....	68
5.2.31	FeatureProperties	69
5.2.32	LanguageProperty	69
5.3	Notification data types.....	69
5.3.1	Notification	69
5.3.2	CsourceNotification	70
5.3.3	TriggerReasonEnumeration	71

5.4	NGSI-LD Fragments	71
5.5	Common behaviours.....	72
5.5.1	Introduction.....	72
5.5.2	Error types	72
5.5.3	Error response payload body	72
5.5.4	General NGSI-LD validation.....	73
5.5.5	Default @context assignment	73
5.5.6	Operation execution.....	73
5.5.7	Term to URI expansion or compaction.....	73
5.5.8	JSON-LD Merge Patch Behaviour	74
5.5.9	Pagination Behaviour.....	74
5.5.10	Multi-Tenant Behaviour	75
5.6	Context Information Provision	75
5.6.1	Create Entity	75
5.6.1.1	Description	75
5.6.1.2	Use case diagram	75
5.6.1.3	Input data	76
5.6.1.4	Behaviour.....	76
5.6.1.5	Output data.....	76
5.6.2	Update Entity Attributes	76
5.6.2.1	Description	76
5.6.2.2	Use case diagram	76
5.6.2.3	Input data	77
5.6.2.4	Behaviour.....	77
5.6.2.5	Output data.....	77
5.6.3	Append Entity Attributes	77
5.6.3.1	Description	77
5.6.3.2	Use case diagram	77
5.6.3.3	Input data	78
5.6.3.4	Behaviour.....	78
5.6.3.5	Output data.....	79
5.6.4	Partial Attribute update	79
5.6.4.1	Description https://standards.iteh.ai/catalog/standards/sist/45327cac-52a0-415c-8e6e-477d7d5bece3/etsi-gs-cim-009-v1-4-1-2021-02	79
5.6.4.2	Use case diagram	79
5.6.4.3	Input data	79
5.6.4.4	Behaviour.....	79
5.6.4.5	Output data.....	80
5.6.5	Delete Entity Attribute	80
5.6.5.1	Description	80
5.6.5.2	Use case diagram	80
5.6.5.3	Input data	80
5.6.5.4	Behaviour.....	81
5.6.5.5	Output data.....	81
5.6.6	Delete Entity	81
5.6.6.1	Description	81
5.6.6.2	Use case diagram	81
5.6.6.3	Input data	82
5.6.6.4	Behaviour.....	82
5.6.6.5	Output data.....	82
5.6.7	Batch Entity Creation	82
5.6.7.1	Description	82
5.6.7.2	Use case diagram	82
5.6.7.3	Input data	83
5.6.7.4	Behaviour.....	83
5.6.7.5	Output data.....	83
5.6.8	Batch Entity Creation or Update (Upsert).....	84
5.6.8.1	Description	84
5.6.8.2	Use case diagram	84
5.6.8.3	Input data	84
5.6.8.4	Behaviour	84
5.6.8.5	Output data.....	85
5.6.9	Batch Entity Update	85

5.6.9.1	Description	85
5.6.9.2	Use case diagram	85
5.6.9.3	Input data	85
5.6.9.4	Behaviour	86
5.6.9.5	Output data	86
5.6.10	Batch Entity Delete	86
5.6.10.1	Description	86
5.6.10.2	Use case diagram	86
5.6.10.3	Input data	87
5.6.10.4	Behaviour	87
5.6.10.5	Output data	87
5.6.11	Create or Update Temporal Representation of an Entity	87
5.6.11.1	Description	87
5.6.11.2	Use case diagram	87
5.6.11.3	Input data	88
5.6.11.4	Behaviour	88
5.6.11.5	Output data	88
5.6.12	Add Attributes to Temporal Representation of an Entity	88
5.6.12.1	Description	88
5.6.12.2	Use case diagram	88
5.6.12.3	Input data	89
5.6.12.4	Behaviour	89
5.6.12.5	Output data	89
5.6.13	Delete Attribute from Temporal Representation of an Entity	89
5.6.13.1	Description	89
5.6.13.2	Use case diagram	89
5.6.13.3	Input data	90
5.6.13.4	Behaviour	90
5.6.13.5	Output data	90
5.6.14	Partial update Attribute instance in Temporal Representation of an Entity	91
5.6.14.1	Description	91
5.6.14.2	Use case diagram	91
5.6.14.3	Input data	91
5.6.14.4	Behaviour	91
5.6.14.5	Output data	92
5.6.15	Delete Attribute instance from Temporal Representation of an Entity	92
5.6.15.1	Description	92
5.6.15.2	Use case diagram	92
5.6.15.3	Input data	92
5.6.15.4	Behaviour	93
5.6.15.5	Output data	93
5.6.16	Delete Temporal Representation of an Entity	93
5.6.16.1	Description	93
5.6.16.2	Use case diagram	93
5.6.16.3	Input data	94
5.6.16.4	Behaviour	94
5.6.16.5	Output data	94
5.7	Context Information Consumption	94
5.7.1	Retrieve Entity	94
5.7.1.1	Description	94
5.7.1.2	Use case diagram	94
5.7.1.3	Input data	95
5.7.1.4	Behaviour	95
5.7.1.5	Output data	96
5.7.2	Query Entities	96
5.7.2.1	Description	96
5.7.2.2	Use case diagram	96
5.7.2.3	Input data	96
5.7.2.4	Behaviour	97
5.7.2.5	Output data	98
5.7.3	Retrieve temporal evolution of an Entity	98
5.7.3.1	Description	98

5.7.3.2	Use case diagram	98
5.7.3.3	Input data	99
5.7.3.4	Behaviour	99
5.7.3.5	Output data	99
5.7.4	Query temporal evolution of Entities	99
5.7.4.1	Description	99
5.7.4.2	Use case diagram	100
5.7.4.3	Input data	100
5.7.4.4	Behaviour	100
5.7.4.5	Output Data	102
5.7.5	Retrieve Available Entity Types	102
5.7.5.1	Description	102
5.7.5.2	Use case diagram	102
5.7.5.3	Input data	102
5.7.5.4	Behaviour	102
5.7.5.5	Output data	103
5.7.6	Retrieve Details of Available Entity Types	103
5.7.6.1	Description	103
5.7.6.2	Use case diagram	103
5.7.6.3	Input data	103
5.7.6.4	Behaviour	103
5.7.6.5	Output data	103
5.7.7	Retrieve Available Entity Type Information	104
5.7.7.1	Description	104
5.7.7.2	Use case diagram	104
5.7.7.3	Input data	104
5.7.7.4	Behaviour	104
5.7.7.5	Output data	104
5.7.8	Retrieve Available Attributes	104
5.7.8.1	Description	104
5.7.8.2	Use case diagram	105
5.7.8.3	Input data	105
5.7.8.4	Behaviour	105
5.7.8.5	Output data	105
5.7.9	Retrieve Details of Available Attributes	105
5.7.9.1	Description	105
5.7.9.2	Use case diagram	105
5.7.9.3	Input data	106
5.7.9.4	Behaviour	106
5.7.9.5	Output data	106
5.7.10	Retrieve Available Attribute Information	106
5.7.10.1	Description	106
5.7.10.2	Use case diagram	106
5.7.10.3	Input data	107
5.7.10.4	Behaviour	107
5.7.10.5	Output data	107
5.7.11	Architecture-related aspects of retrieval of entity types and attributes	107
5.8	Context Information Subscription	108
5.8.1	Create Subscription	108
5.8.1.1	Description	108
5.8.1.2	Use case diagram	108
5.8.1.3	Input data	108
5.8.1.4	Behaviour	108
5.8.1.5	Output data	109
5.8.2	Update Subscription	109
5.8.2.1	Description	109
5.8.2.2	Use case diagram	109
5.8.2.3	Input data	110
5.8.2.4	Behaviour	110
5.8.2.5	Output data	110
5.8.3	Retrieve Subscription	110
5.8.3.1	Description	110

5.8.3.2	Use case diagram	110
5.8.3.3	Input data	111
5.8.3.4	Behaviour	111
5.8.3.5	Output data	111
5.8.4	Query Subscriptions	111
5.8.4.1	Description	111
5.8.4.2	Use case diagram	111
5.8.4.3	Input data	112
5.8.4.4	Behaviour	112
5.8.4.5	Output data	112
5.8.5	Delete Subscription	112
5.8.5.1	Description	112
5.8.5.2	Use case diagram	112
5.8.5.3	Input data	113
5.8.5.4	Behaviour	113
5.8.5.5	Output data	113
5.8.6	Notification behaviour	113
5.9	Context Source Registration	114
5.9.1	Introduction	114
5.9.2	Register Context Source	114
5.9.2.1	Description	114
5.9.2.2	Use case diagram	114
5.9.2.3	Input data	115
5.9.2.4	Behaviour	115
5.9.2.5	Output data	115
5.9.3	Update Context Source Registration	115
5.9.3.1	Description	115
5.9.3.2	Use case diagram	116
5.9.3.3	Input data	116
5.9.3.4	Behaviour	116
5.9.3.5	Output data	116
5.9.4	Delete Context Source Registration	117
5.9.4.1	Description https://standards.iteh.ai/catalog/standards/sist/45327cac-52a0-415c-8e6e-477d7d5bece3/etsi-gs-cim-009-v1-4-1-2021-02	117
5.9.4.2	Use case diagram	117
5.9.4.3	Input data	117
5.9.4.4	Behaviour	117
5.9.4.5	Output data	117
5.10	Context Source Discovery	117
5.10.1	Retrieve Context Source Registration	117
5.10.1.1	Description	117
5.10.1.2	Use case diagram	118
5.10.1.3	Input data	118
5.10.1.4	Behaviour	118
5.10.1.5	Output data	118
5.10.2	Query context source registrations	118
5.10.2.1	Description	118
5.10.2.2	Use case diagram	119
5.10.2.3	Input data	119
5.10.2.4	Behaviour	120
5.10.2.5	Output data	121
5.11	Context Source Registration Subscription	121
5.11.1	Introduction	121
5.11.2	Create Context Source Registration Subscription	121
5.11.2.1	Description	121
5.11.2.2	Use case diagram	121
5.11.2.3	Input data	121
5.11.2.4	Behaviour	122
5.11.2.5	Output data	122
5.11.3	Update Context Source Registration Subscription	122
5.11.3.1	Description	122
5.11.3.2	Use case diagram	122
5.11.3.3	Input data	123

5.11.3.4	Behaviour	123
5.11.3.5	Output data.....	123
5.11.4	Retrieve Context Source Registration Subscription.....	123
5.11.4.1	Description.....	123
5.11.4.2	Use case diagram	124
5.11.4.3	Input data	124
5.11.4.4	Behaviour.....	124
5.11.4.5	Output data.....	124
5.11.5	Query Context Source Registration Subscriptions.....	124
5.11.5.1	Description	124
5.11.5.2	Use case diagram	124
5.11.5.3	Input data	125
5.11.5.4	Behaviour.....	125
5.11.5.5	Output data.....	125
5.11.6	Delete Context Source Registration Subscriptions	125
5.11.6.1	Description	125
5.11.6.2	Use case diagram	125
5.11.6.3	Input data	126
5.11.6.4	Behaviour.....	126
5.11.6.5	Output data.....	126
5.11.7	Notification behaviour	126
5.12	Matching Context Source Registrations	127
6	API HTTP binding	128
6.1	Introduction	128
6.2	Global definitions and resource structure	128
6.3	Common behaviours.....	131
6.3.1	Introduction.....	131
6.3.2	Error types	131
6.3.3	Reporting errors	131
6.3.4	HTTP request preconditions	131
6.3.5	JSON-LD @context resolution.....	132
6.3.6	HTTP response common requirements.....	133
6.3.7	Simplified representation of entities.....	133
6.3.8	Notification behaviour	134
6.3.9	Csource Notification behaviour	134
6.3.10	Pagination behaviour	134
6.3.11	Including system-generated attributes	135
6.3.12	Simplified or aggregated temporal representation of entities	135
6.3.13	Counting number of results.....	135
6.3.14	Tenant specification.....	136
6.3.15	GeoJSON representation of spatially bound entities	136
6.4	Resource: entities/	136
6.4.1	Description.....	136
6.4.2	Resource definition	136
6.4.3	Resource methods.....	137
6.4.3.1	POST	137
6.4.3.2	GET	137
6.5	Resource: entities/{entityId}	139
6.5.1	Description.....	139
6.5.2	Resource definition	139
6.5.3	Resource methods	139
6.5.3.1	GET	139
6.5.3.2	DELETE	140
6.6	Resource: entities/{entityId}/attrs/	141
6.6.1	Description.....	141
6.6.2	Resource definition	141
6.6.3	Resource methods	141
6.6.3.1	POST	141
6.6.3.2	PATCH	142
6.7	Resource: entities/{entityId}/attrs/{attrId}	143
6.7.1	Description.....	143

6.7.2	Resource definition	143
6.7.3	Resource methods	143
6.7.3.1	PATCH	143
6.7.3.2	DELETE	144
6.8	Resource: csourceRegistrations/.....	145
6.8.1	Description.....	145
6.8.2	Resource definition	145
6.8.3	Resource methods	145
6.8.3.1	POST	145
6.8.3.2	GET	146
6.9	Resource: csourceRegistrations/{registrationId}	148
6.9.1	Description.....	148
6.9.2	Resource definition	148
6.9.3	Resource methods	148
6.9.3.1	GET	148
6.9.3.2	PATCH	149
6.9.3.3	DELETE	150
6.10	Resource: subscriptions/.....	150
6.10.1	Description.....	150
6.10.2	Resource definition	150
6.10.3	Resource methods	150
6.10.3.1	POST	150
6.10.3.2	GET	151
6.11	Resource: subscriptions/{subscriptionId}	152
6.11.1	Description.....	152
6.11.2	Resource definition	152
6.11.3	Resource methods	152
6.11.3.1	GET	152
6.11.3.2	PATCH	153
6.11.3.3	DELETE	154
6.12	Resource: csourceSubscriptions/.....	154
6.12.1	Description.....	154
6.12.2	Resource definition.....	155
6.12.3	Resource methods	155
6.12.3.1	POST	155
6.12.3.2	GET	155
6.13	Resource: csourceSubscriptions/{subscriptionId}	156
6.13.1	Description.....	156
6.13.2	Resource definition	156
6.13.3	Resource methods	157
6.13.3.1	GET	157
6.13.3.2	PATCH	157
6.13.3.3	DELETE	158
6.14	Resource: entityOperations/create.....	158
6.14.1	Description.....	158
6.14.2	Resource definition	159
6.14.3	Resource methods	159
6.14.3.1	POST	159
6.15	Resource: entityOperations/upsert.....	160
6.15.1	Description.....	160
6.15.2	Resource definition	160
6.15.3	Resource methods	160
6.15.3.1	POST	160
6.16	Resource: entityOperations/update.....	161
6.16.1	Description.....	161
6.16.2	Resource definition	161
6.16.3	Resource methods	161
6.16.3.1	POST	161
6.17	Resource: entityOperations/delete.....	162
6.17.1	Description.....	162
6.17.2	Resource definition	162
6.17.3	Resource methods	163

6.17.3.1	POST	163
6.18	Resource: temporal/entities/	163
6.18.1	Description.....	163
6.18.2	Resource definition	164
6.18.3	Resource methods	164
6.18.3.1	POST	164
6.18.3.2	GET	165
6.19	Resource: temporal/entities/{entityId}	167
6.19.1	Description.....	167
6.19.2	Resource definition	167
6.19.3	Resource methods	167
6.19.3.1	GET	167
6.19.3.2	DELETE	168
6.20	Resource: temporal/entities/{entityId}/attrs/	169
6.20.1	Description.....	169
6.20.2	Resource definition	169
6.20.3	Resource methods	169
6.20.3.1	POST	169
6.21	Resource: temporal/entities/{entityId}/attrs/{attrId}	170
6.21.1	Description.....	170
6.21.2	Resource definition	170
6.21.3	Resource methods	171
6.21.3.1	DELETE	171
6.22	Resource: temporal/entities/{entityId}/attrs/{attrId}/{instanceId}	171
6.22.1	Description.....	171
6.22.2	Resource definition	172
6.22.3	Resource methods	172
6.22.3.1	PATCH	172
6.22.3.2	DELETE	173
6.23	Resource: entityOperations/query	173
6.23.1	Description.....	173
6.23.2	Resource definition	173
6.23.3	Resource methods	174
6.23.3.1	POST	174
6.24	Resource: temporal/entityOperations/query	174
6.24.1	Description.....	174
6.24.2	Resource definition	174
6.24.3	Resource methods	175
6.24.3.1	POST	175
6.25	Resource: types/	175
6.25.1	Description.....	175
6.25.2	Resource definition	175
6.25.3	Resource methods	175
6.25.3.1	GET	175
6.26	Resource: types/{type}	176
6.26.1	Description.....	176
6.26.2	Resource definition	177
6.26.3	Resource methods	177
6.26.3.1	GET	177
6.27	Resource: attributes/	178
6.27.1	Description.....	178
6.27.2	Resource definition	178
6.27.3	Resource methods	178
6.27.3.1	GET	178
6.28	Resource: attributes/{attrId}	179
6.28.1	Description.....	179
6.28.2	Resource definition	179
6.28.3	Resource methods	179
6.28.3.1	GET	179
7	API MQTT notification binding.....	180
7.1	Introduction	180

7.2	Notification behaviour.....	180
Annex A (normative):	NGSI-LD identifier considerations	182
A.1	Introduction	182
A.2	Entity identifiers	182
A.3	NGSI-LD namespace	182
Annex B (normative):	Core NGSI-LD @context definition.....	183
Annex C (informative):	Examples of using the API	187
C.1	Introduction	187
C.2	Entity Representation	187
C.2.1	Property Graph	187
C.2.2	Vehicle Entity.....	188
C.2.3	Parking Entity.....	190
C.2.4	@context	193
C.3	Context Source Registration.....	194
C.4	Context Subscription	195
C.5	HTTP REST API Examples.....	195
C.5.1	Introduction	195
C.5.2	Create Entity of Type Vehicle	196
C.5.2.1	HTTP Request	196
C.5.2.2	HTTP Response.....	196
C.5.3	Query Entities.....	196
C.5.3.1	Introduction.....	196
C.5.3.2	HTTP Request	196
C.5.3.3	HTTP Response	196
C.5.4	Query Entities (Pagination).....	196
C.5.4.1	Introduction.....	196
C.5.4.2	HTTP Request	197
C.5.4.3	HTTP Response	197
C.5.5	Temporal Query	197
C.5.5.1	Introduction.....	197
C.5.5.2	HTTP Request	197
C.5.5.3	HTTP Response	197
C.5.6	Temporal Query (Simplified Representation)	198
C.5.6.1	Introduction.....	198
C.5.6.2	HTTP Request	198
C.5.6.3	HTTP Response	198
C.5.7	Retrieve Available Entity Types	199
C.5.7.1	Introduction.....	199
C.5.7.2	HTTP Request	199
C.5.7.3	HTTP Response	199
C.5.8	Retrieve Details of Available Entity Types	199
C.5.8.1	Introduction.....	199
C.5.8.2	HTTP Request	199
C.5.8.3	HTTP Response	199
C.5.9	Retrieve Available Entity Type Information	200
C.5.9.1	Introduction.....	200
C.5.9.2	HTTP Request	200
C.5.9.3	HTTP Response	200
C.5.10	Retrieve Available Attributes	201
C.5.10.1	Introduction.....	201
C.5.10.2	HTTP Request	201
C.5.10.3	HTTP Response	201
C.5.11	Retrieve Details of Available Attributes	202
C.5.11.1	Introduction.....	202

C.5.11.2	HTTP Request	202
C.5.11.3	HTTP Response	202
C.5.12	Retrieve Available Attribute Information.....	203
C.5.12.1	Introduction.....	203
C.5.12.2	HTTP Request	203
C.5.12.3	HTTP Response	203
C.5.13	Query Entities (Natural Language Filtering).....	203
C.5.13.1	Introduction.....	203
C.5.13.2	HTTP Request	203
C.5.13.3	HTTP Response	203
C.5.14	Temporal Query (Aggregated Representation)	204
C.5.14.1	Introduction.....	204
C.5.14.2	HTTP Request	204
C.5.14.3	HTTP Response	204
C.6	Date Representation	204
C.7	@context utilization clarifications	205
C.8	Link header utilization clarifications.....	207
C.9	@context processing clarifications.....	208
Annex D (informative):	Transformation Algorithms.....	210
D.1	Introduction	210
D.2	Algorithm for transforming an NGSI-LD Entity into a JSON-LD document (ALG1).....	210
D.3	Algorithm for transforming an NGSI-LD Property into JSON-LD (ALG1.1)	211
D.4	Algorithm for transforming an NGSI-LD Relationship into JSON-LD (ALG1.2)	212
Annex E (informative):	RDF-compatible specification of NGSI-LD meta-model.....	213
Annex F (informative):	ETSI GS CIM 009 V1.4.1 (2021-02) Conventions and syntax guidelines.....	214
Annex G (informative):	https://standards.ien.ictcatalogue.eu/standard/ETSI-GS-CIM-009-v1.4.1-2021-02 Localization and Internationalization Support.....	215
G.0	Foreword	215
G.1	Introduction	215
G.1.0	Foreword	215
G.1.1	Associating an Entity with a Natural Language	215
G.1.2	Associating a Property with a Natural Language	215
G.1.3	Associating as equivalent entity	216
G.2	Natural Language Collation Support.....	216
G.2.0	Foreword	216
G.2.1	Maintain collations as metadata	217
G.2.2	Route language sensitive queries via a proxy.....	217
G.3	Localization of Dates, Currency formats & etc.....	217
G.3.0	Foreword	217
G.3.1	Localizing Dates.....	217
Annex H (informative):	Change history	219
History	220

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) cross-cutting Context Information Management (CIM).

ITEN STANDARD PREVIEW
(standards.iteh.ai)

Modal verbs terminology

[\[EG\] GS CIM 009 V1.4.1 \(2021-02\)](#)

<https://standards.iteh.ai/catalog/standards/sist/45327cac-52a0-415c-8e6e->

In the present document "shall", "shall not", "should", "should not", "may", "may not", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Executive summary

The present document formally describes the Context Information Management API (NGSI-LD) Specification. The Context Information Management API allows users to provide, consume and subscribe to context information in multiple scenarios and involving multiple stakeholders. It enables close to real-time access to information coming from many different sources (not only IoT data sources).

Introduction

The present document defines the Context Information Management API Specification. The Context Information Management API allows users to provide, consume and subscribe to context information in multiple scenarios and involving multiple stakeholders. The ongoing status of the NGSI-LD API can be found in [i.17].

The ETSI ISG CIM has decided to give the name "NGSI-LD" to the Context Information Management API. The rationale is to reinforce the fact that the present document leverages on the former OMA NGSI 9 and 10 interfaces [i.3] and FIWARE NGSIV2 [i.9] to incorporate the latest advances from Linked Data.

Most of the NGSI-LD API and the ETSI ISG CIM information model work referenced here was created with the support of the following European Union Horizon 2020 research projects: No. 732851 (FI-NEXT), No. 723156 (WISE-IoT), No. 732240 (SynchroniCity) and No. 731993 (AutoPilot), No. 814918 (Fed4IoT), No. 779852 (IoTCrawler), No. 731884 (IoF2020).

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ETSI GS CIM 009 V1.4.1 \(2021-02\)](#)

<https://standards.iteh.ai/catalog/standards/sist/45327cac-52a0-415c-8e6e-477d7d5bece3/etsi-gs-cim-009-v1-4-1-2021-02>