

SLOVENSKI STANDARD SIST EN ISO 16001:2018

01-marec-2018

Stroji za zemeljska dela - Sistemi zaznavanja objektov in vizualni pripomočki - Zahtevane lastnosti in preskusi (ISO 16001:2017)

Earth-moving machinery - Object detection systems and visibility aids - Performance requirements and tests (ISO 16001:2017)

iTeh STANDARD PREVIEW

Engins de terrassement - Dispositifs de détection d'objets et d'aide visuelle - Exigences de performances et essais (ISO 16001:2017)

SIST EN ISO 16001:2018

Ta slovenski standard je istoveten z: 150-16001:2017

ICS:

53.100 Stroji za zemeljska dela Earth-moving machinery

SIST EN ISO 16001:2018 en

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 16001

December 2017

ICS 53.100

English Version

Earth-moving machinery - Object detection systems and visibility aids - Performance requirements and tests (ISO 16001:2017)

Engins de terrassement - Dispositifs de détection d'objets et d'aide visuelle - Exigences de performances et essais (ISO 16001:2017) Erdbaumaschinen - Objekterkennungssysteme und Sichthilfsmittel - Leistungsanforderungen und Prüfverfahren (ISO 16001:2017)

This European Standard was approved by CEN on 23 November 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Madedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 16001:2017 (E)

Contents	Page
European foreword	3

iTeh STANDARD PREVIEW (standards.iteh.ai)

EN ISO 16001:2017 (E)

European foreword

This document (EN ISO 16001:2017) has been prepared by Technical Committee ISO/TC 127 "Earthmoving machinery" in collaboration with Technical Committee CEN/TC 151 "Construction equipment and building material machines - Safety" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2018, and conflicting national standards shall be withdrawn at the latest by June 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW

The text of ISO 16001:2017 has been approved by CEN as EN ISO 16001:2017 without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL STANDARD

ISO 16001

Second edition 2017-11

Earth-moving machinery — Object detection systems and visibility aids — Performance requirements and tests

Engins de terrassement — Dispositifs de détection d'objets et d'aide visuelle — Exigences de performances et essais

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 16001:2018</u> https://standards.iteh.ai/catalog/standards/sist/8c99ba47-4885-4c2e-8ae8-f0e48610d191/sist-en-iso-16001-2018



Reference number ISO 16001:2017(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 16001:2018</u> https://standards.iteh.ai/catalog/standards/sist/8c99ba47-4885-4c2e-8ae8-f0e48610d191/sist-en-iso-16001-2018



COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Con	tent	S	Page
Forew	ord		iv
Introd	luctio	n	v
		e	
1	-		
2	Normative references		1
3	Terms and definitions		
4	Perf	ormance requirements and tests	
	4.1	General requirements	
		4.1.1 Test to determine the detection zone boundary	3
		4.1.2 Test body requirements	3
	4.0	4.1.3 Evaluation of test results	
	4.2	Location and fixing of ODS and VA components	
	4.3	Operator station components 4.3.1 Location and images of monitor	4 1
		4.3.2 Warning devices for ODS	
	4.4	System activation and initial check	
		4.4.1 System activation on engine start	
		4.4.2 System activation from stand-by mode	
	4.5	ODS detection time	6
	4.6	Continuous self-checking Warning device disablement for ODSD PREVIEW	7
	4.7	Warning device disablement for ODS	7
	4.8	Electromagnetic compatibility and physical environment operating conditions	7
5		king and identification (standards.iteh.ai)	
6	Oper	rator's manual <u>SIST-EN-ISO-16001-2018</u>	8
	6.1	Operator's manual eh ai/catalog/standards/sist/8c99ba47-4885-4c2c-8ac8-	8
	6.2	Other information documents/sistem iso-16001-2018	8
Anne	x A (in	formative) Selection of ODSs and VAs	9
Anne		ormative) Test procedure for closed-circuit television (CCTV) systems — tional performance requirements and tests	17
Anne	c C (no	ormative) Test procedure for radar sensors	23
Anne	v D (no	ormative) Test procedure for ultrasonic detection systems	28
Annex	E (no	rmative) Test procedure for ultrasonic transponder systems	36
Anne	F (no	rmative) Test procedure for electromagnetic (EM) signal transceiver systems	46
Anne		ormative) Particular performance requirements and tests for CCTV system with	=0
		ound view	
	_	ormative) Particular performance requirements and tests for visual ODS	
	-	rmative) Test procedure for vision systems based on morphological recognition	
RIDIIO	graph	ly	74

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see the following URL: www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 127, Earth-moving machinery, Subcommittee SC 1, Test methods relating to safety and machine performance.

This second edition cancels and replaces the first edition (180 16001 2008), which has been technically revised.

The main change compared to the previous edition is as follows:

— Annex G, Annex H and Annex I have been added to include state-of-the-art technologies.

Introduction

This document outlines test procedures and sets criteria for the development of object detection systems (ODSs) and visibility aids (VAs) which indicate to the operator the presence of objects which are within the detection zone of these systems.

Proper job-site organization, operator training and the application of relevant vision standards (ISO 5006 and ISO 14401) address the safety of people on job sites. In some cases, vision of the working area cannot be achieved either by the operator's direct view or indirect view using mirrors. In such cases, operator awareness can be improved by the use of ODSs and VAs.

ODSs and VAs provide information to the operator as to whether a person or object is in the path of the machine, primarily during rearward movement.

It is essential to note that ODSs and VAs have both advantages and disadvantages. There is no device that works perfectly in all situations. It is especially important that the shortcomings of ODSs and VAs be recognized and known to system users. The advantages and disadvantages of selected devices are summarized in $\underline{\mathsf{Annex}\,\mathsf{A}}$.

The use of a haptic signal (signal that stimulates the operator's sense of touch, vibration, force and motion) as an alternative to the use of visual and audible signals in ODS warning devices was discussed during the revision of this document, as haptic warnings are now being used in the automotive industry. While this document does not currently allow warning devices that only use haptic signals, they can be incorporated into the warning device to supplement the visual and audible signal. More study is needed to determine the effectiveness of a haptic signal in various earth-moving/machinery applications.

(standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Earth-moving machinery — Object detection systems and visibility aids — Performance requirements and tests

1 Scope

This document specifies general requirements and describes methods for evaluating and testing the performance of object detection systems (ODSs) and visibility aids (VAs) used on earth-moving machines. It covers the following aspects:

- detection or visibility or both of objects including people in the detection zone;
- visual, audible, or both warnings to the operator and if appropriate to the persons in the detection zone;
- operational reliability of the system;
- compatibility and environmental specifications of the system.

It is applicable to machines as defined in ISO 6165. An ODS, VA or both can be used to augment the operator's direct vision (see ISO 5006) or indirect vision using mirrors (see ISO 14401). In addition, an ODS, VA or both can be used to provide additional means of object detection or view, for example, where ergonomic considerations limit the effectiveness of direct vision and to avoid repeated turning of the head and upper body.

(standards.iteh.ai)

2 Normative references <u>SIST EN ISO 16001:2018</u>

https://standards.iteh.ai/catalog/standards/sist/8c99ba47-4885-4c2e-8ae8-

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3411, Earth-moving machinery — Physical dimensions of operators and minimum operator space envelope

ISO 6394, Earth-moving machinery — Determination of emission sound pressure level at operator's position — Stationary test conditions

ISO 9533, Earth-moving machinery — Machine-mounted audible travel alarms and forward horns — Test methods and performance criteria

ISO 13766, Earth-moving machinery — Electromagnetic compatibility

ISO 15998, Earth-moving machinery — Machine-control systems (MCS) using electronic components — Performance criteria and tests for functional safety

EN 50132-7:1996, Alarm systems — CCTV surveillance systems for use in security applications — Application guidelines

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at http://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1

object detection system

ODS

system that detects objects, including people, that are in the detection zone (3.3) and warns the operator

Note 1 to entry: The system generally includes a *sensing device* (3.1.1), *warning device* (3.1.2) and *evaluation device* (3.1.3).

Note 2 to entry: An ODS which operates by detection of a visual image is a *visual* object detection system.

Note 3 to entry: The system can also warn the person on the ground.

3.1.1

sensing device

ODS (3.1) component that detects a test body (3.4) in the detection zone (3.3)

3.1.2

warning device

ODS (3.1) component that transmits information to the operator or to persons in the *detection zone* (3.3) by visual or audible or both signals

3.1.3

evaluation device

ODS (3.1) component or components that analyse the signals and information transmitted from the sensing device and transform the corresponding signal to the *warning device* (3.1.2)

3.2

iTeh STANDARD PREVIEW

visibility aid

VA

(standards.iteh.ai)

system that provides indirect visibility without a warning device (3.1.2)

SIST EN ISO 16001:2018

f0e48610d191/sist-en-iso-16001-2018

Note 1 to entry: The system generally includes one or more monitors (3,2.1) and cameras (3.2.2).

3.2.1

monitor

VA (3.2) component that provides a visual image of the detection zone (3.3) on a screen

3.2.2

camera

VA (3.2) component that transmits to the monitor an image of the detection zone (3.3)

3 3

detection zone

zone within which a test body (3.4) is detected by an ODS (3.1) or is shown by a VA (3.2)

3.4

test body

person or a standard measuring unit representative of a person, used to test the geometry and size of the *detection zone* (3.3)

Note 1 to entry: Depending on the system used, test bodies can be varied (see Annexes B to I).

3.5

self-checking

capability of the system to self-check continuously and immediately to inform the operator, audibly, visually, or both, of a failure

3.6

detection time

time required for an object detection system to detect the *test body* (3.4) in the *detection zone* (3.3) and activate the signal output

3.7

stand-by

operation mode whereby the object detection and visibility aid systems are active, but no information is transmitted by the *warning device* (3.1.2) or *monitor* (3.2.1)

3.8

job-site organization

rules and procedures for managing the working together of machines and people at a job site

EXAMPLE Safety instructions, traffic patterns, restricted areas, operator training, machine and vehicle markings, communications systems.

39

warning range

range within the *detection zone* (3.3) in which a distinctive warning is provided to indicate the range between the machine and the object being detected

4 Performance requirements and tests

4.1 General requirements

4.1.1 Test to determine the detection zone boundary

The test shall be performed on a system that is either fitted to the machine or to a representative configuration in accordance with the appropriate annex (see <u>Annexes B</u> to <u>Annex I</u>).

4.1.2 Test body requirements (standards.iteh.ai)

The test body requirements are specified in Annex B to Annex I.

https://standards.iteh.ai/catalog/standards/sist/8c99ba47-4885-4c2e-8ae8-

4.1.3 Evaluation of test results Evaluation of test results

4.1.3.1 Detection

Detection shall take place unambiguously with an uninterrupted sequence of the signal or information appropriate to the detection zone. For further details, see <u>Annex B</u> to <u>Annex I</u>.

It is possible to combine ODSs and VAs to cover the necessary detection zone in the case where a single system cannot cover the zone.

EXAMPLE A surround view system can be combined with another object detection system, whose detection zone covers the area where the image size achieved by the surround view system is less than required.

4.1.3.2 Evaluation of false signals

False signals, such as the following, should be minimized:

- from objects outside the detection zone;
- from weather conditions of fog, snow, rain, wind, dust, etc.

4.2 Location and fixing of ODS and VA components

Components shall be located and arranged on the machine in accordance with the specification of the component manufacturer so that

- the component does not restrict any function or operation of the machine,
- the component is protected against external damage,