



SLOVENSKI STANDARD
SIST EN 300 497-9 V0.3.2:2003
01-december-2003

8 [[]HJbY]nVc`ýUbYvfYnj fj] bYHfY_ca i b]_UMfYfB97HLÈG_i db]j a Ygb]_`f7 ÷È
?b^yb]WJdfYg_i ýUb]`df]a Yfcj `fH7 @È- "XY. 5 VgIfU`fb]`dfYg_i ýUb]`b]n`fB HGLnU
ca fYÿbc`d`UghfBK ?ÈÈ:]_gbUfUX]`g_UnU_`f]Hj `ft HL

Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 9: Abstract Test Suite (ATS) for Network (NWK) layer - Fixed radio Termination (FT)

iteh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/695979dc-d7fd-4a12-ac3a-e88f4a0e9c91/sist-en-300-497-9-v0-3-2-2003>

Ta slovenski standard je istoveten z: **EN 300 497-9 Version 0.3.2**

ICS:

33.070.30 Öä äæ) ^Á à| lzæ) ^ Digital Enhanced Cordless
à: ^: ç: cã} ^Á ^\ [{ ~ } ä æä Telecommunications (DECT)
ÖÖÖVD

SIST EN 300 497-9 V0.3.2:2003 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 497-9 V0.3.2:2003

<https://standards.iteh.ai/catalog/standards/sist/695979dc-d7fd-4a12-ac3a-e88f4a0e9c91/sist-en-300-497-9-v0-3-2-2003>

ETSI EN 300 497-9 V0.3.2 (1999-09)

European Standard (Telecommunications series)

**Digital Enhanced Cordless Telecommunications (DECT);
Common Interface (CI); Test Case Library (TCL);
Part 9: Abstract Test Suite (ATS) for Network (NWK) layer -
Fixed radio Termination (FT)**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 497-9 V0.3.2:2003](https://standards.iteh.ai/catalog/standards/sist/695979dc-d7fd-4a12-ac3a-e88f4a0e9c91/sist-en-300-497-9-v0-3-2-2003)

<https://standards.iteh.ai/catalog/standards/sist/695979dc-d7fd-4a12-ac3a-e88f4a0e9c91/sist-en-300-497-9-v0-3-2-2003>



Reference

REN/DECT-040131-9 (4lq9011c.PDF)

Keywords

DECT, network, FT, testing, ATS, TTCN

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr

Individual copies of this ETSI deliverable
can be downloaded from

<http://www.etsi.org>

If you find errors in the present document, send your
comment to: editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword	5
1 Scope	6
2 References	6
3 Definitions and abbreviations	7
3.1 Definitions	7
3.2 Abbreviations	7
4 Abstract Test Method (ATM)	8
4.1 ATM	8
4.2 DLC primitives	9
4.2.1 S-SAP primitives	9
4.2.2 B-SAP primitives	12
4.3 TC execution sequence	12
5 Untestable Test Purposes (TP)	12
5A Control protocol	12
6 ATS Conventions	13
6.1 Naming conventions	13
6.1.1 Declarations part	13
6.1.1.1 Test suite type, ASP and PDU type definitions	13
6.1.1.2 Test Suite Operations (TSO) definitions	13
6.1.1.3 Test Suite Parameter (TSP) declarations	13
6.1.1.4 Test Case Selection (TCS) expression definitions	14
6.1.1.5 Test Suite Constant (TSC) declarations	14
6.1.1.6 Test Suite Variable (TSV) declarations	14
6.1.1.7 Test Case Variable (TCV) declarations	14
6.1.1.8 Point of Control and Observation (PCO) declarations	14
6.1.1.9 Timer declarations	14
6.1.1.10 ASP type definitions	15
6.1.1.11 PDU type definitions	15
6.1.1.12 Alias definitions	15
6.1.2 Constraints part	15
6.1.3 Dynamic part	16
6.1.3.1 Test Case (TC) identifier	17
6.1.3.2 Test Step (TS) identifier	17
6.1.3.3 Default identifier	17
6.1.3.4 General aspects	17
6.1.3.5 ATS abbreviations	17
6.2 Implementation conventions	18
6.2.1 Declaration part	18
6.2.2 Constraint part	18
6.2.3 Dynamic part	18
6.2.4 Documentation	19
6.2.5 Coding of some information elements	19
6.2.6 Order of information elements	19

Annex A (normative):	Abstract test suite for NWK testing.....	20
A.1	The TTCN Graphical form (TTCN.GR).....	20
A.2	The TTCN Machine Processable form (TTCN.MP)	20
Annex B (normative):	Partial PIXIT proforma.....	21
B.1	Identification summary	21
B.2	ATS summary	21
B.3	Test laboratory	21
B.4	Client identification	21
B.5	SUT	22
B.6	Protocol layer information	22
B.6.1	Protocol identification.....	22
B.6.2	IUT information.....	23
Annex C (normative):	Protocol Conformance Test Report (PCTR) Proforma for DECT NWK.....	32
C.1	Identification summary	32
C.1.1	Protocol conformance test report.....	32
C.1.2	IUT identification	32
C.1.3	Testing environment	32
C.1.4	Limits and reservation.....	33
C.1.5	Comments	33
C.2	IUT Conformance status	33
C.3	Static conformance summary.....	33
C.4	Dynamic conformance summary.....	34
C.5	Static conformance review report	34
C.6	Test campaign report.....	35
C.7	Observations.....	37
	Bibliography.....	38
	History	39

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Project Digital Enhanced Cordless Telecommunications (DECT).

The present document is part 9 of a multi-part EN covering the Common Interface (CI) Test Case Library (TCL), as identified below:

- Part 1: "Test Suite Structure (TSS) and Test Purposes (TP) for Medium Access Control (MAC) layer";
- Part 2: "Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Portable radio Termination (PT)";
- Part 3: "Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Fixed radio Termination (FT)";
- Part 4: "Test Suite Structure (TSS) and Test Purposes (TP) - Data Link Control (DLC) layer";
- Part 5: "Abstract Test Suite (ATS) - Data Link Control (DLC) layer";
- Part 6: "Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Portable radio Termination (PT)";
- Part 7: "Abstract Test Suite (ATS) for Network (NWK) layer - Portable radio Termination (PT)";
- Part 8: "Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Fixed radio Termination (FT)";
- Part 9: "Abstract Test Suite (ATS) for Network (NWK) layer - Fixed radio Termination (FT)".**

National transposition dates

Date of adoption of this EN:	27 August 1999
Date of latest announcement of this EN (doa):	30 November 1999
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 May 2000
Date of withdrawal of any conflicting National Standard (dow):	31 May 2000

1 Scope

The present document contains the Abstract Test Suite (ATS) to test the Network (NWK) layer, Fixed radio Termination (FT).

The objective of this test specification is to provide a basis for approval tests for DECT equipment giving a high probability of air interface inter-operability between different manufacturer's DECT equipment. This test specification contains the Abstract Test Suite for testing of the NWK layer at the FT.

The ISO standard for the methodology of conformance testing (ISO/IEC 9646) as well as the ETSI rules for conformance testing (protocol and profile conformance testing specifications, standardization methodology ETS 300 406 [7]) are used as basis for the test methodology.

Annex B provides the partial Protocol Implementation Extra Information for Testing (PIXIT) proforma.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- iTech STANDARD PREVIEW
(standards.iteh.ai)
- SIST EN 300 497-9 V0.3.2:2003
<https://standards.iteh.ai/catalog/standards/sist/679979dc-d71d-4a12-ac5a-e88f4a0e9c91/sist-en-300-497-9-v0-3-2-2003>
- [1] EN 300 175-1: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 1: Overview"
 - [2] EN 300 175-4: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 4: Data Link Control (DLC) layer".
 - [3] EN 300 175-5: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 5: Network (NWK) layer".
 - [4] EN 300 175-6: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 6: Identities and addressing".
 - [5] EN 300 175-7: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 7: Security features".
 - [6] EN 300 497-1: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 1: Test Suite Structure (TSS) and Test Purposes (TP) for Medium Access Control (MAC) layer".
 - [7] ETS 300 406: "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
 - [8] EN 300 444: "Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP)".
 - [9] ISO/IEC 9646-1: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 1: General concepts".
 - [10] ISO/IEC 9646-2: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 2: Abstract Test Suite Specification".

- [11] ISO/IEC 9646-3: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 3: The Tree and Tabular Combined Notation (TTCN)".
- [12] ISO/IEC 9646-6: "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 6: Protocol Profile Test Specification".
- [13] ETR 141: "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; The Tree and Tabular Combined Notation (TTCN) style guide".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ISO/IEC 9646-1 [9], ISO/IEC 9646-2 [10], EN 300 175-1 [1], EN 300 175-5 [3], EN 300 175-6 [4] and EN 300 175-7 [5] apply.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AC	Authentication Code
ASP	Abstract Service Primitive
ATS	Abstract Test Suite
AU	Authentication
BI	Invalid Behaviour
BO	Inopportune Behaviour
BV	Valid Behaviour
CC	Call Control
CH	Ciphering
CI	Call Information
CR	Call Release
DECT	Digital Enhanced Cordless Telecommunications
DLC	Data Link Control
FT	Fixed radio termination
HP	Handover Procedure
IC	Incoming Call
ID	Identification
IPEI	International Portable Equipment Identity
IPUI	International Portable User Identity
IUT	Implementation Under Test
IWU	Interworking Unit
KA	Key Allocation
LC	Link Control
LE	Connection oriented Link Establishment
LO	Location
LR	Connection oriented Link Release
LT	Lower Tester
MAC	Medium Access Control
ME	Management Entity
MM	Mobility Management
NWK	Network layer
OC	Outgoing Call
PARK	Portable Access Rights Key
PCO	Point of Control and Observation
PDU	Protocol Data Unit
PHL	Physical Layer
PICS	Protocol Implementation Conformance Statement

PIXIT	Protocol Implementation Extra Information for Testing
PR	Parameter Retrieval
PT	Portable radio Termination
RPN	Radio fixed Part Number
RS	Call Related Supplementary Services
SUT	System Under Test
TCS	Test Case Selection
TCV	Test Case Variable
TP	Test Purposes
TSO	Test Suite Operations
TSP	Test Suite Parameter
TSV	Test Suite Variable
TTCN	Tree and Tabular Combined Notation
UAK	User Authentication Key
UT	Upper Tester

4 Abstract Test Method (ATM)

Clause 4 describes the ATM, the Point of Control and Observation (PCO) used to test the NWK layer of the FT.

4.1 ATM




Figure 1: Remote single layer test method embedded variant

- LT:** a Lower Tester (LT) is located in a remote DECT test system. It controls and observes the behaviour of the Implementation Under Test (IUT).
- DSAP:** a unique Data Link Control (DLC) SAP is defined at the DECT interface and used to exchange service data of the NWK protocol.
- PCO:** the PCO for Network Layer testing is located on the DSAP. All test events at the PCO are specified in terms of DLC Abstract Service Primitives (ASPs) and NWK Protocol Data Units (PDUs).
- Upper layers/tester:** no explicit Upper Tester (UT) exists in the test system. However, the System Under Test (SUT) needs to carry out some UT functions to achieve some effects of test co-ordination procedures. Designing ATS, the capability of the Interworking Unit (IWU), such as PSTN, ISDN or GSM IWUs might be taken into account. An example of such controls could be to provoke restarting of the IUT through the Q interface.

4.2 DLC primitives

In subclause 4.2 the DSAP primitives are defined according to EN 300 175-4 [2], subclause 8.3.2 (S-SAP primitives) and EN 300 175-4 [2], subclause 8.3.3 (B-SAP primitives).

4.2.1 S-SAP primitives

Table 1: DL_DATA_IND primitive

ASP Declaration		
ASP NAME	PCO TYPE	COMMENTS
DL_DATA_IND	S-SAP	EN 300 175-4 [2], subclause 8.3.2.3
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6
message_unit	PDU	EN 300 175-4 [2], subclause 8.3.1

Table 2: DL_DATA_REQ primitive

ASP Declaration		
ASP NAME	PCO TYPE	COMMENTS
DL_DATA_REQ	S-SAP	EN 300 175-4 [2], subclause 8.3.2.3
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6
message_unit	PDU	EN 300 175-4 [2], subclause 8.3.1

Table 3: DL_ENCRYPT_CNF primitive

ASP Declaration		
ASP NAME	PCO TYPE	COMMENTS
DL_ENCRYPT_CNF	S-SAP	EN 300 175-4 [2], subclause 8.3.2.8
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6
encription_status	CIPHER_STATUS (INTEGER(0,1))	EN 300 175-4 [2], subclause 8.3.1

Table 4: DL_ENCRYPT_IND primitive

ASP Declaration		
ASP NAME DL_ENCRYPT_IND	PCO TYPE S-SAP	COMMENTS EN 300 175-4 [2], subclause 8.3.2.8
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6
connection_identities	CONNECTION_IDENTITIES (OCTETSTRING)	EN 300 175-4 [2], subclause 8.3.1
encription_status	CIPHER_STATUS (INTEGER(0,1))	EN 300 175-4 [2], subclause 8.3.1

Table 5: DL_ENCRYPT_REQ primitive

ASP Declaration		
ASP NAME DL_ENCRYPT_REQ	PCO TYPE S-SAP	COMMENTS EN 300 175-4 [2], subclause 8.3.2.8
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6
connection_identities	CONNECTION_IDENTITIES (OCTETSTRING)	EN 300 175-4 [2], subclause 8.3.1
encription_status	CIPHER_STATUS (INTEGER(0,1))	EN 300 175-4 [2], subclause 8.3.1

iTech STANDARD PREVIEW
(standards.iteh.ai)

Table 6: DL_ENC_KEY_REQ primitive

ASP Declaration		
ASP NAME DL_ENC_KEY_REQ	PCO TYPE S-SAP	COMMENTS EN 300 175-4 [2], subclause 8.3.2.7
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], 7.3.6
connection_identities	CONNECTION_IDENTITIES (OCTETSTRING)	EN 300 175-4 [2], 8.3.1
encription_key	ENCRYPTION_KEY (BITSTRING[64])	EN 300 175-4 [2], 8.3.1

Table 7: DL_ESTABLISH_CNF primitive

ASP Declaration		
ASP NAME DL_ESTABLISH_CNF	PCO TYPE S-SAP	COMMENTS EN 300 175-4 [2], subclause 8.3.2.1
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6

Table 8: Void

Table 9: DL_ESTABLISH_REQ primitive

ASP Declaration		
ASP NAME DL_ESTABLISH_REQ	PCO TYPE S-SAP	COMMENTS EN 300 175-4 [2], subclause 8.3.2.1
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6
establish_mode	ESTABLISH_MODE (INTEGER(0,1,2))	EN 300 175-4 [2], subclause 8.3.1
radio_fixed_part_number	RADIO_FIXED_PART_NUMBER (INTEGER)	EN 300 175-4 [2], subclause 8.3.1
message_unit	PDU	EN 300 175-4 [2], subclause 8.3.1

Table 10: DL_ESTABLISH_RES primitive

ASP Declaration		
ASP NAME DL_ESTABLISH_RES	PCO TYPE S-SAP	COMMENTS EN 300 175-4 [2], subclause 8.3.2.1
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6

iTech STANDARD PREVIEW

Table 11: DL_RELEASE_CNF primitive

ASP Declaration		
ASP NAME DL_RELEASE_CNF	PCO TYPE S-SAP	COMMENTS EN 300 175-4 [2], subclause 8.3.2.2
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6
release_mode	RELEASE_MODE (INTEGER(0,1))	EN 300 175-4 [2], subclause 8.3.1

Table 12: DL_RELEASE_IND primitive

ASP Declaration		
ASP NAME DL_RELEASE_IND	PCO TYPE S-SAP	COMMENTS EN 300 175-4 [2], subclause 8.3.2.2
Service control information		
Parameter name	Type	Comments
data_link_endpoint_identifier	DATA_LINK_ENDPOINT_IDENTIFIER (INTEGER)	EN 300 175-4 [2], subclause 7.3.6
release_mode	RELEASE_MODE (INTEGER(0,1))	EN 300 175-4 [2], subclause 8.3.1