



SLOVENSKI STANDARD
SIST EN 62841-1:2015/AC:2015
01-december-2015

**Električna motorna ročna orodja, prenosna orodja ter stroji za trato in vrt - Varnost
- 1. del: Splošne zahteve - Popravek AC**

Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery - Safety - Part 1: General requirements

Elektrische motorbetriebene handgeführte Werkzeuge, transportable Werkzeuge und Rasen- und Gartenmaschinen Sicherheit - Teil 1: Allgemeine Anforderungen

Outils électroportatifs à moteur, outils portables et machines pour jardins et pelouses - Sécurité - Partie 1: Règles générales

<https://standards.iteh.ai/catalog/standards/sist/97db861a-72ef-4b39-b71f-739ed3919f21/sist-en-62841-1-2015-ac-2015>

Ta slovenski standard je istoveten z: EN 62841-1:2015/AC:2015

ICS:

25.140.20	Električna orodja	Electric tools
65.060.70	Vrtnarska oprema	Horticultural equipment

SIST EN 62841-1:2015/AC:2015 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62841-1:2015/AC:2015](https://standards.iteh.ai/catalog/standards/sist/97db861a-72ef-4b39-b71f-739ed3919f21/sist-en-62841-1-2015-ac-2015)

<https://standards.iteh.ai/catalog/standards/sist/97db861a-72ef-4b39-b71f-739ed3919f21/sist-en-62841-1-2015-ac-2015>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 62841-1:2015/AC

October 2015

ICS 25.140.20

English version

Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery - Safety - Part 1: General requirements

Outils électroportatifs à moteur, outils portables et machines pour jardins et pelouses - Sécurité - Partie 1: Règles générales

Elektrische motorbetriebene handgeführte Werkzeuge, transportable Werkzeuge und Rasen- und Gartenmaschinen - Sicherheit - Teil 1: Allgemeine Anforderungen

This corrigendum becomes effective on 2015-10-30 for incorporation in the English language version of the EN.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62841-1:2015/AC:2015](https://standards.iteh.ai/catalog/standards/sist/97db861a-72ef-4b39-b71f-739ed3919f21/sist-en-62841-1-2015-ac-2015)

<https://standards.iteh.ai/catalog/standards/sist/97db861a-72ef-4b39-b71f-739ed3919f21/sist-en-62841-1-2015-ac-2015>



EUROPEAN COMMITTEE FOR ELECTROTECHNICAL
STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
ELECTROTECHNIQUE
EUROPÄISCHES KOMITEE FÜR
ELEKTROTECHNISCHE NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Endorsement notice

The text of the corrigendum IEC 62841-1:2014/COR2:2015 was approved by CENELEC as EN 62841-1:2015/AC:2015 without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 62841-1:2015/AC:2015](https://standards.iteh.ai/catalog/standards/sist/97db861a-72ef-4b39-b71f-739ed3919f21/sist-en-62841-1-2015-ac-2015)

<https://standards.iteh.ai/catalog/standards/sist/97db861a-72ef-4b39-b71f-739ed3919f21/sist-en-62841-1-2015-ac-2015>

INTERNATIONAL ELECTROTECHNICAL COMMISSION
COMMISSION ÉLECTROTECHNIQUE INTERNATIONALEIEC 62841-1
Edition 1.0 2014-03IEC 62841-1
Édition 1.0 2014-03ELECTRIC MOTOR-OPERATED HAND-
HELD TOOLS, TRANSPORTABLE TOOLS
AND LAWN AND GARDEN MACHINERY
– SAFETY –OUTILS ÉLECTROPORTATIFS À MOTEUR,
OUTILS PORTABLES ET MACHINES POUR
JARDINS ET PELOUSES – SÉCURITÉ –

Part 1: General requirements

Partie 1: Règles générales

CORRIGENDUM 2

Corrections to the French version appear after the English text.

Les corrections à la version française sont données après le texte anglais.

[SIST EN 62841-1:2015/AC:2015](https://standards.iteh.ai/catalog/standards/sist/97db861a-72ef-4b39-b71f-732834912/sist-en-62841-1-2015-ac-2015)**5 General conditions for the tests***Replace 5.19 with the following:***5.19** *All electrical measurements shall be made with a maximum measurement error of 5 %.**Instruments for measuring voltage shall have an input resistance of at least 1 M Ω with a maximum parallel capacitance of 150 pF.***Rationale for this corrigendum:**

The maximum parallel capacitance for instruments for measuring voltage was increased from 25 pF to 150 pF. A 25 pF maximum parallel capacitance is not typical for voltage measuring equipment, and would require highly specialized and expensive equipment. This was not the intention of TC 116. A maximum value of 150 pF will allow the continued use of voltage measuring equipment currently being used by testing laboratories.