

# ETSI TS 129 244 V15.10.0 (2020-11)



**LTE;  
5G;**

**Interface between the Control Plane and the User Plane nodes  
(3GPP TS 29.244 version 15.10.0 Release 15)**

*iTech STANDARD REVIEW  
(standards.it-ebooks.info)  
Full standards catalog: <https://standards.it-ebooks.info/catalog/standards/sist/efec6e63d-9bd5-4296-9d29-371a987611d2/etsi-ts-129-244-v15-10-0-2020-11>*



---

**Reference**RTS/TSGC-0429244vfa0

---

**Keywords**5G,LTE

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	11
1 Scope .....	13
2 References .....	13
3 Definitions, symbols and abbreviations .....	15
3.1 Definitions .....	15
3.2 Abbreviations .....	15
4 Protocol Stack .....	16
4.1 Introduction .....	16
4.2 UDP Header and Port Numbers .....	17
4.2.1 General.....	17
4.2.2 Request Message .....	18
4.2.3 Response Message .....	18
4.3 IP Header and IP Addresses .....	18
4.3.1 General.....	18
4.3.2 Request Message .....	18
4.3.3 Response Message.....	18
4.4 Layer 2 .....	18
4.5 Layer 1 .....	18
5 General description.....	19
5.1 Introduction .....	19
5.2 Packet Forwarding Model .....	19
5.2.1 General.....	19
5.2.1A Packet Detection Rule Handling .....	21
5.2.1A.1 General .....	21
5.2.1A.2 PDI Optimization .....	21
5.2.1A.2A Provisioning of SDF filters.....	22
5.2.1A.3 Bidirectional SDF Filters .....	22
5.2.1A.4 Application detection with PFD .....	23
5.2.2 Usage Reporting Rule Handling .....	23
5.2.2.1 General .....	23
5.2.2.2 Provisioning of Usage Reporting Rule in the UP function .....	23
5.2.2.2.1 General .....	23
5.2.2.2.2 Credit pooling (for EPC) .....	27
5.2.2.3 Reporting of Usage Report to the CP function.....	27
5.2.2.3.1 General .....	27
5.2.2.3.2 Credit pooling.....	30
5.2.2.4 Reporting of Linked Usage Reports to the CP function.....	30
5.2.3 Forwarding Action Rule Handling.....	31
5.2.3.1 General .....	31
5.2.4 Buffering Action Rule Handling.....	32
5.2.4.1 General .....	32
5.2.4.2 Provisioning of Buffering Action Rule in the UP function .....	32
5.2.5 QoS Enforcement Rule Handling .....	33
5.2.5.1 General .....	33
5.2.5.2 Provisioning of QoS Enforcement Rule in the UP function.....	33
5.2.5.3 Reflective QoS (for 5GC) .....	33
5.2.6 Combined SGW/PGW Architecture .....	33
5.3 Data Forwarding between the CP and UP Functions .....	34
5.3.1 General.....	34
5.3.2 Sending of End Marker Packets.....	35

5.3.3	Forwarding of Packets Subject to Buffering in the CP Function .....	35
5.3.3.1	General .....	35
5.3.3.2	Forwarding of Packets from the UP Function to the CP Function .....	35
5.3.3.3	Forwarding of Packets from the CP Function to the UP Function .....	36
5.3.4	Data Forwarding between the CP and UP Functions with one PFCP-u Tunnel per UP Function or PDN .....	37
5.3.4.1	General .....	37
5.3.4.2	Forwarding of Packets from the UP Function to the CP Function .....	37
5.3.4.3	Forwarding of Packets from the CP Function to the UP Function .....	37
5.4	Policy and Charging Control .....	37
5.4.1	General .....	37
5.4.2	Service Detection and Bearer/QoS Flow Binding .....	38
5.4.3	Gating Control .....	38
5.4.4	QoS Control .....	39
5.4.5	DL Flow Level Marking for Application Detection .....	39
5.4.6	Usage Monitoring .....	40
5.4.7	Traffic Redirection .....	40
5.4.8	Traffic Steering .....	41
5.4.9	Provisioning of Predefined PCC/ADC Rules .....	42
5.4.10	Charging .....	42
5.4.11	(Un)solicited Application Reporting .....	43
5.4.12	Service Identification for Improved Radio Utilisation for GERAN .....	44
5.4.13	Transport Level Marking .....	44
5.5	F-TEID Allocation and Release .....	45
5.5.1	General .....	45
5.5.2	F-TEID allocation in the CP function .....	45
5.5.3	F-TEID allocation in the UP function .....	45
5.6	PFCP Session Handling .....	45
5.6.1	General .....	45
5.6.2	Session Endpoint Identifier Handling .....	45
5.6.3	Modifying the Rules of an Existing PFCP Session .....	46
5.7	Support of Lawful Interception .....	46
5.7.1	General .....	46
5.7.2	Lawful Interception in EPC .....	46
5.7.3	Lawful Interception in 5GC .....	47
5.8	PFCP Association .....	47
5.8.1	General .....	47
5.8.2	Behaviour with an Established PFCP Association .....	47
5.8.3	Behaviour without an Established PFCP Association .....	48
5.9	Usage of Vendor-specific IE .....	48
5.10	Error Indication Handling .....	48
5.11	User plane inactivity detection and reporting .....	49
5.12	Suspend and Resume Notification procedures .....	49
5.13	Ethernet traffic (for 5GC) .....	49
5.13.1	General .....	49
5.13.2	Address Resolution Protocol or IPv6 Neighbour Solicitation Response by SMF .....	50
5.13.3	Address Resolution Protocol or IPv6 Neighbour Solicitation Response by UPF .....	51
5.13.3A	Provisioning of MAC addresses and SDF filters in Ethernet Packet Filters .....	51
5.13.4	Bidirectional Ethernet Filters .....	51
5.13.5	Reporting of UE MAC addresses to the SMF .....	52
5.14	Support IPv6 Prefix Delegation .....	52
5.15	Signalling based Trace (De)Activation .....	52
5.16	Framed Routing .....	52
5.17	5G UPF (for 5GC) .....	53
5.17.1	Introduction .....	53
5.17.2	Uplink Classifier and Branching Point .....	53
5.17.3	Data Forwarding during handovers between 5GS and EPS .....	53
6	Procedures .....	54
6.1	Introduction .....	54
6.2	PFCP Node Related Procedures .....	54
6.2.1	General .....	54

6.2.2	Heartbeat Procedure.....	54
6.2.2.1	General.....	54
6.2.2.2	Heartbeat Request.....	54
6.2.2.3	Heartbeat Response.....	54
6.2.3	Load Control Procedure.....	55
6.2.3.1	General.....	55
6.2.3.2	Principles.....	55
6.2.3.3	Load Control Information.....	55
6.2.3.3.1	General Description.....	55
6.2.3.3.2	Parameters.....	56
6.2.3.3.2.1	Load Control Sequence Number.....	56
6.2.3.3.2.2	Load Metric.....	56
6.2.3.3.3	Frequency of Inclusion.....	57
6.2.4	Overload Control Procedure.....	57
6.2.4.1	General.....	57
6.2.4.2	Principles.....	57
6.2.4.3	Overload Control Information.....	58
6.2.4.3.1	General Description.....	58
6.2.4.3.2	Parameters.....	58
6.2.4.3.2.1	Overload Control Sequence Number.....	58
6.2.4.3.2.2	Period of Validity.....	59
6.2.4.3.2.3	Overload Reduction Metric.....	60
6.2.4.3.3	Frequency of Inclusion.....	60
6.2.4.4	Message Throttling.....	61
6.2.4.4.1	General.....	61
6.2.4.4.2	Throttling algorithm – "Loss".....	61
6.2.4.4.2.1	Description.....	61
6.2.4.5	Message Prioritization.....	61
6.2.4.5.1	Description.....	61
6.2.4.5.2	Based on the Message Priority Signalled in the PFCP Message.....	62
6.2.5	PFCP PFD Management Procedure.....	62
6.2.5.1	General.....	62
6.2.5.2	CP Function Behaviour.....	62
6.2.5.3	UP Function Behaviour.....	63
6.2.6	PFCP Association Setup Procedure.....	63
6.2.6.1	General.....	63
6.2.6.2	PFCP Association Setup Initiated by the CP Function.....	63
6.2.6.2.1	CP Function Behaviour.....	63
6.2.6.2.2	UP Function behaviour.....	64
6.2.6.3	PFCP Association Setup Initiated by the UP Function.....	64
6.2.6.3.1	UP Function Behaviour.....	64
6.2.6.3.2	CP Function Behaviour.....	64
6.2.7	PFCP Association Update Procedure.....	65
6.2.7.1	General.....	65
6.2.7.2	PFCP Association Update Procedure Initiated by the CP Function.....	65
6.2.7.2.1	CP Function Behaviour.....	65
6.2.7.2.2	UP Function Behaviour.....	65
6.2.7.3	PFCP Association Update Procedure Initiated by UP Function.....	65
6.2.7.3.1	UP Function Behaviour.....	65
6.2.7.3.2	CP Function Behaviour.....	65
6.2.8	PFCP Association Release Procedure.....	66
6.2.8.1	General.....	66
6.2.8.2	CP Function Behaviour.....	66
6.2.8.3	UP Function behaviour.....	66
6.2.9	PFCP Node Report Procedure.....	66
6.2.9.1	General.....	66
6.2.9.2	UP Function Behaviour.....	66
6.2.9.3	CP Function behaviour.....	66
6.3	PFCP Session Related Procedures.....	67
6.3.1	General.....	67
6.3.2	PFCP Session Establishment Procedure.....	67
6.3.2.1	General.....	67

6.3.2.2	CP Function Behaviour .....	67
6.3.2.3	UP Function Behaviour .....	67
6.3.3	PFCP Session Modification Procedure .....	67
6.3.3.1	General .....	67
6.3.3.2	CP Function behaviour .....	67
6.3.3.3	UP Function Behaviour .....	68
6.3.4	PFCP Session Deletion Procedure .....	68
6.3.4.1	General .....	68
6.3.4.2	CP Function Behaviour .....	68
6.3.4.3	UP Function Behaviour .....	68
6.3.5	PFCP Session Report Procedure .....	69
6.3.5.1	General .....	69
6.3.5.2	UP Function Behaviour .....	69
6.3.5.3	CP Function Behaviour .....	69
6.4	Reliable Delivery of PFCP Messages .....	69
7	Messages and Message Formats .....	70
7.1	Transmission Order and Bit Definitions .....	70
7.2	Message Format .....	70
7.2.1	General .....	70
7.2.2	Message Header .....	70
7.2.2.1	General Format .....	70
7.2.2.2	PFCP Header for Node Related Messages .....	71
7.2.2.3	PFCP Header for Session Related Messages .....	71
7.2.2.4	Usage of the PFCP Header .....	72
7.2.2.4.1	General .....	72
7.2.2.4.2	Conditions for Sending SEID=0 in PFCP Header .....	72
7.2.3	Information Elements .....	73
7.2.3.1	General .....	73
7.2.3.2	Presence Requirements of Information Elements .....	73
7.2.3.3	Grouped Information Elements .....	74
7.2.3.4	Information Element Type .....	74
7.3	Message Types .....	74
7.4	PFCP Node Related Messages .....	75
7.4.1	General .....	75
7.4.2	Heartbeat Messages .....	75
7.4.2.1	Heartbeat Request .....	75
7.4.2.2	Heartbeat Response .....	75
7.4.3	PFCP PFD Management .....	76
7.4.3.1	PFCP PFD Management Request .....	76
7.4.3.2	PFCP PFD Management Response .....	76
7.4.4	PFCP Association messages .....	77
7.4.4.1	PFCP Association Setup Request .....	77
7.4.4.2	PFCP Association Setup Response .....	78
7.4.4.3	PFCP Association Update Request .....	79
7.4.4.4	PFCP Association Update Response .....	79
7.4.4.5	PFCP Association Release Request .....	79
7.4.4.6	PFCP Association Release Response .....	80
7.4.4.7	PFCP Version Not Supported Response .....	80
7.4.5	PFCP Node Report Procedure .....	80
7.4.5.1	PFCP Node Report Request .....	80
7.4.5.1.1	General .....	80
7.4.5.1.2	User Plane Path Failure Report IE within PFCP Node Report Request .....	80
7.4.5.2	PFCP Node Report Response .....	81
7.4.5.2.1	General .....	81
7.4.6	PFCP Session Set Deletion .....	81
7.4.6.1	PFCP Session Set Deletion Request .....	81
7.4.6.2	PFCP Session Set Deletion Response .....	81
7.5	PFCP Session Related Messages .....	82
7.5.1	General .....	82
7.5.2	PFCP Session Establishment Request .....	82
7.5.2.1	General .....	82

7.5.2.2	Create PDR IE within PFCP Session Establishment Request .....	84
7.5.2.3	Create FAR IE within PFCP Session Establishment Request .....	86
7.5.2.4	Create URR IE within PFCP Session Establishment Request .....	89
7.5.2.5	Create QER IE within PFCP Session Establishment Request .....	93
7.5.2.6	Create BAR IE within PFCP Session Establishment Request .....	95
7.5.2.7	Create Traffic Endpoint IE within Sx Session Establishment Request .....	95
7.5.3	PFCP Session Establishment Response .....	96
7.5.3.1	General .....	96
7.5.3.2	Created PDR IE within PFCP Session Establishment Response .....	97
7.5.3.3	Load Control Information IE within PFCP Session Establishment Response .....	97
7.5.3.4	Overload Control Information IE within PFCP Session Establishment Response .....	98
7.5.3.5	Created Traffic Endpoint IE within PFCP Session Establishment Response .....	98
7.5.4	PFCP Session Modification Request .....	98
7.5.4.1	General .....	98
7.5.4.2	Update PDR IE within PFCP Session Modification Request .....	102
7.5.4.3	Update FAR IE within PFCP Session Modification Request .....	103
7.5.4.4	Update URR IE within PFCP Session Modification Request .....	104
7.5.4.5	Update QER IE within PFCP Session Modification Request .....	108
7.5.4.6	Remove PDR IE within PFCP Session Modification Request .....	110
7.5.4.7	Remove FAR IE within PFCP Session Modification Request .....	110
7.5.4.8	Remove URR IE within PFCP Session Modification Request .....	110
7.5.4.9	Remove QER IE PFCP Session Modification Request .....	110
7.5.4.10	Query URR IE within PFCP Session Modification Request .....	111
7.5.4.11	Update BAR IE within PFCP Session Modification Request .....	111
7.5.4.12	Remove BAR IE within PFCP Session Modification Request .....	111
7.5.4.13	Update Traffic Endpoint IE within PFCP Session Modification Request .....	111
7.5.4.14	Remove Traffic Endpoint IE within PFCP Session Modification Request .....	112
7.5.5	PFCP Session Modification Response .....	113
7.5.5.1	General .....	113
7.5.5.2	Usage Report IE within PFCP Session Modification Response .....	114
7.5.6	PFCP Session Deletion Request .....	115
7.5.7	PFCP Session Deletion Response .....	116
7.5.7.1	General .....	116
7.5.7.2	Usage Report IE within PFCP Session Deletion Response .....	116
7.5.8	PFCP Session Report Request .....	117
7.5.8.1	General .....	117
7.5.8.2	Downlink Data Report IE within PFCP Session Report Request .....	118
7.5.8.3	Usage Report IE within PFCP Session Report Request .....	119
7.5.8.4	Error Indication Report IE within PFCP Session Report Request .....	121
7.5.9	PFCP Session Report Response .....	122
7.5.9.1	General .....	122
7.5.9.2	Update BAR IE within PFCP Session Report Response .....	122
7.6	Error Handling .....	123
7.6.1	Protocol Errors .....	123
7.6.2	Different PFCP Versions .....	124
7.6.3	PFCP Message of Invalid Length .....	124
7.6.4	Unknown PFCP Message .....	124
7.6.5	Unexpected PFCP Message .....	124
7.6.6	Missing Information Elements .....	124
7.6.7	Invalid Length Information Element .....	125
7.6.8	Semantically incorrect Information Element .....	125
7.6.9	Unknown or unexpected Information Element .....	125
7.6.10	Repeated Information Elements .....	125
8	Information Elements .....	126
8.1	Information Elements Format .....	126
8.1.1	Information Element Format .....	126
8.1.2	Information Element Types .....	127
8.2	Information Elements .....	131
8.2.1	Cause .....	131
8.2.2	Source Interface .....	133
8.2.3	F-TEID .....	133

8.2.4	Network Instance .....	134
8.2.5	SDF Filter .....	135
8.2.6	Application ID .....	136
8.2.7	Gate Status .....	136
8.2.8	MBR .....	137
8.2.9	GBR .....	137
8.2.10	QER Correlation ID .....	138
8.2.11	Precedence .....	138
8.2.12	Transport Level Marking .....	138
8.2.13	Volume Threshold .....	139
8.2.14	Time Threshold .....	139
8.2.15	Monitoring Time .....	139
8.2.16	Subsequent Volume Threshold .....	140
8.2.17	Subsequent Time Threshold .....	140
8.2.18	Inactivity Detection Time .....	141
8.2.19	Reporting Triggers .....	141
8.2.20	Redirect Information .....	142
8.2.21	Report Type .....	143
8.2.22	Offending IE .....	143
8.2.23	Forwarding Policy .....	143
8.2.24	Destination Interface .....	144
8.2.25	UP Function Features .....	144
8.2.26	Apply Action .....	145
8.2.27	Downlink Data Service Information .....	146
8.2.28	Downlink Data Notification Delay .....	146
8.2.29	DL Buffering Duration .....	147
8.2.30	DL Buffering Suggested Packet Count .....	147
8.2.31	PFCPSMReq-Flags .....	148
8.2.32	PFCPSRRsp-Flags .....	148
8.2.33	Sequence Number .....	149
8.2.34	Metric .....	149
8.2.35	Timer .....	149
8.2.36	Packet Detection Rule ID (PDR ID) .....	150
8.2.37	F-SEID .....	150
8.2.38	Node ID .....	151
8.2.39	PFD Contents .....	151
8.2.40	Measurement Method .....	153
8.2.41	Usage Report Trigger .....	154
8.2.42	Measurement Period .....	155
8.2.43	Fully qualified PDN Connection Set Identifier (FQ-CSID) .....	155
8.2.44	Volume Measurement .....	156
8.2.45	Duration Measurement .....	157
8.2.46	Time of First Packet .....	157
8.2.47	Time of Last Packet .....	157
8.2.48	Quota Holding Time .....	158
8.2.49	Dropped DL Traffic Threshold .....	158
8.2.50	Volume Quota .....	158
8.2.51	Time Quota .....	159
8.2.52	Start Time .....	159
8.2.53	End Time .....	160
8.2.54	URR ID .....	160
8.2.55	Linked URR ID IE .....	160
8.2.56	Outer Header Creation .....	161
8.2.57	BAR ID .....	162
8.2.58	CP Function Features .....	162
8.2.59	Usage Information .....	163
8.2.60	Application Instance ID .....	163
8.2.61	Flow Information .....	163
8.2.62	UE IP Address .....	164
8.2.63	Packet Rate .....	164
8.2.64	Outer Header Removal .....	165
8.2.65	Recovery Time Stamp .....	166

8.2.66	DL Flow Level Marking .....	167
8.2.67	Header Enrichment .....	167
8.2.68	Measurement Information.....	168
8.2.69	Node Report Type.....	168
8.2.70	Remote GTP-U Peer .....	169
8.2.71	UR-SEQN .....	169
8.2.72	Activate Predefined Rules .....	170
8.2.73	Deactivate Predefined Rules .....	170
8.2.74	FAR ID .....	170
8.2.75	QER ID .....	171
8.2.76	OCI Flags.....	171
8.2.77	PFCP Association Release Request .....	171
8.2.78	Graceful Release Period.....	172
8.2.79	PDN Type .....	172
8.2.80	Failed Rule ID.....	173
8.2.81	Time Quota Mechanism.....	173
8.2.82	User Plane IP Resource Information.....	174
8.2.83	User Plane Inactivity Timer .....	175
8.2.84	Multiplier .....	175
8.2.85	Aggregated URR ID IE.....	175
8.2.86	Subsequent Volume Quota .....	176
8.2.87	Subsequent Time Quota .....	176
8.2.88	RQI .....	176
8.2.89	QFI.....	177
8.2.90	Query URR Reference .....	177
8.2.91	Additional Usage Reports Information .....	177
8.2.92	Traffic Endpoint ID .....	178
8.2.93	MAC address .....	178
8.2.94	C-TAG (Customer-VLAN tag).....	179
8.2.95	S-TAG (Service-VLAN tag).....	179
8.2.96	Ethertype.....	180
8.2.97	Proxying.....	180
8.2.98	Ethernet Filter ID .....	180
8.2.99	Ethernet Filter Properties .....	181
8.2.100	Suggested Buffering Packets Count.....	181
8.2.101	User ID .....	181
8.2.102	Ethernet PDU Session Information.....	182
8.2.103	MAC Addresses Detected.....	183
8.2.104	MAC Addresses Removed.....	183
8.2.105	Ethernet Inactivity Timer.....	183
8.2.106	Subsequent Event Quota .....	184
8.2.107	Subsequent Event Threshold.....	184
8.2.108	Trace Information .....	184
8.2.109	Framed-Route .....	185
8.2.110	Framed-Routing .....	185
8.2.111	Framed-IPv6-Route .....	186
8.2.112	Event Quota .....	186
8.2.113	Event Threshold.....	186
8.2.114	Event Time Stamp .....	186
8.2.115	Averaging Window.....	187
8.2.116	Paging Policy Indicator (PPI) .....	187
8.2.117	APN/DNN.....	187
8.2.118	3GPP Interface Type.....	188
<b>Annex A (Informative): PFCP Load and Overload Control Mechanism.....</b>		<b>189</b>
A.1	Throttling Algorithms.....	189
A.1.1	"Loss" Throttling Algorithm.....	189
A.1.1.1	Example of Possible Implementation.....	189
<b>Annex B (Normative): CP and UP Selection Functions with Control and User Plane Separation.....</b>		<b>190</b>
B.1	CP Selection Function .....	190

B.1.1	General.....	190
B.2	UP Selection Function.....	190
B.2.1	General.....	190
B.2.2	SGW-U Selection Function .....	190
B.2.3	PGW-U Selection Function .....	191
B.2.4	Combined SGW-U/PGW-U Selection Function.....	191
B.2.5	TDF-U selection function .....	192
B.2.6	UP Selection Function Based on DNS.....	192
B.2.6.1	General .....	192
B.2.6.2	SGW-U Selection Function Based on DNS .....	192
B.2.6.3	PGW-U Selection Function Based on DNS .....	192
B.2.6.4	Combined SGW-U/PGW-U Selection Function Based on DNS .....	193
<b>Annex C (Informative): Examples scenarios .....</b>		<b>194</b>
C.1	General .....	194
C.2	Charging Support .....	194
C.2.1	Online Charging.....	194
C.2.1.1	Online Charging Call Flow – Normal Scenario .....	194
C.2.1.2	Online Charging Call Flow with Credit Pooling.....	196
C.2.1.2.1	General .....	196
C.2.1.2.2	Example Call Flow 1 .....	196
C.2.1.2.3	Example Call Flow 2 .....	198
<b>Annex D(Informative): Change history .....</b>		<b>201</b>
History .....		204

**!Teh STANDARD PREVIEW**  
 (standards.iteh.ai)  
 Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/ef66eb3d-m05-4296-9d29-371a98761f2/etsi-ts-129-244-v15.10.0-2020-11>

---

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

In the present document, modal verbs have the following meanings:

- shall** indicates a mandatory requirement to do something
- shall not** indicates an interdiction (prohibition) to do something

The constructions "shall" and "shall not" are confined to the context of normative provisions, and do not appear in Technical Reports.

The constructions "must" and "must not" are not used as substitutes for "shall" and "shall not". Their use is avoided insofar as possible, and they are not used in a normative context except in a direct citation from an external, referenced, non-3GPP document, or so as to maintain continuity of style when extending or modifying the provisions of such a referenced document.

- should** indicates a recommendation to do something
- should not** indicates a recommendation not to do something
- may** indicates permission to do something
- need not** indicates permission not to do something

The construction "may not" is ambiguous and is not used in normative elements. The unambiguous constructions "might not" or "shall not" are used instead, depending upon the meaning intended.

- can** indicates that something is possible
- cannot** indicates that something is impossible

The constructions "can" and "cannot" are not substitutes for "may" and "need not".

- will** indicates that something is certain or expected to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- will not** indicates that something is certain or expected not to happen as a result of action taken by an agency the behaviour of which is outside the scope of the present document
- might** indicates a likelihood that something will happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

**might not** indicates a likelihood that something will not happen as a result of action taken by some agency the behaviour of which is outside the scope of the present document

In addition:

**is** (or any other verb in the indicative mood) indicates a statement of fact

**is not** (or any other negative verb in the indicative mood) indicates a statement of fact

The constructions "is" and "is not" do not indicate requirements.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/ef66e63d-f0d5-4296-9d29-371a98761f2/etsi-ts-129-244-v15.10.0-2020-11>