



SLOVENSKI STANDARD

SIST EN 300 443-4:2003

01-december-2003

ü]fc_cdUgcj bc`X][]HJbc`ca fYy`Yn`bH[f]fUb]a]`gkcf]hj Ua]`f6 !=G8 BŁ!`Dfc hc_c`
X][]HJbYbUfc b]y_Yg][bU]nU]Y`yH`&fB GG&Ł!`GdYw]_U]U]fYhY`d`UgH`j a Ygb]_U
i dcfUVb]_!ca fYy`Y6 !=G8 B`nU_fa]`M`Y`cgbcj bY[U_`WU]bcg]WU!`("XY.
5 VglfU_Hb]`dfYg_i yUb]`b]n`f6 HGL]b`XYbUXcXUtbU]bZcfa U]U]UnUdfYg_i yUb`Y
]nj YXVY`dfc hc_c`UfD-L+Ł!`Dfc Zcfa UgdYw]_U]Y`YnU`i dcfUVb]_U

Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; B-ISDN user-network interface layer 3 specification for basic call/bearer control; Part 4: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user

*iteh STANDARD PREVIEW
(standards.iteh.ai)*

[SIST EN 300 443-4:2003](#)
<https://standards.iteh.ai/catalog/standards/sist/37e94fd4-9c9e-48cc-a307-0889b242f2b0/sist-en-300-443-4-2003>

Ta slovenski standard je istoveten z: EN 300 443-4 Version 1.1.2

ICS:

| | | |
|--------|---|--|
| 33.080 | Digitalno omrežje z integriranimi storitvami (ISDN) | Integrated Services Digital Network (ISDN) |
|--------|---|--|

SIST EN 300 443-4:2003

en

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 300 443-4:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/37e94fd4-9c9e-48cc-a307-0889b242f2b0/sist-en-300-443-4-2003>

ETSI EN 300 443-4 V1.1.2 (2000-06)

European Standard (Telecommunications series)

**Broadband Integrated Services Digital Network (B-ISDN);
Digital Subscriber Signalling System No. two (DSS2) protocol;
B-ISDN user-network interface layer 3 specification
for basic call/bearer control;
Part 4: Abstract Test Suite (ATS) and partial Protocol
Implementation eXtra Information for Testing (PIXIT)
proforma specification for the user**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN 300 443-4:2003

<https://standards.iteh.ai/catalog/standards/sist/37e94fd4-9c9e-48cc-a307-0889b242f2b0/sist-en-300-443-4-2003>



Reference

DEN/SPS-05149-4

KeywordsATS, basic, B-ISDN, broadband, DSS2, ISDN,
layer 3, PIXIT, UNI, user***ETSI***

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88**iTeh STANDARD PREVIEW**
(standards.iteh.ai)

SIST EN 300 443-4:2003
<https://standards.iteh.ai/catalog/standards/sist/37e94fd4-9c9e-48cc-a307-0889b242f2b0/sist-en-300-443-4-2003>

Important noticeIndividual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).
 In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
 Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:
editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
 The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
 All rights reserved.

Contents

| | |
|--|-----------|
| Intellectual Property Rights..... | 5 |
| Foreword | 5 |
| 1 Scope | 6 |
| 2 References | 6 |
| 3 Definitions and abbreviations | 7 |
| 3.1 Definitions | 7 |
| 3.2 Abbreviations | 7 |
| 4 Abstract Test Method..... | 8 |
| 5 Untestable test purposes..... | 8 |
| 6 ATS to TP map..... | 8 |
| 7 PCTR conformance..... | 8 |
| 8 PIXIT conformance..... | 9 |
| 9 ATS Conformance | 9 |
| Annex A (normative): Protocol Conformance Test Report (PCTR) proforma..... | 10 |
| A.1 Identification summary..... | 10 |
| A.1.1 Protocol conformance test report..... | 10 |
| A.1.2 IUT identification | 10 |
| A.1.3 Testing environment | 10 |
| A.1.4 Limits and reservations..... | 11 |
| A.1.5 Comments..... | 11 |
| https://standards.iteh.ai/catalog/standards/sist/37e94fd4-9c9e-48cc-a307-0889b242d2b0/sist-en-300-443-4-2003 | |
| A.2 IUT Conformance status | 11 |
| A.3 Static conformance summary | 11 |
| A.4 Dynamic conformance summary..... | 12 |
| A.5 Static conformance review report | 12 |
| A.6 Test campaign report..... | 12 |
| A.7 Observations..... | 21 |
| Annex B (normative): Partial PIXIT proforma..... | 22 |
| B.1 Identification summary | 22 |
| B.2 Abstract test suite summary | 22 |
| B.3 Test laboratory | 22 |
| B.4 Client (of the Test Laboratory) | 23 |
| B.5 SUT | 23 |
| B.6 Protocol information | 24 |
| B.6.1 Protocol identification | 24 |
| B.6.2 Configuration to be tested | 24 |
| B.6.3 Stimuli for the IUT | 25 |
| B.6.4 Test management timers | 26 |
| B.6.5 Parameter Values..... | 26 |

| | | |
|-----------------------------|---|-----------|
| Annex C (normative): | Abstract Test Suite (ATS)..... | 28 |
| C.1 | The TTCN Graphical form (TTCN.GR)..... | 28 |
| C.2 | The TTCN Machine Processable form (TTCN.MP) | 28 |
| History | | 29 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 300 443-4:2003
<https://standards.iteh.ai/catalog/standards/sist/37e94fd4-9c9e-48cc-a307-0889b242f2b0/sist-en-300-443-4-2003>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Services and Protocol for Advanced Networks (SPAN).

The present document is part 4 of a multi-part EN covering the Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol, as identified below:

- Part 1: "Protocol specification [ITU-T Recommendation Q.2931 (1995), modified]";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the user";
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user";**
- Part 5: "Test Suite Structure and Test Purposes (TSS&TP) specification for the network";
- Part 6: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network".

| National transposition dates | |
|--|------------------|
| Date of adoption of this EN: | 19 May 2000 |
| Date of latest announcement of this EN (doa): | 31 August 2000 |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 28 February 2001 |
| Date of withdrawal of any conflicting National Standard (dow): | 28 February 2001 |

1 Scope

The present document specifies the network Abstract Test Suite (ATS) for the T_B reference point or coincident S_B and T_B reference point (as defined in ITU-T Recommendation I.413 [9]) of implementations conforming to the standards for the signalling user-network layer 3 specification for basic call/bearer control of the Digital Subscriber Signalling System No. two (DSS2) protocol for the pan-European Broadband Integrated Services Digital Network (B-ISDN), EN 300 443-1 [1].

A further part of the present document specifies the Test Suite Structure and Test Purposes (TSS&TP) related to this ATS and partial PIXIT proforma. Other parts specify the TSS&TP and the ATS and partial PIXIT proforma for the User side of the T_B reference point or coincident S_B and T_B reference point of implementations conforming to EN 300 443-1 [1].

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

- [1] ETSI EN 300 443-1 (V1.3): "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; B-ISDN user-network interface layer 3 specification for basic call/bearer control; Part 1: Protocol specification [ITU-T Recommendation Q.2931 (1995), modified]" SIST EN 300 443-2003
https://standards.iteh.ai/iteh/standards/27_04619_0_43c4307
16801242f2b0/sist-en-300-443-4-2003
- [2] ETSI EN 300 443-2 (V1.2): "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; B-ISDN user-network interface layer 3 specification for basic call/bearer control; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".
- [3] ETSI EN 300 443-3 (V1.1): "Broadband Integrated Services Digital Network (B-ISDN); Digital Subscriber Signalling System No. two (DSS2) protocol; B-ISDN user-network interface layer 3 specification for basic call/bearer control; Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the user".
- [4] ISO/IEC 9646-1 (1994): "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 1: General concepts".
- [5] ISO/IEC 9646-2 (1994): "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 2: Abstract Test Suite specification".
- [6] ISO/IEC 9646-3 (1998): "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 3: The Tree and Tabular Combined Notation (TCN)".
- [7] ISO/IEC 9646-4 (1994): "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 4: Test realization".
- [8] ISO/IEC 9646-5 (1994): "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 5: Requirements on test laboratories and clients for the conformance assessment process".
- [9] ITU-T Recommendation I.413 (1993): "B-ISDN user-network interface".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

Implementation Under Test (IUT): see ISO/IEC 9646-1 [4]

System Under Test (SUT): see ISO/IEC 9646-1 [4]

Abstract Test Suite (ATS): see ISO/IEC 9646-1 [4]

Protocol Implementation Conformance Statement (PICS): see ISO/IEC 9646-1 [4]

PICS proforma: see ISO/IEC 9646-1 [4]

Protocol Implementation eXtra Information for Testing (PIXIT): see ISO/IEC 9646-1 [4]

PIXIT proforma: see ISO/IEC 9646-1 [4]

Lower Tester (LT): see ISO/IEC 9646-1 [4]

Upper Tester (UT): see ISO/IEC 9646-1 [4]

Point of Control and Observation (PCO): see ISO/IEC 9646-1 [4]

3.2 Abbreviations *iTeh STANDARD PREVIEW (standards.iteh.ai)*

For the purposes of the present document, the following abbreviations apply:

| | | |
|-------|---|---|
| ATM | Abstract Test Method | SIST EN 300 443-4:2003 http://standards.iteh.ai/catalog/standards/sist/37e94fd4-9c9e-48cc-a307-0889b242f2b0/sist-en-300-443-4-2003 |
| ATS | Abstract Test Suite | |
| ExTS | Executable Test Suite | |
| IUT | Implementation Under Test | |
| LT | Lower Tester | |
| MOT | Means Of Testing | |
| PCO | Point of Control and Observation | |
| PICS | Protocol Implementation Conformance Statement | |
| PIXIT | Protocol Implementation eXtra Information for Testing | |
| PTC | Parallel Test Component | |
| SUT | System Under Test | |
| TCP | Test Co-ordination Procedures | |
| TP | Test Purpose | |
| TTCN | Tree and Tabular Combined Notation | |
| UT | Upper Tester | |

4 Abstract Test Method

The remote test method is applied for the user ATS. The Point of Control and Observation (PCO) resides at the service access point between layers 2 and 3. This PCO is named "L0" (for Lower). The L0 PCO is used to control and observe the behaviour of the Implementation Under Test (IUT) and test case verdicts are assigned depending on the behaviour observed at this PCO.



Figure 1: Remote test method

ISO/IEC 9646-2 [5] allows the informal expression of Test Co-ordination Procedures (TCP) between the System Under Test (SUT) upper layer(s) and the Lower Tester (LT). In the ATS contained in annex C, TCP is achieved by use of a second "informal" PCO, called "O" (for Operator). This PCO is used to specify control but not observation above the IUT and consequently, events at this PCO are never used to generate test case verdicts. The use of this O PCO is regarded as a preferred alternative to the use of the implicit send event, in that it allows the ATS to specify in a clear and meaningful way what actions are required to be performed on the IUT.

5 Untestable test purposes

PREVIEW

There are no untestable test purposes associated with this ATS
[\(standards.iteh.ai\)](http://standards.iteh.ai)

6 ATS to TP map

SIST EN 300 443-4:2003

<http://standards.iteh.ai/catalog/standards/sist/37e94fd4-9c9e-48cc-a307-0889b242f2b0/sist-en-300-443-4-2003>

The identifiers used for the TPs (see EN 300 443-3 [3]) are reused as test case names. Thus there is a straightforward one-to-one mapping.

7 PCTR conformance

A test laboratory, when requested by a client to produce a PCTR, is required, as specified in ISO/IEC 9646-5 [8], to produce a PCTR conformant with the PCTR template given in annex B of ISO/IEC 9646-5 [8].

Furthermore, a test laboratory, offering testing for the ATS specification contained in annex C, when requested by a client to produce a PCTR, is required to produce a PCTR conformant with the PCTR proforma contained in annex A of the present document.

A PCTR which conforms to this PCTR proforma specification shall preserve the content and ordering of the clauses contained in annex A. Clause A.6 of the PCTR may contain additional columns. If included, these shall be placed to the right of the existing columns. Text in italics may be retained by the test laboratory.

8 PIXIT conformance

A test realizer, producing an executable test suite for the Abstract Test Suite (ATS) specification contained in annex C, is required, as specified in ISO/IEC 9646-4 [7], to produce an augmented partial PIXIT proforma conformant with this partial PIXIT proforma specification.

An augmented partial PIXIT proforma which conforms to this partial PIXIT proforma specification shall, as a minimum, have contents which are technically equivalent to annex B. The augmented partial PIXIT proforma may contain additional questions that need to be answered in order to prepare the Means Of Testing (MOT) for a particular Implementation Under Test (IUT).

A test laboratory, offering testing for the ATS specification contained in annex C, is required, as specified in ISO/IEC 9646-5 [8], to further augment the augmented partial PIXIT proforma to produce a PIXIT proforma conformant with this partial PIXIT proforma specification.

A PIXIT proforma which conforms to this partial PIXIT proforma specification shall, as a minimum, have contents which are technically equivalent to annex B. The PIXIT proforma may contain additional questions that need to be answered in order to prepare the test laboratory for a particular IUT.

9 ATS Conformance

The test realizer, producing a Means Of Testing (MOT) and Executable Test Suite (ExTS) for this Abstract Test Suite (ATS) specification, shall comply with the requirements of ISO/IEC 9646-4 [7]. In particular, these concern the realization of an Executable Test Suite (ExTS) based on each ATS. The test realizer shall provide a statement of conformance of the MOT to this **ATS STANDARD PREVIEW**.

An ExTS which conforms to this ATS specification shall contain test groups and test cases which are technically equivalent to those contained in the ATS in annex C. All sequences of test events comprising an abstract test case shall be capable of being realized in the executable test case. Any further checking which the test system might be capable of performing is outside the scope of this ATS specification and shall not contribute to the verdict assignment for each test case.

0889b242f2b0/sist-en-300-443-4-2003

Test laboratories running conformance test services using this ATS shall comply with ISO/IEC 9646-5 [8].

A test laboratory which claims to conform to this ATS specification shall use an MOT which conforms to this ATS.

Annex A (normative): Protocol Conformance Test Report (PCTR) proforma

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the PCTR proforma in this annex so that it can be used for its intended purposes and may further publish the completed PCTR.

A.1 Identification summary

A.1.1 Protocol conformance test report

| | |
|---------------------------------|--|
| PCTR number: | |
| PCTR Date: | |
| Corresponding SCTR number: | |
| Corresponding SCTR date: | |
| Test Laboratory identification: | |
| Test Laboratory Manager: | |
| Signature: | |

iTeh STANDARD PREVIEW A.1.2 IUT identification (standards.iteh.ai)

| | |
|--------------------------|---|
| Name: | SIST EN 300 443-4:2003 |
| Version: | https://standards.iteh.ai/catalog/standards/sist/37e94fd4-9c9e-48cc-a307-0889b2471555 |
| Protocol specification: | EN 300 443 |
| PICS: | |
| Previous PCTRs (if any): | |

A.1.3 Testing environment

| | |
|--------------------------------------|---|
| PIXIT Reference number: | |
| ATS Specification: | EN 300 443-4 |
| Abstract Test Method: | Remote test method (see ISO/IEC 9646-2) |
| Means of Testing identification: | |
| Dates of testing: | |
| Conformance Log reference(s): | |
| Retention Date for Log reference(s): | |