

Second edition  
2007-09-01

**AMENDMENT 1**  
2012-12-01

---

---

**Resilient and textile floor-coverings —  
Determination of side length, edge  
straightness and squareness of tiles —  
AMENDMENT 1**

*Revêtements de sol résilients ou textiles — Détermination de la longueur  
des bords, de la rectitude des arêtes et de l'équerrage des dalles —*

**iTeh STANDARD PREVIEW**  
*Amendement 1*  
**(standards.iteh.ai)**

[ISO 24342:2007/Amd 1:2012](https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012)

[https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-  
d77f0a2e8094/iso-24342-2007-amd-1-2012](https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012)



Reference number  
ISO 24342:2007/Amd.1:2012(E)

© ISO 2012

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 24342:2007/Amd 1:2012](https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012)  
<https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012>



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO 24342:2007 was prepared by Technical Committee ISO/TC 219, *Floor coverings*.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 24342:2007/Amd 1:2012](https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012)  
<https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 24342:2007/Amd 1:2012](https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012)

<https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012>

# Resilient and textile floor-coverings — Determination of side length, edge straightness and squareness of tiles —

## AMENDMENT 1

*Page 7, Clause 6*

Replace the text in Clause 6 with the following:

### **6.1 Resilient floor coverings**

Condition the test specimen at  $(23 \pm 2)$  °C and  $(50 \pm 5)$  % relative humidity for at least 24 h and test in the same conditions. Specimens shall be conditioned on a flat surface such as a table or floor surface to ensure they will contact the bedplate uniformly during measurement.

### **6.2 Textile floor coverings**

Condition the test specimen at  $(20 \pm 2)$  °C and  $(65 \pm 4)$  % relative humidity for at least 24 h and test in the same conditions. Specimens shall be conditioned on a flat surface such as a table or floor surface to ensure they will contact the bedplate uniformly during measurement.

ISO 24342:2007/Amd 1:2012  
<https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO 24342:2007/Amd 1:2012](https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012)  
<https://standards.iteh.ai/catalog/standards/sist/72c5f531-fa25-402c-93bd-d77f0a2e8094/iso-24342-2007-amd-1-2012>

---

---

**ICS 97.150**

Price based on 1 page