

### SLOVENSKI STANDARD SIST EN ISO 11299-3:2019

01-februar-2019

Nadomešča:

SIST EN ISO 11299-3:2013

Cevni sistemi iz polimernih materialov za obnovo podzemnih omrežij za oskrbo s plinom - 3. del: Oblaganje s tesno prilagodljivimi cevmi (ISO 11299-3:2018)

Plastics piping systems for renovation of underground gas supply networks - Part 3: Lining with close-fit pipes (ISO 11299-3:2018)

Kunststoff-Rohrleitungssysteme für die Renovierung von erdverlegten Gasversorgungsnetzwerken - Teil 3: Close-Fit-Lining (ISO 11299-3:2018)

Ta slovenski standard je istoveten z: EN ISO 11299-3:2018

### ICS:

83.140.30 Polimerne cevi in fitingi za Plastics pipes and fittings for

snovi, ki niso tekočine non fluid use

91.140.40 Sistemi za oskrbo s plinom Gas supply systems

SIST EN ISO 11299-3:2019 en

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 11299-3:2019

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 11299-3

December 2018

ICS 23.040.20; 23.040.45; 75.200

Supersedes EN ISO 11299-3:2013

### **English Version**

## Plastics piping systems for renovation of underground gas supply networks - Part 3: Lining with close-fit pipes (ISO 11299-3:2018)

Systèmes de canalisations en plastique pour la rénovation des réseaux enterrés de distribution de gaz - Partie 3: Tubage par tuyau continu sans espace annulaire (ISO 11299-3:2018)

Kunststoff-Rohrleitungssysteme für die Renovierung von erdverlegten Gasversorgungsnetzwerken - Teil 3: Close-Fit-Lining (ISO 11299-3:2018)

This European Standard was approved by CEN on 18 October 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### EN ISO 11299-3:2018 (E)

Contents	Page
Furonean foreword	3

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 11299-3:2019</u> https://standards.iteh.ai/catalog/standards/sist/632cc98c-79d1-48d4-9b79-8bd056ab2706/sist-en-iso-11299-3-2019

EN ISO 11299-3:2018 (E)

### **European foreword**

This document (EN ISO 11299-3:2018) has been prepared by Technical Committee ISO/TC 138 "Plastics pipes, fittings and valves for the transport of fluids" in collaboration with Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11299-3:2013.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### iTeh STANDARD PREVIEW Endorsement notice (standards.iteh.ai)

The text of ISO 11299-3:2018 has been approved by CEN as EN ISO 11299-3:2018 without any modification.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 11299-3:2019

## INTERNATIONAL STANDARD

ISO 11299-3

Second edition 2018-10

# Plastics piping systems for renovation of underground gas supply networks —

Part 3: **Lining with close-fit pipes** 

iTeh STSystèmes de canalisations en plastique pour la rénovation des réseaux enterrés de distribution de gaz — Partie 3: Tubage par tuyau continu sans espace annulaire

<u>SIST EN ISO 11299-3:2019</u> https://standards.iteh.ai/catalog/standards/sist/632cc98c-79d1-48d4-9b79-8bd056ab2706/sist-en-iso-11299-3-2019



ISO 11299-3:2018(E)

### iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 11299-3:2019</u> https://standards.iteh.ai/catalog/standards/sist/632cc98c-79d1-48d4-9b79-8bd056ab2706/sist-en-iso-11299-3-2019



### COPYRIGHT PROTECTED DOCUMENT

#### © ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents					
For	eword		v		
Intr	oductio	on	vi		
1	Scop	oe	1		
2	-	mative references			
3	Terms and definitions				
3	3.1	General			
	3.2	Techniques			
	3.3	Characteristics			
	3.4	Materials	3		
	3.5	Product stages			
	3.6	Service conditions			
	3.7	Joints	3		
4	Sym	bols and abbreviated terms			
	4.1	Symbols			
	4.2	Abbreviated terms	4		
5		s at the "M" stage			
	5.1	Materials			
	5.2	General characteristics			
		5.2.1 Appearance ANDARD PREVIEW 5.2.2 Colour	5		
	5.3				
	5.4	Material characteristics near distinct sitemai) Geometric characteristics	5 5		
	5.5	Mechanical characteristics	5		
	5.6	Physical characteristics IST EN ISO 11299-3:2019	5		
	5.7	Jointhings://standards.iteh.ai/catalog/standards/sist/632cc98c-79d1-48d4-9b79-	6		
	5.8	Mechanical characteristics. Physical characteristics IST EN ISO 11299-3:2019 Joint Higs://standards.iteh.ai/catalog/standards/sist/632cc98c-79d1-48d4-9b79- Marking 8bd056ab2706/sist-en-iso-11299-3-2019	6		
	5.9	Regional requirements for pipes	6		
6	Fitti	ngs at the "M" stage	6		
	6.1	Requirements			
	6.2	Marking			
	6.3	Regional requirements for fittings	6		
7		llary components			
	7.1	Requirements			
	7.2	Regional requirements for ancillary components			
8	Fitne	Fitness for purpose of the installed lining system at the "I" stage			
	8.1	Materials			
	8.2	General characteristics			
	8.3	Material characteristics			
	8.4 8.5	Geometric characteristics			
	8.6	Physical characteristics			
	8.7	Additional characteristics			
	8.8	Sampling			
	8.9	Regional requirements for the installed lining system			
9	Insta	allation practice	10		
,	9.1	Preparatory work	10		
	9.2	Storage, handling and transport of pipes and fittings			
	9.3	Equipment	10		
		9.3.1 Butt fusion and debeading equipment			
		9.3.2 Reduction equipment			
		9.3.3 Pipe skids/rollers			

### ISO 11299-3:2018(E)

		9.3.4	Winching and rod-pulling equipment	11	
		9.3.5	Pipe entry guides	11	
		9.3.6	Pipe entry guidesReforming equipment	11	
		9.3.7	Electrofusion equipment	11	
		9.3.8	Inspection equipment	11	
		9.3.9	Lifting equipment	12	
	9.4	Installa	ation	12	
	9.5	Proces	s-related inspection and testing	12	
	9.6	Lining	termination	13	
	9.7	Lining termination Reconnection to existing laterals			
	9.8	Final inspection and testing			
	9.9	Docum	entation	13	
Anne	<b>x A</b> (no	rmative)	Factory-folded heat-reverted polyethylene (PE) pipe —Determination		
		,	pility	14	
Rihli	Rihliography			16	

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 11299-3:2019

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>. (Standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 8, *Renabilitation of pipeline systems* 

This second edition cancels and replaces the first edition (ISO 11299-3:2011), which has been technically revised.

The main changes compared to the previous edition are as follows:

<u>Figure 1</u> and <u>Clauses 1, 2, 3.3, 3.4, 3.6, 5.7, 5.8, 6, 8.4, 8.5</u>, and <u>9.2</u> to <u>9.8</u> have been technically revised.

A list of all parts in the ISO 11299 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### ISO 11299-3:2018(E)

### Introduction

This document is a part of a System Standard for plastics piping systems of various materials used for the renovation of existing pipelines in a specified application area. System Standards for renovation dealing with the following applications are either available or in preparation:

- ISO 11296, Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks;
- ISO 11297, Plastics piping systems for renovation of underground drainage and sewerage networks under pressure;
- ISO 11298, Plastics piping systems for renovation of underground water supply networks;
- ISO 11299, Plastics piping systems for renovation of underground gas supply networks (this series of standards).

These System Standards are distinguished from those for conventionally installed plastics piping systems by the requirement to verify certain characteristics in the "as-installed" condition, after site processing. This is in addition to specifying requirements for plastics piping systems components "as manufactured".

This System Standard comprises a:

— Part 1: General

and all applicable renovation technique family-related parts, which, for gas supply networks, include or potentially include the following: (standards.iteh.ai)

- Part 2: Lining with continuous pipes;
- SIST EN ISO 11299-3:2019
- Part 3: Lining with close fit pipes (this document);dards/sist/632cc98c-79d1-48d4-9b79-
  - 8bd056ab2706/sist-en-iso-11299-3-2019
- Part 4: Lining with cured-in-place pipes;
- Part 6: Lining with adhesive-backed hoses;
- Part 11: Lining with inserted hoses.

The requirements for any given renovation technique family are given in Part 1, applied in conjunction with the relevant other part. For example, ISO 11299-1 and this document together specify the requirements relating to lining with close-fit pipes. For complementary information, see ISO 11295. Not all technique families are pertinent to every area of application and this is reflected in the part numbers included in each System Standard.

A consistent structure of clause headings has been adopted for all parts of ISO 11299, in order to facilitate direct comparisons across renovation technique families.

<u>Figure 1</u> shows the common part and clause structure and the relationship between ISO 11299 and the System Standards for other application areas.