
**Information technology — Metadata
registries (MDR) —**

**Part 1:
Framework**

Technologies de l'information — Registres de métadonnées (RM) —

Partie 1: Cadre de référence

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 11179-1:2015

<https://standards.iteh.ai/catalog/standards/sist/8f5ad81e-5fe0-450d-b95f-79dc01b2d98d/iso-iec-11179-1-2015>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 11179-1:2015](https://standards.iteh.ai/catalog/standards/sist/8f5ad81e-5fe0-450d-b95f-79dc01b2d98d/iso-iec-11179-1-2015)
<https://standards.iteh.ai/catalog/standards/sist/8f5ad81e-5fe0-450d-b95f-79dc01b2d98d/iso-iec-11179-1-2015>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviations	1
3.1 Definitions of modelling constructs.....	1
3.2 General terms used in this part of ISO/IEC 11179.....	2
3.3 Alphabetical list of terms used in the metamodel.....	4
3.4 Specific terms used in ISO/IEC 11179-6.....	8
3.5 Specific terms used in this part of ISO/IEC 11179.....	9
4 Theory of terminology	9
5 Metadata	9
5.1 General.....	9
5.2 Concepts.....	10
5.2.1 General.....	10
5.2.2 Management.....	10
5.3 Fundamental model of data elements.....	10
5.4 Data elements in data management and interchange.....	12
5.5 Fundamental model of value domains.....	12
5.6 Fundamental model of concept systems.....	15
6 Metadata registries	16
6.1 General.....	16
6.2 Overview model for an ISO/IEC 11179 MDR.....	17
6.3 Fundamentals of registration.....	18
7 Overview of ISO/IEC 11179, Parts 1–6	19
7.1 Part 1.....	19
7.2 Part 2.....	19
7.3 Part 3.....	19
7.4 Part 4.....	20
7.5 Part 5.....	20
7.6 Part 6.....	20
7.7 Basic principles for applying ISO/IEC 11179, Parts 1–6.....	21
8 Conformance	21
Bibliography	22

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/IEC JTC1, *Information technology, SC32, Data management and interchange*.

This third edition of ISO 11179-1 cancels and replaces ISO 11179-1:2004, which has been technically revised.

ISO/IEC 11179 consists of the following parts, under the general title *Information technology — Metadata registries (MDR)*:

- *Part 1: Framework*
- *Part 2: Classification*
- *Part 3: Registry metamodel and basic attributes*
- *Part 4: Formulation of data definitions*
- *Part 5: Naming principles*
- *Part 6: Registration*

Introduction

ISO/IEC 11179 addresses the semantics of data, the representation of data and the registration of the descriptions of that data. It is through these descriptions that an accurate understanding of the semantics and a useful depiction of the data are found.

The purposes of ISO/IEC 11179 is to promote the following:

- standard description of data;
- common understanding of data across organizational elements and between organizations;
- re-use and standardization of data over time, space, and applications;
- harmonization and standardization of data within an organization and across organizations;
- management of the components of descriptions of data;
- re-use of the components of descriptions of data.

Each part of ISO/IEC 11179 is devoted to addressing a different aspect of these needs:

- Part 1: *Framework* – Contains an overview of the Standard and describes the basic concepts;
- Part 2: *Classification* – Describes how to manage a classification scheme in a metadata registry;
- Part 3: *Registry meta model and basic attributes* – Provides the conceptual model, including the basic attributes and relationships, for a metadata registry;
- Part 4: *Formulation of data definitions* – Gives rules and guidelines for forming quality definitions for data elements and their components;
- Part 5: *Naming principles* – Describes how to form conventions for naming data elements and their components;
- Part 6: *Registration* – Specifies the roles and requirements for the registration process in an ISO/IEC 11179 metadata registry.

Generally, descriptive data are known as metadata. Metadata can describe books, phone calls, data, etc. ISO/IEC 11179 focuses upon metadata that describes data.

NOTE In ISO/IEC 11179 (all parts), metadata refers to descriptions of data. It does not contain a general treatment of metadata.

A metadata registry (MDR) is a database of metadata. Registration is one possible function of that database. Registration accomplishes three main goals: identification, provenance, and monitoring quality. Identification is accomplished by assigning a unique identifier (within the registry) to each object registered there. Provenance addresses the source of the metadata and the object described. Monitoring quality ensures that the metadata does the job it is designed to do.

An MDR may contain the semantics of data. An understanding of data is fundamental to their design, harmonization, standardization, use, re-use and interchange. The underlying model for an MDR is designed to capture all the basic components of the semantics of data, independent of any application or subject matter area.

MDRs, typically, are organized so that those designing applications can ascertain whether a suitable object described in the MDR already exists. Where it is established that a new object is essential, its derivation from an existing description with appropriate modifications is encouraged, thus avoiding unnecessary variations in the way similar objects are described. Registration will also allow two or more administered items describing identical objects to be identified, and more importantly, it will help to identify situations where similar or identical names are in use for administered items that are significantly different in one or more respects.

In ISO/IEC 11179 the basic container for data is called a data element. It may exist purely as an abstraction or exist in some application system. In either case, the description of a data element is the same in ISO/IEC 11179. Data element descriptions have both semantic and representational components. The semantics are further divided into contextual and symbolic types.

The contextual semantics are described by the data element concept (DEC). The DEC describes the kind of objects for which data are collected and the particular characteristic of those objects being measured. The symbolic semantics are described by the conceptual domain (CD). A CD is a set of concepts, not necessarily finite, where the concepts represent the meaning of the permissible values in a value domain. A value domain contains the allowed values for a data element.

The names, definitions, datatype and related attributes that are associated with the description of an object in an MDR give that object meaning. The depth of this meaning is limited, because names and definitions convey limited information about the object. The relationships object descriptions have with semantically related object descriptions in a registry provide additional information, but this additional information is dependent on how many semantically related object descriptions there are.

This third edition of ISO/IEC 11179-1 introduces concepts and concept systems in the description of the semantics of data. Object classes, properties, DEC, value meanings and CDs are concepts. Therefore, they have definitions and may be designated by names or codes. They may also be organized through the use of relations among them into concept systems. A classification scheme is a concept system that is used for classifying some objects and classification of an object adds meaning to that object.

Features needed for formal reasoning are also new to this third edition of ISO/IEC 11179-1. Applying the rules of some form of formal logic (1st order logic, predicate calculus, description logic, etc.) may add additional abilities to query and reason with concept systems. Ontologies are concept systems that allow the application of formal logic and this edition provides for their use.

The representational component is about the permitted values a data element may use. Each such permissible value is a designation of one of the concepts in the CD. The set of these permissible values is called a value domain (VD). A VD specifies all the values that are allowed either through an enumeration, a rule, or a combination of these. The computational model the values follow is given by their datatype.

The semantic and representational components are described through attributes contained in the conceptual model of a metadata registry as specified in ISO/IEC 11179-3. A metadata registry that conforms to ISO/IEC 11179 can describe a wide variety of data. In fact, the attributes described in ISO/IEC 11179-3 are data elements, and they can be registered in an ISO/IEC 11179 metadata registry. Moreover, any set of descriptors or metadata attributes may be interpreted as data elements and registered in the metadata registry.

There are two main consequences to this:

- the metadata registry can describe itself;
- metadata layers or levels are not defined in ISO/IEC 11179.

As a result, ISO/IEC 11179 is a general description framework for data of any kind, in any organization and for any purpose. ISO/IEC 11179 does not address other data management needs, such as data models, application specifications, programming code, program plans, business plans and business policies. These need to be addressed elsewhere.

The increased use of data processing and electronic data interchange heavily relies on accurate, reliable, controllable and verifiable data recorded in databases. One of the prerequisites for a correct and proper use and interpretation of data is that both users and owners of data have a common understanding of the meaning and descriptive characteristics (e.g., representation) of that data, guaranteed by the definition of several basic attributes.

The basic attributes specified are applicable for the definition and specification of the contents of data dictionaries and interchanging or referencing among various collections of administered items. The

“basic” in basic attributes means that the attributes are commonly needed in specifying administered items completely enough to ensure that they will be applicable for a variety of functions, such as:

- design of information processing systems,
- retrieval of data from databases,
- design of messages for data interchange,
- maintenance of metadata registries,
- data management,
- dictionary design,
- dictionary control,
- use of information processing systems.

Basic also implies that they are independent of any:

- application environment,
- function of an object described by an administered item,
- level of abstraction,
- grouping of administered items,
- method for designing information processing systems or data interchange messages,
- MDR system.

Basic does not imply that all attributes specified in ISO/IEC 11179-3 are required in all cases. Distinction is made between those attributes that are mandatory, conditional, or optional.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC 11179-1:2015

<https://standards.iteh.ai/catalog/standards/sist/8f5ad81e-5fe0-450d-b95f-79dc01b2d98d/iso-iec-11179-1-2015>

Information technology — Metadata registries (MDR) —

Part 1: Framework

1 Scope

This part of ISO/IEC 11179 provides the means for understanding and associating the individual parts of ISO/IEC 11179 and is the foundation for a conceptual understanding of metadata and metadata registries.

This part of ISO/IEC 11179 is applicable to the formulation of data representations, concepts, meanings and relationships to be shared among people and machines, independent of the organization that produces the data. It is not applicable to the physical representation of data as bits and bytes at the machine level.

In this part of ISO/IEC 11179 (and all other parts), metadata refers to descriptions of data. It does not contain a general treatment of metadata.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 704:2009, *Terminology work — Principles and methods*

ISO 1087-1:2000, *Terminology work — Vocabulary — Part 1: Theory and application*

ISO/IEC 11179 (all parts), *Information technology — Metadata registries (MDR)*

3 Terms, definitions and abbreviations

For the purposes of this document, the following terms, abbreviations and definitions apply.

3.1 Definitions of modelling constructs

3.1.1

attribute

characteristic (3.2.2) of an *object* (3.2.22) or set of objects

3.1.2

class

description of a set of *objects* (3.2.22) that share the same *attributes* (3.1.1), operations, methods, *relationships* (3.1.4) and semantics

[SOURCE: ISO/IEC 19505-2:2012, 7.3.7 modified]

3.1.3

identifier

<metadata registry> sequence of characters, capable of uniquely identifying that with which it is associated, within a specified *context* (3.3.7)

Note 1 to entry: A name should not be used as an identifier because it is not linguistically neutral.

ISO/IEC 11179-1:2015(E)

Note 2 to entry: It is possible to define an identifier from the point of view of terminology as defined in ISO 1087-1 and described in ISO 704, as follows: representation of an object by a sign which denotes it, and is intended for dereferencing that object. Note the parallel with the definition of designation, except this applies to any object rather than just for concepts.

3.1.4 relationship

connection among model elements

[SOURCE: ISO/IEC 19505-2:2012, 7.3.47 modified]

3.2 General terms used in this part of ISO/IEC 11179

3.2.1 basic attribute

attribute ([3.1.1](#)) of a *metadata item* ([3.2.17](#)) commonly needed in its specification

3.2.2 characteristic

abstraction of a property of an *object* ([3.2.22](#)) or of a set of objects

[SOURCE: ISO 1087-1:2000, 3.2.4]

Note 1 to entry: Characteristics are used for describing concepts.

3.2.3 concept

unit of knowledge created by a unique combination of *characteristics* ([3.2.2](#))

[SOURCE: ISO 1087-1:2000, 3.2.1]

3.2.4 concept system

set of *concepts* ([3.2.3](#)) structured according to the relations among them

[SOURCE: ISO 1087-1:2000, 3.2.11]

3.2.5 conceptual data model conceptual model

data model ([3.2.7](#)) that represents an abstract view of the real world

Note 1 to entry: A conceptual model represents the human understanding of a system.

3.2.6 data

reinterpretable representation of information in a formalized manner suitable for communication, interpretation or processing

[SOURCE: ISO 2382-1:2015, 2121272 — Notes to entry modified]

Note 1 to entry: Data can be processed by humans or by automatic means.

Note 2 to entry: Data may also be described using the terminological notions defined in ISO 1087-1:2000 and the computational notions defined in ISO/IEC 11404:2007. A datum is a designation of a concept with a notion of equality defined for that concept.

3.2.7 data model

graphical and/or lexical representation of *data* ([3.2.6](#)), specifying their properties, structure, and inter-relationships

3.2.8**definition**

representation of a *concept* (3.2.3) by a descriptive statement which serves to differentiate it from related concepts

[SOURCE: ISO 1087-1:2000, 3.3.1]

3.2.9**designation**

representation of a *concept* (3.2.3) by a sign which denotes it

[SOURCE: ISO 1087-1:2000, 3.4.1]

3.2.10**entity**

any concrete or abstract thing that exists, did exist, or might exist, including associations among these things

Note 1 to entry: An entity exists whether data about it are available or not.

EXAMPLE A person, object, event, idea, process, etc.

3.2.11**essential characteristic**

characteristic (3.2.2) which is indispensable to understanding a *concept* (3.2.3)

[SOURCE: ISO 1087-1:2000, 3.2.6]

3.2.12**extension**

<terminology> totality of *objects* (3.2.22) to which a *concept* (3.2.3) corresponds

[SOURCE: ISO 1087-1:2000, 3.2.8]

Note 1 to entry: This term has a different meaning in ISO/IEC 11179-3.

3.2.13**general concept**

concept (3.2.3) which corresponds to two or more *objects* (3.2.22), which form a group by reason of common properties

[SOURCE: ISO 1087-1:2000, 3.2.3]

Note 1 to entry: Examples of general concepts are 'planet', 'tower'.

3.2.14**individual concept**

concept (3.2.3) which corresponds to only one *object* (3.2.22)

[SOURCE: ISO 1087-1:2000, 3.2.2]

Note 1 to entry: Examples of individual concepts are: 'Saturn', 'the Eiffel Tower'.

3.2.15**intension**

<terminology> set of *characteristics* (3.2.2) which makes up the *concept* (3.2.3)

[SOURCE: ISO 1087-1:2000, 3.2.9]

3.2.16**metadata**

data (3.2.6) that defines and describes other data

3.2.17

metadata item

instance of a *metadata object* ([3.2.18](#))

3.2.18

metadata object

object type defined by a *metamodel* ([3.2.20](#))

3.2.19

metadata registry

MDR

information system for registering *metadata* ([3.2.16](#))

3.2.20

metamodel

data model ([3.2.7](#)) that specifies one or more other models, such as data models, process models, ontologies, etc

3.2.21

name

designation ([3.2.9](#)) of an *object* ([3.2.22](#)) by a linguistic expression

3.2.22

object

anything perceivable or conceivable

[SOURCE: ISO 1087-1:2000, 3.1.1]

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Note 1 to entry: Objects may also be material (e.g., an engine, a sheet of paper, a diamond), immaterial (e.g., a conversion ratio, a project plan), or imagined (e.g., a unicorn).

3.2.23

registry item

metadata item ([3.2.17](#)) recorded in a *metadata registry* ([3.2.19](#))

ISO/IEC 11179-1:2015
<https://standards.iteh.ai/catalog/standards/sist/8f5ad81e-5fe0-450d-b95f-79dc01b2d98d/iso-iec-11179-1-2015>

3.2.24

registry metamodel

metamodel ([3.2.20](#)) specifying a *metadata registry* ([3.2.19](#))

3.2.25

terminological system

concept system ([3.2.4](#)) with *designations* ([3.2.9](#)) for each *concept* ([3.2.3](#))

3.3 Alphabetical list of terms used in the metamodel

3.3.1

administered item

registry item ([3.2.23](#)) for which *administrative information* ([3.3.2](#)) is recorded

Note 1 to entry: This entry is defined more generally than it is in ISO/IEC 11179-3.

3.3.2

administrative information

<metadata registry> information about the administration of an item in a *metadata registry* ([3.2.19](#))

EXAMPLE creation date, last change date, origin, change description, explanatory comment