

ETSI EN 302 480 V3.1.1 (2025-04)



**Mobile Communication On Board Aircraft (MCOBA) systems;
Harmonised Standard for access to radio spectrum**

**(<https://standards.iteh.ai>)
Document Preview**

[ETSI EN 302 480 V3.1.1 \(2025-04\)](https://standards.iteh.ai/catalog/standards/etsi/7bcf21a5-4146-4eb6-95b1-0d7f4d59925c/etsi-en-302-480-v3-1-1-2025-04)

<https://standards.iteh.ai/catalog/standards/etsi/7bcf21a5-4146-4eb6-95b1-0d7f4d59925c/etsi-en-302-480-v3-1-1-2025-04>

Reference

REN/MSG-TFES-1138

Keywords

3G, 3GPP, 5G, cellular, digital, E-UTRA, GSM,
LTE, MCOBA, mobile, radio, regulation, UMTS,
UTRA, WCDMA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	8
Foreword.....	8
Modal verbs terminology.....	9
Introduction	9
1 Scope	10
2 References	11
2.1 Normative references	11
2.2 Informative references.....	12
3 Definition of terms, symbols and abbreviations.....	13
3.1 Terms.....	13
3.2 Symbols.....	13
3.3 Abbreviations	13
4 Technical requirements specifications	15
4.1 Environmental profile.....	15
4.2 Conformance requirements	15
4.2.1 Introduction.....	15
4.2.2 GSM-OBTS performance	18
4.2.2.1 GSM-OBTS maximum output power	18
4.2.2.1.1 Definition.....	18
4.2.2.1.2 Limits	18
4.2.2.1.3 Conformance	18
4.2.2.2 GSM-OBTS output RF spectrum.....	18
4.2.2.2.1 Spectrum due to modulation and wideband noise	18
4.2.2.2.2 Spectrum due to switching transients	18
4.2.2.3 GSM-OBTS radio frequency tolerance.....	19
4.2.2.3.1 Definition.....	19
4.2.2.3.2 Limits	19
4.2.2.3.3 Conformance	19
4.2.2.4 GSM-OBTS controlled MS RF power.....	19
4.2.2.4.1 Definition.....	19
4.2.2.4.2 Limits	19
4.2.2.4.3 Conformance	19
4.2.2.5 GSM-OBTS reference sensitivity level.....	19
4.2.2.5.1 Definition.....	19
4.2.2.5.2 Limits	20
4.2.2.5.3 Conformance	20
4.2.2.6 GSM-OBTS unwanted emissions in the spurious domain	20
4.2.2.6.1 Definition.....	20
4.2.2.6.2 Limits	20
4.2.2.6.3 Conformance	20
4.2.3 UTRA-OBTS performance.....	20
4.2.3.1 Conformance compliance.....	20
4.2.3.2 UTRA-OBTS Spectrum Mask	20
4.2.3.2.1 Definition.....	20
4.2.3.2.2 Limits	20
4.2.3.2.3 Conformance	21
4.2.3.3 UTRA-OBTS Adjacent Channel Leakage power Ratio (ACLR).....	21
4.2.3.3.1 Definition.....	21
4.2.3.3.2 Limits	21
4.2.3.3.3 Conformance	21
4.2.3.4 UTRA-OBTS Transmitter spurious emissions.....	21
4.2.3.4.1 Definition.....	21
4.2.3.4.2 Limits	21
4.2.3.4.3 Conformance	22

4.2.3.5	UTRA-OBTS maximum output power	22
4.2.3.5.1	Definition.....	22
4.2.3.5.2	Limits	22
4.2.3.5.3	Conformance	22
4.2.3.6	UTRA-OBTS Transmit intermodulation.....	22
4.2.3.6.1	Definition.....	22
4.2.3.6.2	Limits	23
4.2.3.6.3	Conformance	23
4.2.3.7	UTRA-OBTS Receiver spurious emissions	23
4.2.3.7.1	Definition.....	23
4.2.3.7.2	Limits	23
4.2.3.7.3	Conformance	23
4.2.3.8	UTRA-OBTS Blocking characteristics	24
4.2.3.8.1	Definition.....	24
4.2.3.8.2	Limits	24
4.2.3.8.3	Conformance	24
4.2.3.9	UTRA-OBTS Receiver intermodulation characteristics	24
4.2.3.9.1	Definition.....	24
4.2.3.9.2	Limits	24
4.2.3.9.3	Conformance	24
4.2.3.10	UTRA-OBTS Receiver adjacent channel selectivity	25
4.2.3.10.1	Definition.....	25
4.2.3.10.2	Limits	25
4.2.3.10.3	Conformance	25
4.2.3.11	UTRA-OBTS controlled UE RF power	25
4.2.3.11.1	Definition.....	25
4.2.3.11.2	Limits	25
4.2.3.11.3	Conformance	25
4.2.3.12	UTRA-OBTS reference sensitivity level	26
4.2.3.12.1	Definition.....	26
4.2.3.12.2	Limit	26
4.2.3.12.3	Conformance	26
4.2.4	E-UTRA-OBTS performance	26
4.2.4.1	Conformance compliance.....	26
4.2.4.2	E-UTRA-OBTS operating band unwanted emissions	26
4.2.4.2.1	Definition.....	26
4.2.4.2.2	Limits	26
4.2.4.2.3	Conformance	26
4.2.4.3	E-UTRA-OBTS Adjacent Channel Leakage power Ratio (ACLR).....	27
4.2.4.3.1	Definition.....	27
4.2.4.3.2	Limits	27
4.2.4.3.3	Conformance	27
4.2.4.4	E-UTRA-OBTS transmitter spurious emissions	27
4.2.4.4.1	Definition.....	27
4.2.4.4.2	Limits	28
4.2.4.4.3	Conformance	28
4.2.4.5	E-UTRA-OBTS maximum output power	28
4.2.4.5.1	Definition.....	28
4.2.4.5.2	Limits	28
4.2.4.5.3	Conformance	28
4.2.4.6	E-UTRA-OBTS transmit intermodulation	28
4.2.4.6.1	Definition.....	28
4.2.4.6.2	Limits	28
4.2.4.6.3	Conformance	29
4.2.4.7	E-UTRA-OBTS receiver spurious emissions.....	29
4.2.4.7.1	Definition.....	29
4.2.4.7.2	Limits	29
4.2.4.7.3	Conformance	29
4.2.4.8	E-UTRA-OBTS Blocking characteristics	29
4.2.4.8.1	Definition.....	29
4.2.4.8.2	Limits	29
4.2.4.8.3	Conformance	29

4.2.4.9	E-UTRA-OBTS receiver intermodulation characteristics.....	29
4.2.4.9.1	Definition.....	29
4.2.4.9.2	Limits	29
4.2.4.9.3	Conformance	30
4.2.4.10	E-UTRA-OBTS Adjacent Channel Selectivity (ACS) and narrow-band blocking.....	30
4.2.4.10.1	Definition.....	30
4.2.4.10.2	Limits	30
4.2.4.10.3	Conformance	30
4.2.4.11	E-UTRA-OBTS controlled UE RF power	30
4.2.4.11.1	Definition.....	30
4.2.4.11.2	Limits	30
4.2.4.11.3	Conformance	30
4.2.4.12	E-UTRA-OBTS reference sensitivity level.....	31
4.2.4.12.1	Definition.....	31
4.2.4.12.2	Limits	31
4.2.4.12.3	Conformance	31
4.2.5	NCU Transmitter Performance	31
4.2.5.1	NCU maximum mean power spectral density.....	31
4.2.5.1.1	Definition.....	31
4.2.5.1.2	Limits	31
4.2.5.1.3	Conformance	31
4.2.5.2	NCU power flatness	31
4.2.5.2.1	Definition.....	31
4.2.5.2.2	Limits	32
4.2.5.2.3	Conformance	32
4.2.5.3	NCU out-of-band emissions.....	32
4.2.5.3.1	Definition.....	32
4.2.5.3.2	Limits	32
4.2.5.3.3	Conformance	32
4.2.5.4	NCU spurious emissions	32
4.2.5.4.1	Definition.....	32
4.2.5.4.2	Limits	33
4.2.5.4.3	Conformance	33
4.2.6	MCOBA system performance.....	33
4.2.6.1	MCOBA Unwanted emissions in the out-of-band domain	33
4.2.6.1.1	Definition.....	33
4.2.6.1.2	Limits	33
4.2.6.1.3	Conformance	33
4.2.6.2	MCOBA Unwanted emissions in the spurious domain.....	34
4.2.6.2.1	Definition.....	34
4.2.6.2.2	Limits	34
4.2.6.2.3	Conformance	34
4.2.6.3	MCOBA Cessation of emission	34
4.2.6.3.1	Definition.....	34
4.2.6.3.2	Specification.....	34
4.2.6.3.3	Conformance	34
4.2.7	NR-OBTS performance	34
4.2.7.1	Conformance compliance.....	34
4.2.7.2	NR-OBTS operating band unwanted emissions.....	35
4.2.7.2.1	Definition and applicability.....	35
4.2.7.2.2	Limits	35
4.2.7.2.3	Conformance	35
4.2.7.3	NR-OBTS Adjacent Channel Leakage power Ratio (ACLR).....	35
4.2.7.3.1	Definition.....	35
4.2.7.3.2	Limits	35
4.2.7.3.3	Conformance	35
4.2.7.4	NR-OBTS transmitter spurious emissions	36
4.2.7.4.1	Definition.....	36
4.2.7.4.2	Limits	36
4.2.7.4.3	Conformance	36
4.2.7.5	NR-OBTS output power	36
4.2.7.5.1	Definition.....	36

4.2.7.5.2	Limits	36
4.2.7.5.3	Conformance	36
4.2.7.6	NR-OBTS transmit intermodulation	37
4.2.7.6.1	Definition.....	37
4.2.7.6.2	Limits	37
4.2.7.6.3	Conformance	37
4.2.7.7	NR-OBTS receiver spurious emissions.....	37
4.2.7.7.1	Definition.....	37
4.2.7.7.2	Limits	37
4.2.7.7.3	Conformance	37
4.2.7.8	NR-OBTS blocking characteristics	37
4.2.7.8.1	Definition.....	37
4.2.7.8.2	Limits	37
4.2.7.8.3	Conformance	38
4.2.7.9	NR-OBTS receiver intermodulation characteristics.....	38
4.2.7.9.1	Definition.....	38
4.2.7.9.2	Limits	38
4.2.7.9.3	Conformance	38
4.2.7.10	NR-OBTS Adjacent Channel Selectivity (ACS) and narrow-band blocking.....	38
4.2.7.10.1	Definition.....	38
4.2.7.10.2	Limits	38
4.2.7.10.3	Conformance	38
4.2.7.11	NR-OBTS controlled UE RF power	38
4.2.7.11.1	Definition.....	38
4.2.7.11.2	Limits	39
4.2.7.11.3	Conformance	39
4.2.7.12	NR-OBTS reference sensitivity level.....	39
4.2.7.12.1	Definition.....	39
4.2.7.12.2	Limits	39
4.2.7.12.3	Conformance	39
5	Testing for compliance with technical requirements.....	39
5.1	Environmental conditions for testing	39
5.2	Essential radio test suites.....	39
5.2.0	Measurement options.....	39
5.2.1	GSM-OBTS Performance.....	40
5.2.1.1	GSM-OBTS controlled UE/MS RF power	40
5.2.1.1.1	Test purpose	40
5.2.1.1.2	Methods of measurement.....	40
5.2.2	UTRA-OBTS Transmitter Performance	42
5.2.2.1	UTRA-OBTS controlled UE RF power	42
5.2.2.1.1	Test purpose	42
5.2.2.1.2	Methods of measurement.....	42
5.2.3	E-UTRA-OBTS Transmitter Performance	43
5.2.3.1	E-UTRA-OBTS-controlled UE RF power	43
5.2.3.1.1	Test Purpose	43
5.2.3.1.2	Test Procedure.....	43
5.2.4	NCU Transmitter Performance	44
5.2.4.1	NCU maximum mean power spectral density.....	44
5.2.4.1.1	Test purpose	44
5.2.4.1.2	Methods of measurement.....	44
5.2.4.2	NCU power flatness	45
5.2.4.2.1	Test purpose	45
5.2.4.2.2	Methods of measurement.....	45
5.2.5	MCOPA Transmitter Performance.....	46
5.2.5.1	MCOPA Unwanted emissions in the out-of-band domain	46
5.2.5.1.1	Test purpose	46
5.2.5.1.2	Methods of measurement.....	46
5.2.5.2	MCOPA Unwanted emissions in the spurious domain.....	48
5.2.5.2.1	Test purpose	48
5.2.5.2.2	Methods of measurement.....	48
5.2.5.3	MCOPA Cessation of emissions.....	49

5.2.5.3.1	Test purpose	49
5.2.5.3.2	Methods of measurement.....	49
5.2.6	NR-OBTS Transmitter Performance	50
5.2.6.1	NR-OBTS-controlled UE RF power	50
5.2.6.1.1	Test Purpose	50
5.2.6.1.2	Test Procedure	50
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	52
Annex B (normative):	Environmental conditions	55
B.1	General	55
B.2	Environmental conformance requirements.....	55
B.3	Environmental test conditions	55
Annex C (informative):	System Description	56
C.1	High level System Description.....	56
C.2	OBTS.....	57
C.3	RF Screening.....	57
C.4	Dedicated antenna system	58
C.5	Dedicated antenna installation.....	58
C.6	MCOBA system states	58
Annex D (informative):	Maximum measurement uncertainty	60
Annex E (informative):	Selection of receiver parameters.....	61
E.0	Introduction	61
E.1	Receiver sensitivity	61
E.2	Receiver co-channel rejection	61
E.3	Receiver adjacent channel selectivity.....	61
E.4	Receiver spurious response rejection	61
E.5	Receiver blocking.....	61
E.6	Receiver radio-frequency intermodulation.....	62
E.7	Receiver dynamic range	62
E.8	Receiver unwanted emissions in the spurious domain	62
Annex F (informative):	Bibliography.....	63
Annex G (informative):	Change history	64
History		65