



SLOVENSKI STANDARD
SIST EN 203-2-1:2015/oprA1:2017
01-julij-2017

Plinske naprave za gostinstvo - 2-1. del: Posebne zahteve - Odprti gorilniki in vok gorilniki

Gas heated catering equipment - Part 2-1: Specific requirements - Open burners and wok burners

Großküchengeräte für gasförmige Brennstoffe - Teil 2-1: Spezifische Anforderungen - Offene Brenner und Wok-Brenner

Appareils de cuisson professionnels utilisant les combustibles gazeux - Partie 2-1 : Exigences particulières - Brûleurs découverts et woks

Ta slovenski standard je istoveten z: EN 203-2-1:2014/prA1

ICS:

97.040.20	Štedilniki, delovni pulti, pečice in podobni aparati	Cooking ranges, working tables, ovens and similar appliances
-----------	--	--

SIST EN 203-2-1:2015/oprA1:2017 **en**

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
EN 203-2-1:2014
prA1

June 2017

ICS 97.040.20

English Version

Gas heated catering equipment - Part 2-1: Specific requirements - Open burners and wok burners

Appareils de cuisson professionnels utilisant les combustibles gazeux - Partie 2-1 : Exigences particulières - Brûleurs découverts et woks

Großküchengeräte für gasförmige Brennstoffe - Teil 2-1: Spezifische Anforderungen - Offene Brenner und Wok-Brenner

This draft amendment is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 106.

This draft amendment A1, if approved, will modify the European Standard EN 203-2-1:2014. If this draft becomes an amendment, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration.

This draft amendment was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	3
1 Modification to 7.6.2.104, Abnormal use reasonably foreseeable.....	4
2 Modification to 7.101.1, General	4

European foreword

This document (EN 203-2-1:2014/prA1:2017) has been prepared by Technical Committee CEN/TC 106 “Large kitchen appliances using gaseous fuels”, the secretariat of which is held by AFNOR.

This document is currently submitted to the CEN Enquiry.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA of the mother standard.

EN 203-2-1:2014/prA1:2017 (E)

1 Modification to 7.6.2.104, Abnormal use reasonably foreseeable

Replace the first paragraph:

"An additional test is carried out using the largest standardised pan according to EN 631-1, type GN 2/1, 100 mm high, filled with water (50 mm high) and placed on the burners."

with:

"An additional test is carried out using the standardized pan according to EN 631-1 (without using the special support defined in EN 631-2), type GN 2/1, 100 mm high, filled with water (50 mm high) and placed on the burners."

2 Modification to 7.101.1, General

Delete the first paragraph:

"For this test the ambient temperature shall be maintained between 20 °C and 25 °C."