
**Intelligent transport systems —
Framework for cooperative telematics
applications for regulated vehicles
(TARV) —**

**Part 14:
Vehicle access control**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Systèmes intelligents de transport — Cadre pour applications
télématiques collaboratives pour véhicules réglementés (TARV) —*

Partie 14: Contrôle de l'accès des véhicules

<https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-fb047176e28e/iso-15638-14-2014>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 15638-14:2014
<https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-fb047176e28e/iso-15638-14-2014>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction.....	vi
1 Scope.....	1
2 Conformance.....	1
3 Normative references.....	1
4 Terms and definitions.....	2
5 Symbols and abbreviated terms.....	7
6 General overview and framework requirements.....	9
7 Requirements for services using generic vehicle data.....	9
8 Application services that require data in addition to basic vehicle data.....	9
8.1 General.....	9
8.2 Quality of service requirements.....	9
8.3 Test requirements.....	9
8.4 Marking, labelling and packaging.....	10
9 Common features of regulated TARV application services.....	10
9.1 General.....	10
9.2 Common role of the jurisdiction, approval authority, service provider, and user.....	11
9.3 Common characteristics for instantiations of regulated application services.....	11
9.4 Common sequence of operations for regulated application services.....	11
9.5 Quality of service.....	11
9.6 Information security.....	12
9.7 Data naming content and quality.....	12
9.8 Software engineering quality systems.....	12
9.9 Quality monitoring station.....	12
9.10 Audits.....	12
9.11 Data access control policy.....	12
9.12 Approval of IVSs and service providers.....	12
10 Vehicle access control (VAC).....	12
10.1 TARV VAC service description and scope — VAC use cases.....	12
10.2 Concept of operations for vehicle access control.....	13
10.3 Sequence of operations for TARV VAC.....	26
10.4 Generic TARV VAC data naming content and quality.....	28
10.5 Specific TARV VAC data naming content and quality.....	28
10.6 TARV VAC application service specific provisions for quality of service.....	28
10.7 TARV VAC application service specific provisions for test requirements.....	29
10.8 TARV VAC application specific rules for the approval of IVSs and ‘service providers’.....	29
11 Declaration of patents and intellectual property.....	29
Annex A (informative) ASN.1 modules for ISO 15638-14 data concepts.....	30
Annex B (informative) Independent testing of the protocols defined in this part of ISO 15638.....	32
Bibliography.....	48

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*.

This first edition cancels and replaces ISO/TS 15638-14:2013.¹⁴

<https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-716225c40165/iso-15638-14-2014>

ISO 15638 consists of the following parts, under the general title *Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV)*:

- Part 1: *Framework and architecture*
- Part 2: *Common platform parameters using CALM*
- Part 3: *Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*
- Part 5: *Generic vehicle information*
- Part 6: *Regulated applications*
- Part 7: *Other applications*
- Part 8: *Vehicle access management and monitoring*
- Part 9: *Remote electronic tachograph monitoring (RTM)*
- Part 10: *Emergency messaging system/eCall (EMS)*
- Part 11: *Driver work records*
- Part 12: *Vehicle mass monitoring*
- Part 14: *Vehicle access control*
- Part 15: *Vehicle location monitoring*
- Part 16: *Vehicle speed monitoring*

- *Part 17: Consignment and location monitoring*
- *Part 18: ADR (Dangerous Goods) transport monitoring (ADR)*
- *Part 19: Vehicle parking facilities (VPF)*

The following parts are under preparation:

- *Part 4: System security requirements*
- *Part 13: 'Mass' information for jurisdictional control and enforcement*

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[ISO 15638-14:2014](https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-fb047176e28e/iso-15638-14-2014)

<https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-fb047176e28e/iso-15638-14-2014>

Introduction

Many ITS technologies have been embraced by commercial transport *operators* (4.36) and freight owners, in the areas of fleet management, safety and security. *Telematics* (4.48) applications have also been developed for governmental use. Such regulatory services in use or being considered vary from *jurisdiction* (4.32) to *jurisdiction*, but include electronic on-board recorders, digital *tachograph* (4.47), on-board *mass* (4.34) monitoring, ‘mass’ penalties and levies, vehicle *access* (4.1) *methods*, *hazardous goods* (4.22) tracking, and e-call. Additional applications with a regulatory impact being developed include, fatigue management, speed monitoring, and heavy vehicle penalties imposed based on location, distance, and time.

In such an emerging environment of regulatory and *commercial applications* (4.17), it is timely to consider an overall *architecture* (4.12) (business and functional) that could support these functions from a single platform within a commercial freight vehicle that operate within such regulations. International Standards will allow for a speedy development and *specification* (4.46) of new applications that build upon the functionality of a generic specification platform. A suite of standards deliverables is required to describe and define the *framework* (4.28) and requirements so that the on board equipment and back office systems can be commercially designed in an open market to meet common requirements of *jurisdictions* (4.32).

This International Standard addresses and defines the *framework* (4.28) for a range of cooperative *telematics* (4.48) applications for *regulated commercial freight vehicles* (4.40) [such as *access methods* (4.3), driver fatigue management, speed monitoring, on-board *mass* (4.34) monitoring, penalties and levies]. The overall scope includes the concept of operation, legal and regulatory issues, and the generic cooperative provision of services to *regulated vehicles*, using an on-board ITS platform. The *framework* is based on a (multiple) *service provider* (4.44) oriented approach with provisions for the *approval* (4.9) and *auditing* (4.13) of *service providers*.

This International Standard will

- provides the basis for future development of cooperative *telematics* (4.48) applications for *regulated vehicles* (4.40). Many elements to accomplish this are already available. Existing relevant standards will be referenced, and the *specifications* (4.46) will use existing standards (such as *CALM*) wherever practicable,
- allows for a powerful platform for highly cost-effective delivery of a range of *telematics* applications for *regulated vehicles*,
- provide a business *architecture* (4.12) based on a (multiple) *service provider* (4.44) oriented approach, and
- addresses legal and regulatory aspects for the *approval* (4.9) and *auditing* (4.13) of *service providers*.

This International Standard is timely as many governments (Europe, North America, Asia, and Australia/New Zealand) are considering the use of *telematics* (4.48) for a range of regulatory purposes. Ensuring that a single in-vehicle platform can deliver a range of services to both government and industry through open standards and competitive markets is a strategic objective.

This part of ISO 15638 provides *specifications* (4.46) for vehicle access control.

NOTE 1 The definition of what comprises a “regulated commercial freight vehicle” is regarded as an issue for national decision, and may vary from *jurisdiction* (4.32) to *jurisdiction*. This International Standard does not impose any requirements on nations in respect of how they define a *regulated vehicle* (4.40).

NOTE 2 The definition of what comprises a “regulated” service is regarded as an issue for national decision, and may vary from *jurisdiction* (4.32) to *jurisdiction*. This International Standard does not impose any requirements on nations in respect of which services for *regulated vehicles* (4.40) *jurisdictions* will require, or support as an option, but will provide standardized sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where implemented.

Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV) —

Part 14: Vehicle access control

1 Scope

This part of ISO 15638 addresses the provision of “*vehicle access control*” and specifies the form and content of such data required to support such systems, and *access methods* (4.3) to that data.

The scope of this part of ISO 15638 is to provide *specifications* (4.46) for common communications and data exchange aspects of the *application service* (4.6) vehicle access control that a regulator may elect to require or support as an option, including

- a) high-level definition of the service that a *service provider* (4.44) has to provide, [The service definition describes common service elements; but does not define the detail of how such an *application service* (4.6) is instantiated, not the acceptable value ranges of the data concepts defined.],
- b) means to realize the service, and
- c) application data, naming content and quality that an *IVS* (4.29) has to deliver.

The definition of what comprises a “regulated” service is regarded as an issue for National decision, and may vary from *jurisdiction* (4.32) to *jurisdiction*. This International Standard does not impose any requirements on nations in respect of which services for *regulated commercial freight vehicles* (4.40) *jurisdictions* will require, or support as an option, but provides standardized sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where instantiated.

This International Standard has been developed for use in the context of *regulated commercial freight vehicles* (4.40). There is nothing however to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

2 Conformance

Requirements to demonstrate conformance to any of the general provisions or specific *application services* (4.6) described in this part of ISO 15638 shall be within the regulations imposed by the *jurisdiction* (4.32) where they are instantiated. Conformance requirements to meet the provisions of this International Standard are therefore deemed to be under the control of, and to the specification of, the *jurisdiction* where the *application service(s)* is/are instantiated.

The protocols defined in this part of ISO 15638 have been independently tested. [Annex B](#) provides results of these tests. In any conformance assurance process undertaken by candidate systems, where appropriate, the results may be used as part of its process of conformance compliance.

3 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15638-14:2014(E)

ISO 15638-1, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 1: Framework and architecture*

ISO 15638-2, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 2: Common platform parameters using CALM*

ISO 15638-3, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*

ISO 15638-4:—¹⁾, *Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV) — System security requirements*

ISO 15638-5, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 5: Generic vehicle information*

ISO 15638-6, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 6: Regulated applications*

ISO 15638-8, *Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV) — Part 8: Vehicle access management*

4 Terms and definitions

For the purposes of this document, the following terms and definitions given in ISO 15638-1 and the following apply.

4.1 access

admittance, entry, permit to use the road network and/or associated infrastructure (bridges, tunnels etc.)

<https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-fb047176e28e/iso-15638-14-2014>

4.2 access control

procedures and measures to control admittance, entry, permit to use the road network and/or associated infrastructure (bridges, tunnels etc.)

4.3 access methods

procedures and protocols to provision and retrieve data

4.4 access monitoring

observation and recording of vehicle related data when using the road network and/or associated infrastructure (bridges, tunnels etc.)

4.5 app

small (usually) Java™²⁾ applets, organized as software bundles, that support *application services* (4.6) by keeping the *data pantry* (4.23) of the *IVS* (4.29) provisioned with up-to-date data

4.6 application service

service provided by a *service provider* (4.44) enabled by accessing data from the *IVS* (4.29) of a *regulated vehicle* (4.40) via a wireless communications network

1) To be published.

2) This information is given for the convenience of users of this document and does not constitute an endorsement by ISO.

4.7**application service provider****ASP**

party that provides an *application service* (4.6)

4.8**app library**

separately secure area of memory in *IVS* (4.29) where apps are stored (with different access controls to *data pantry* (4.23))

4.9**approval**

formal affirmation that an applicant has satisfied all the requirements for appointment as an *application service provider* (4.7) or that an *application service* (4.6) delivers the required service levels

4.10**approval agreement**

written agreement made between an *approval authority (regulatory)* (4.11) and a *service provider* (4.44)

Note 1 to entry: *Approval authority (regulatory)* (4.11) approval agreement recognizes the fact that a *service provider* (4.44), having satisfied the *approval authority's* requirements for appointment as a *service provider*, is appointed in that capacity, and sets out the legal obligations of the parties, with respect to the on-going role of the *service provider*.

4.11**approval authority (regulatory)**

organization (usually independent) which conducts *approval* (4.9) and ongoing *audit* (4.13) for *service providers* (4.44) on behalf of a *jurisdiction* (4.32)

4.12**architecture**

formalized description of the design of the structure of *TARV* and its framework (4.28)

4.13**audit****auditing**

review of a party's capacity to meet, or continue to meet, the initial and on-going *approval agreements* (4.10) as a *service provider* (4.44)

4.14**basic vehicle data**

data that shall be maintained/provided by all *IVS* (4.29) regardless of *jurisdiction* (4.32)

4.15**BigBubble**

zones, such as metropolitan area, which include within them several *sensitive/restricted zones* (4.42)

4.16**communications access for land mobiles****CALM**

layered solution that enables continuous or quasi continuous communications between vehicles and the infrastructure, or between vehicles, using such (multiple) wireless telecommunications media that are available in any particular location, and which have the ability to migrate to a different available media where required and where media selection is at the discretion of *user* (4.49) determined parameters, by using a suite of International Standards based on ISO 21217 (*CALM* architecture) and ISO 21210 (*CALM* networking), that provide a common platform for a number of standardized media using *ITS-stations* (4.31) to provide wireless support for applications, such that the application is independent of any particular wireless medium

4.17

commercial application(s)

ITS applications in *regulated vehicles* (4.40) for commercial (non-regulated) purposes

EXAMPLE Asset tracking, vehicle and engine monitoring, cargo security, driver management, etc.

4.18

consignment and load monitoring

monitoring of shipment of goods/cargo throughout or at specific points of a journey to a destination

4.19

controlled zone

controlled access zone

defined physical area which the *jurisdiction* (4.32) or controlled zone manager determines require *access control* (4.2) for *regulated vehicles* (4.40)

4.20

cooperative ITS

C-ITS

ITS applications for both regulatory and commercial purposes that require the exchange of data between uncontracted parties using multiple *ITS-stations* (4.31) communicating with each other and sharing data with other parties with whom they have no direct contractual relationship to provide one or more *ITS services* (4.29)

4.21

core data

basic vehicle data (4.14) plus any additional data required to provide an implemented *regulated application service* (4.39)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

4.22

dangerous goods

hazardous goods

HAZMAT

substances or articles which are potentially hazardous (for example, poisonous to humans, harmful to the environment, explosive, flammable, or radioactive) that require regulatory control when transported

ISO 15638-14:2014
<https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-fb047176e28e/iso-15638-14-2014>

4.23

data pantry

secure area of memory in *IVS* (4.29) where data values are stored with different access controls to *app library* (4.8)

4.24

driver

person driving the *regulated vehicle* (4.40) at any specific point in time

4.25

driver work records

DWR

collection, collation, and transfer of *driver* (4.24) work and rest hours data from an *in-vehicle system* (4.29) to an *application service provider* (4.7)

4.26

emergency message system

EMS

collection, collation, and transfer of emergency message data from an *in-vehicle system* (4.29) to an *application service provider* (4.7)

4.27

facilities

layer that sits on top of the communication stack and helps to provide data interoperability and reuse, and to manage applications and enable dynamic real time loading of new applications

4.28**framework**

particular set of beliefs, ideas referred to in order to describe a scenario or solve a problem

4.29**in-vehicle system****IVS**

ITS-station (4.31) and connected equipment on board a vehicle

4.30**ITS service**

communication functionality offered by an *ITS-station* (4.31) to an *ITS-station* application

4.31**ITS-station****ITS-s**

entity in a communication network, comprised of application, *facilities* (4.27), networking, and access layer components specified in ISO 21217 that operate within a bounded secure management domain

4.32**jurisdiction**

government, road, or traffic authority which owns the *regulatory applications* (4.38)

EXAMPLE Country, state, city council, road authority, government department (customs, treasury, transport), etc.

4.33**local data tree****LDT**

frequently updated data concept stored in the on-board *data pantry* (4.23) containing a collection of data values deemed essential for either a) *TARV-regulated application service* (4.39), or b) *cooperative intelligent transport systems* (4.20)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 15638-14:2014
https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-fb047176e28e/iso-15638-14-2014

4.34**mass**

mass of a given heavy vehicle as measured by equipment affixed to the *regulated vehicle* (4.40)

4.35**'mass' information for jurisdictional control and enforcement****MICE****MRC**

collection, collation, and transfer of vehicle *mass* (4.34) data from an *in-vehicle system* (4.29) to an *application service provider* (4.7) to enable data provision to *jurisdictions* (4.32) for the control and management of equipped vehicles based on the *mass* of the *regulated vehicle* (4.40), or use of such data to enable compliance with the provisions of regulations

4.36**operator**

fleet manager of a *regulated vehicle* (4.40)

4.37**prime service provider**

service provider (4.44) who is the first contractor to provide *regulated application services* (4.39) to the *regulated vehicle* (4.40), or a nominated successor on termination of that initial contract; the prime service provider is also responsible to maintain the installed *IVS* (4.29); if the *IVS* was not installed during the manufacture of the vehicle the prime service provider is also responsible to install and commission the *IVS*

4.38

**regulated application
regulatory application**

application arrangement using TARV utilized by *jurisdictions* (4.32) for granting certain categories of commercial vehicles rights to operate in regulated circumstances subject to certain conditions, or indeed to permit a vehicle to operate within the *jurisdiction*; may be mandatory or voluntary at the discretion of the *jurisdiction*

4.39

regulated application service

TARV application service (4.6) to meet the requirements of a regulated application that is mandated by a regulation imposed by a *jurisdiction* (4.32), or is an option supported by a *jurisdiction*

4.40

**regulated commercial freight vehicle
regulated vehicle**

vehicle that is subject to regulations determined by the *jurisdiction* (4.32) as to its use on the road system of the *jurisdiction* in regulated circumstances, subject to certain conditions, and in compliance with specific regulations for that class of regulated vehicle; at the option of *jurisdictions*; this may require the provision of information via TARV or provide the option to do so

4.41

**remote tachograph monitoring
RTM**

collection, collation, and transfer of data from an on-board electronic tachograph (4.47) system to an application service provider (4.7)

4.42

sensitive/restricted zone

defined physical area which the *jurisdiction* (4.32) or sensitive/restricted zone manager determines require special monitoring (e.g. urban pedestrian areas, school and hospital surroundings, ...), freight villages, ports, road sensitivity infrastructure (bridges, tunnels, ...), weight restricted areas, width restricted areas, areas where there has been an accident or incident, etc.

4.43

sensitive/restricted zone management

monitoring and management of *regulated vehicles* (4.40) in additional to normal traffic management, as specified by the *jurisdiction* (4.32) or its agents to apply to *regulated vehicles*

4.44

service provider

party which is approved by an approval authority (regulatory) (4.11) as suitable to provide regulated or commercial ITS application services (4.6)

4.45

session

wireless communication exchange between the ITS-station (4.31) of an IVS (4.29) and the ITS-station of its application service provider (4.7) to achieve data update, data provision, upload apps, or otherwise manage the provision of the application service (4.6), or a wireless communication provision of data to the ITS-station of an IVS (4.29) from any other ITS-station

4.46

specification

explicit and detailed description of the nature and functional requirements and minimum performance of equipment, service, or a combination of both

4.47**tachograph**

sender unit mounted to a vehicle gearbox, a tachograph head, and a digital driver card, which records the *regulated vehicle* (4.40) speed and the times at which it was driven and aspects of the *driver's* (4.24) activity selected from a choice of modes

4.48**telematics**

use of wireless media to obtain and transmit (data) from a distant source

4.49**user**

individual or party that enrolls in and operates within a regulated or *commercial application* (4.17) service

EXAMPLE *Driver* (4.24), *transport operator* (4.36), freight owner, etc.

4.50**vehicle access control****VAC**

control of *regulated commercial freight vehicles* (4.40) ingress to and egress from controlled areas and associated penalties and levies

4.51**vehicle access management****VAM**

monitoring and management of *regulated vehicles* (4.40) approaching or within sensitive and controlled areas

4.52**vehicle location monitoring****VLM**

collection, collation, and transfer of vehicle location data from an *in-vehicle system* (4.29) to an *application service provider* (4.7)

4.53**vehicle mass monitoring****VMM**

collection, collation, and transfer of vehicle *mass* (4.34) data from an *in-vehicle system* (4.29) to an *application service provider* (4.7)

4.54**vehicle parking facility****VPF**

system for booking and *access* (4.1) to and egress from a vehicle parking facility (VPF)

4.55**vehicle speed monitoring****VSM**

collection, collation, and transfer of vehicle speed data from an *in-vehicle system* (4.29) to an *application service provider* (4.7)

5 Symbols and abbreviated terms

AA *approval authority (regulatory)* (4.11)

ADR *Accord Européen relatif au transport international des marchandises Dangereuses par Route* [dangerous goods (4.22)]

app applet (JavaTM application or similar) (4.5)

ISO 15638-14:2014(E)

AS	application service
ASP	<i>application service provider (4.7)</i>
CALM	<i>communications access for land mobiles (4.16)</i>
C-ITS	<i>cooperative intelligent transport systems (4.20)</i>
CZM	<i>controlled access zone (4.19) management/manager</i>
Dr	<i>driver (4.24)</i>
DWR	<i>driver work records (4.25)</i>
EMS	<i>emergency message system (4.26)</i>
ID	identity
IP	internet protocol
ITS-S	<i>ITS station (4.31)</i>
IVS	<i>in-vehicle system (4.29)</i>
J	<i>jurisdiction (4.32)</i>
Java™ ^a	object-oriented open-source operating language developed by SUN systems
LDT	<i>local data tree (4.33)</i>
MICE/ MRC	<i>'Mass' information for jurisdictional control and enforcement (4.35) / 'Mass' regulation and control</i> ISO 15638-14:2014
Op	<i>operator (4.36)</i> https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-fb047176e28e/iso-15638-14-2014
PSP	<i>prime service provider (4.36)</i>
RTM	<i>remote tachograph monitoring (4.40)</i>
SE	service element
SPF	secure parking facility
SZM	<i>sensitive/restricted zone management (4.43) / manager</i>
TARV	<i>telematics (4.48) applications for regulated vehicles (4.40)</i>
VAC	<i>vehicle access control (4.50)</i>
VAM	<i>vehicle access management (4.51)</i>
VLM	<i>vehicle location monitoring (4.52)</i>
VMM	<i>vehicle mass monitoring (4.53)</i>
VPF	<i>vehicle parking facilities (4.54)</i>
VSM	<i>vehicle speed monitoring (4.55)</i>

^a This information is given for the convenience of users of this document and does not constitute an endorsement by ISO.

6 General overview and framework requirements

ISO 15638-1 provides a *framework* (4.28) and *architecture* (4.12) for *TARV*. It provides a general description of the roles of the actors in *TARV* and their relationships.

To understand clearly the *TARV* framework, *architecture* (4.12), and detail and *specification* (4.46) of the roles of the actors involved, the reader is referred to ISO 15638-1.

ISO 15638-6 provides the core requirements for all regulated applications. To understand clearly the general context in to which the provision of this application service, the reader is referred to ISO 15638-6.

In order to be compliant with this part of ISO 15638, the overall architecture employed shall comply with ISO 15638-1.

In order to be compliant with this part of ISO 15638, the communications employed shall comply with ISO 15638-2.

In order to be compliant with this part of ISO 15638, the operating requirements employed shall comply with ISO 15638-3.

In order to be compliant with this part of ISO 15638, the security employed shall comply with ISO 15638-4.

In order to be compliant with this part of ISO 15638, the basic vehicle data shall comply with ISO 15638-5.

In order to be compliant with this part of ISO 15638, the generic conditions for this application service shall comply with ISO 15638-6.

This International Standard has been developed for use in the context of regulated commercial freight vehicles [hereinafter referred to as *regulated vehicles* (4.40)]. There is nothing, however, to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

iTech STANDARD PREVIEW
<https://standards.iteh.ai/catalog/standards/sist/04eb2bda-993c-466c-9c57-fb047176e28e/iso-15638-14:2014>

7 Requirements for services using generic vehicle data

The means by which the access commands for generic vehicle information specified in ISO 15638-5 can be used to provide all or part of the data required in order to support a *regulated application service* (4.39) shall be as defined in ISO 15638-6.

8 Application services that require data in addition to basic vehicle data

8.1 General

Application services that require data in addition to basic vehicle data shall be conducted as defined in ISO 15638-6.

8.2 Quality of service requirements

This part of ISO 15638 contains no general requirements concerning quality of service. Such aspects shall be determined by a *jurisdiction* (4.32) as part of its *specification* (4.46) for any particular *regulated application service* (4.39). However, where a specified *regulated application service* (4.39) has specific quality of service requirements essential to maintain interoperability, these aspects shall be as specified in [Clause 10](#).

8.3 Test requirements

This part of ISO 15638 contains no general requirements concerning test requirements. Such aspects shall be determined by a *jurisdiction* (4.32) as part of its *specification* (4.46) for any particular *regulated application service* (4.39), and issued as a formal test requirements *specification* (4.46) document.