
**Ophthalmic implants — Intraocular
lenses —**

**Part 9:
Multifocal intraocular lenses**

AMENDMENT 1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Implants ophtalmiques — Lentilles intraoculaires —
Partie 9: Lentilles intraoculaires multifocales*

AMENDEMENT 1
ISO 11979-9:2006/Amd 1:2014

<https://standards.iteh.ai/catalog/standards/sist/7e79c2d4-e680-41d7-9e24-b01321a12ada/iso-11979-9-2006-amd-1-2014>



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 11979-9:2006/Amd.1:2014
<https://standards.iteh.ai/catalog/standards/sist/7e79c2d4-e680-41d7-9e24-b01321a12ada/iso-11979-9-2006-amd-1-2014>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 172, *Optics and photonics*, Subcommittee SC 7, *Ophthalmic optics and instruments*.

[ISO 11979-9:2006/Amd 1:2014](https://standards.iteh.ai/catalog/standards/sist/7e79c2d4-e680-41d7-9e24-b01321a12ada/iso-11979-9-2006-amd-1-2014)

<https://standards.iteh.ai/catalog/standards/sist/7e79c2d4-e680-41d7-9e24-b01321a12ada/iso-11979-9-2006-amd-1-2014>

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

ISO 11979-9:2006/Amd 1:2014

<https://standards.iteh.ai/catalog/standards/sist/7e79c2d4-e680-41d7-9e24-b01321a12ada/iso-11979-9-2006-amd-1-2014>

Ophthalmic implants — Intraocular lenses —

Part 9: Multifocal intraocular lenses

AMENDMENT 1

Page 1, Clause 1

In the first sentence delete “rotationally symmetric”.

Page 1, Clause 2

Delete the following references:

ISO 14155-1, *Clinical investigation of medical devices for human subjects — Part 1: General requirements*

ISO 14155-2, *Clinical investigation of medical devices for human subjects — Part 2: Clinical investigation plans*

Add the following reference:

ISO 14155, *Clinical investigation of medical devices for human subjects — Good clinical practice*

Page 1, Clause 3

Replace “ISO 14155-1 and ISO 14155-2” with “ISO 14155”.

Page 2, Clause 4

Delete 4.1 and 4.2, and replace with:

“The requirements of ISO 11979-3 apply.”

Page 2, Clause 5

Delete 5.1, 5.2, 5.3 and 5.4, and replace with:

“The requirements of ISO 11979-2 apply.”

Page 3, Clause 6

In 6.1 first line, replace “ISO 14155-1” with “ISO 14155”.

In 6.1 second line, replace “ISO 14155-1, ISO 14155-2” with “ISO 14155”.

Page 4, Clause 7

Delete the entire contents of the clause and replace with:

“The requirements of ISO 11979-4 together with ISO 11979-4:2008/Amd.1:2012 apply.”

Page 6, Annex A

Delete the entire contents of this Annex and instead refer to ISO 11979-2.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 11979-9:2006/Amd 1:2014
<https://standards.iteh.ai/catalog/standards/sist/7e79c2d4-e680-41d7-9e24-b01321a12ada/iso-11979-9-2006-amd-1-2014>