

Second edition
2011-06-01

AMENDMENT 2
2012-06-15

**Graphical symbols — Safety colours and
safety signs — Registered safety signs**

AMENDMENT 2:

*Symboles graphiques — Couleurs de sécurité et signaux de sécurité —
Signaux de sécurité enregistrés*

AMENDEMENT 2:

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 7010:2011/Amd 2:2012

<https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8bf-b3c3f83117ae/iso-7010-2011-amd-2-2012>



Reference number
ISO 7010:2011/Amd.2:2012(E)

© ISO 2012

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 7010:2011/Amd 2:2012](https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8bf-b3c3f83117ae/iso-7010-2011-amd-2-2012)

<https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8bf-b3c3f83117ae/iso-7010-2011-amd-2-2012>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 2 to ISO 7010:2011 was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 2, *Safety identification, signs, shapes, symbols and colours*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 7010:2011/Amd 2:2012](https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8bf-b3c3f83117ae/iso-7010-2011-amd-2-2012)

<https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8bf-b3c3f83117ae/iso-7010-2011-amd-2-2012>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 7010:2011/Amd 2:2012](https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8fb-b3c3f83117ae/iso-7010-2011-amd-2-2012)

<https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8fb-b3c3f83117ae/iso-7010-2011-amd-2-2012>

Graphical symbols — Safety colours and safety signs — Registered safety signs


AMENDMENT 2:

IMPORTANT — The colours represented in the electronic file of this International Standard can be neither viewed on screen nor printed as true representations. Although the copies of this International Standard printed by ISO have been produced to correspond (with an acceptable tolerance as judged by the naked eye) to the requirements of ISO 3864-4, it is not intended that these printed copies be used for colour matching. Instead consult ISO 3864-4 which provides colorimetric and photometric properties together with, as a guideline, references from colour order systems.

Add the following safety signs:

- E014: Child seat presence and orientation detection system (CPOD)
- E015: Drinking water
- E020: Emergency stop button
- E022: Door opens by pushing on the left-hand side
- E023: Door opens by pushing on the right-hand side
- M027: Check guard
- P035: Do not wear metal-studded footwear
- P036: No children allowed
- W032: Warning; Rapid movement of workpiece in press brake
- W036: Warning; Fragile roof
- W038: Warning; Sudden loud noise

Safety sign E014: Child seat presence and orientation detection system (CPOD)

	Reference No. <p style="text-align: center;">ISO 7010-E014</p>
	Referent <p style="text-align: center;">Child seat presence and orientation de- tection system (CPOD)</p>
	Function <p>To indicate that a CPOD-equipped child seat can safely be used on a CPOD-equipped passenger seat protected by a frontal airbag</p>
	Image content <p>Vehicle passenger seat, child in rear-facing child seat, dot, three curved lines of increasing size radiating from the dot, filled semi-circle</p>

Hazard

Without a CPOD system, a fully powered vehicle airbag can injure a child in a child seat when the airbag is deployed.

Human behaviour that is intended to be caused after understanding the safety sign's meaning

Installing a CPOD-equipped child seat on a passenger seat protected by a frontal airbag in a vehicle that recognizes the CPOD child seat

Related referents

<https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8bf-b3c3f83117ae/iso-7010-2011-amd-2-2012>

Additional information

This safety sign will be used along with a supplementary sign as part of a label for CPOD-equipped child seats or for vehicles equipped with the CPOD sensing system. These two signs are part of ISO/TS 22239-3.

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.

Safety sign E015: Drinking water

	Reference No. <p style="text-align: center;">ISO 7010-E015</p>
	Referent <p style="text-align: center;">Drinking water</p>
	Function To indicate the location of drinking water
	Image content Tap above glass, two wavy lines

Hazard

Not being able to locate drinking water

Human behaviour that is intended to be caused after understanding the safety sign's meaning

Being aware of the location of a water supply that is suitable for drinking

Related referents


ISO 7010-P005

<https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8bf-b3c3f83117ae/iso-7010-2011-amd-2-2012>
 ISO 7010:2011/Amd 2:2012

Additional information

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.

Safety sign E020: Emergency stop button

	Reference No. <p style="text-align: center;">ISO 7010-E020</p>
	Referent <p style="text-align: center;">Emergency stop button</p>
	Function To indicate the location of an emergency stop button
	Image content Hand over button shape, two lines

Hazard

Not being able to locate an emergency stop button

Human behaviour that is intended to be caused after understanding the safety sign's meaning

Being aware of the location of an emergency stop button

Related referents

—


<https://standards.iteh.ai/catalog/standards/sist/b1570bd7-3bc5-4e35-a8bf-b3c3f83117ae/iso-7010-2011-amd-2-2012>

Additional information

The actuator of the emergency stop device itself is likely to be coloured red (see e.g. ISO 13850, IEC 60601-1).

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.

Safety sign E022: Door opens by pushing on the left-hand side

	Reference No. <p style="text-align: center;">ISO 7010-E022</p>
	Referent <p style="text-align: center;">Door opens by pushing on the left-hand side</p>
	Function <p>To indicate that the door opens by pushing on the left-hand side</p>
	Image content <p>Doorway with door opening outwards, curved arrow pointing to the left</p>

Hazard

Not being able to open the door

Human behaviour that is intended to be caused after understanding the safety sign's meaning

Being aware that the door opens by pushing on the left-hand side

Related referents

ISO 7010-E023, ISO 7010-E033, ISO 7010-E034, ISO 7010-E057, ISO 7010-E058

Additional information

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, a supplementary text sign shall be used to increase comprehension except when the safety sign is supplemented by manuals, instructions or training.

iTeh STANDARD PREVIEW
(standards.iteh.ai)