



Fifth Generation Fixed Network (F5G); F5G Use Cases (standard.iteh.ai)

[ETSI GR F5G 008 V1.1.1 \(2022-06\)](#)

<https://standards.iteh.ai/catalog/standards/sist/b8f58fff-7a18-4c19-b9bd-db1656c480b3/etsi-gr-f5g-008-v1-1-1-2022-06>

Disclaimer

The present document has been produced and approved by the Fifth Generation Fixed Network (F5G) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference
DGR/F5G-008 use casesR2

Keywords
customer premises, cyber security, F5G, fibre,
industry, smart city, use case, X-Haul

ETSI
650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our
Coordinated Vulnerability Disclosure Program:
<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.
All rights reserved.

Contents

Intellectual Property Rights	9
Foreword.....	9
Modal verbs terminology.....	9
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	10
3 Definition of terms, symbols and abbreviations.....	12
3.1 Terms.....	12
3.2 Symbols.....	12
3.3 Abbreviations	12
4 Overview	16
5 Categorization of use cases	16
5.1 Driving the characteristics of F5G.....	16
5.2 Paving the Way for Fibre to Everywhere	17
5.3 Application Area Perspective	18
5.4 Use case structure.....	20
6 Description of use cases, Release 1	21
6.1 Use case #1: Cloud Virtual Reality	21
6.1.1 Use case context	21
6.1.2 Description of the use case	21
6.1.2.1 Overview.....	21
6.1.2.2 Motivation.....	22
6.1.2.3 Pre-conditions	22
6.1.2.4 Operational flow of actions	23
6.2 Use case #2: High Quality Private Line	23
6.2.1 Use case context	23
6.2.2 Description of the use case	23
6.2.2.1 Overview.....	23
6.2.2.1.1 General	23
6.2.2.1.2 Network Components.....	24
6.2.2.1.3 Cloud-based services	26
6.2.2.2 Motivation.....	27
6.2.2.3 Pre-conditions	28
6.2.2.4 Operational flow of actions	28
6.3 Use case #3: High quality low cost private line for small and medium enterprises	29
6.3.1 Use case context	29
6.3.2 Description of the use case	29
6.3.2.1 Overview.....	29
6.3.2.2 Motivation.....	30
6.3.2.3 Pre-conditions	30
6.3.2.4 Operational flow of actions	30
6.4 Use case #4: Fibre on-premises networking: Fibre-to-The-Room (FTTR)	31
6.4.1 Use case context	31
6.4.2 Description of the use case	31
6.4.2.1 Overview.....	31
6.4.2.1.1 General	31
6.4.2.1.2 FTTR for the home area network	32
6.4.2.1.3 FTTR as an extension of FTTB/C for apartment buildings and dense residential areas.....	32
6.4.2.1.4 FTTR for SMEs.....	33
6.4.2.2 Considerations for on-premise devices	33
6.4.2.3 Motivation.....	34
6.4.2.4 Pre-conditions	34

6.5	Use case #5: Passive optical LAN	34
6.5.1	Use case context	34
6.5.2	Description of the use case	35
6.5.2.1	Overview.....	35
6.5.2.1.1	General	35
6.5.2.1.2	Hotel.....	37
6.5.2.1.3	Stadium.....	38
6.5.2.1.4	Holiday Resort.....	39
6.5.2.1.5	Railways/Highways.....	39
6.5.2.1.6	Shopping Centre.....	40
6.5.2.2	Motivation.....	40
6.5.2.3	Pre-condition.....	40
6.6	Use case #6: PON for Industrial Manufacturing	40
6.6.1	Use case context	40
6.6.2	Description of the use case	41
6.6.2.1	Overview.....	41
6.6.2.2	Motivation.....	45
6.6.2.3	Pre-conditions	45
6.7	Use case #7: Using PON for City Public Service.....	46
6.7.1	Use case context	46
6.7.2	Description of the use case	46
6.7.2.1	Overview.....	46
6.7.2.2	Motivation.....	47
6.7.2.3	Pre-conditions	47
6.8	Use case #8: Multiple Access Aggregation over PON	47
6.8.1	Use case context	47
6.8.2	Description of the use case	47
6.8.2.1	Overview.....	47
6.8.2.2	Motivation.....	50
6.8.2.3	Pre-conditions	50
6.9	Use case #9: Extend PON to legacy Ethernet Uplink.....	51
6.9.1	Use case context	51
6.9.2	Description of the use case	51
6.9.2.1	Overview.....	51
6.9.2.1.1	General	51
6.9.2.1.2	DSLAMs - Switches - Routers	51
6.9.2.1.3	Wi-Fi® AP backhaul	52
6.9.2.1.4	Video surveillance backhaul.....	52
6.9.2.1.5	General considerations	53
6.9.2.2	Motivation.....	53
6.9.2.3	Pre-condition.....	53
6.10	Use case #10: Scenario based broadband	53
6.10.1	Use case context	53
6.10.2	Description of the use case	54
6.10.2.1	Overview.....	54
6.10.2.1.1	General	54
6.10.2.1.2	Gaming broadband	55
6.10.2.1.3	Education broadband	56
6.10.2.1.4	Home office broadband	56
6.10.2.1.5	PON leased line	57
6.10.2.2	Motivation.....	58
6.10.2.3	Pre-conditions	58
6.11	Use case #11: Enhanced traffic monitoring and network control in Intelligent Access Network	58
6.11.1	Use case context	58
6.11.2	Description of the use case	59
6.11.2.1	Overview.....	59
6.11.2.2	Motivation.....	60
6.11.2.3	Pre-conditions	60
6.11.2.4	Operational flow of actions	60
6.12	Use case #12: On Demand High Quality Transport for Real time applications	61
6.12.1	Use case context	61
6.12.2	Description of the use case	61

6.12.2.1	Overview	61
6.12.2.2	Motivation	63
6.12.2.3	Pre-conditions	63
6.13	Use case #13: Remote Attestation for Secured Network Elements	63
6.13.1	Use case context	63
6.13.2	Description of the use case	63
6.13.2.1	Overview	63
6.13.2.2	Motivation	64
6.13.2.3	Pre-conditions	65
6.13.2.4	Operational flow of actions	65
6.14	Use case #14: Digitalized ODN/FTTX	66
6.14.1	Use case context	66
6.14.2	Description of the use case	66
6.14.2.1	Overview	66
6.14.2.2	Motivation	67
6.14.2.3	Pre-conditions	68
6.14.2.4	ODN deployment operation flow	68
7	Description of use cases, Release 2	68
7.1	Use case #15: XR-based Virtual Presence	68
7.1.1	Use case context	68
7.1.2	Description of the use case	69
7.1.2.1	Overview	69
7.1.2.2	Motivation	70
7.2	Use case #16: Enterprise private line connectivity to multiple Clouds	70
7.2.1	Use case context	70
7.2.2	Description of the use case	71
7.2.2.1	Overview	71
7.2.2.1.1	General	71
7.2.2.1.2	IP address Management	71
7.2.2.1.3	Cloud Access	72
7.2.2.1.4	Slicing	72
7.2.2.1.5	Network Provisioning	73
7.2.2.1.6	Redundancy and Protection	73
7.2.2.2	Motivation	73
7.2.2.3	Pre-condition	74
7.2.2.4	Operational flow of actions	74
7.3	Use case #17: Premium home broadband connectivity to multiple Clouds	75
7.3.1	Use case context	75
7.3.2	Description of the use case	75
7.3.2.1	Overview	75
7.3.2.1.1	General	75
7.3.2.1.2	Service Establishment	76
7.3.2.1.3	Network Performance	76
7.3.2.1.4	Slicing	77
7.3.2.1.5	Redundancy and Protection	78
7.3.2.2	Motivation	78
7.3.2.3	Pre-condition	79
7.3.2.4	Operational flow of actions	79
7.4	Use case #18: Virtual Music	80
7.4.1	Use case context	80
7.4.2	Description of the use case	80
7.4.2.1	Overview	80
7.4.2.1.1	Latency requirements	80
7.4.2.1.2	Latency contributions in the end to end chain	81
7.4.2.1.3	Impact of network topology on latency	81
7.4.2.1.4	Audio and video channels	82
7.4.2.1.5	Applications state-of-the art	82
7.4.2.2	Motivation	83
7.4.2.3	Pre-condition	84
7.5	Use case #19: Next Generation Digital Twins	84
7.5.1	Use case context	84

7.5.2	Description of the use case	84
7.5.2.1	Overview	84
7.5.2.1.1	Definition of digital twin	84
7.5.2.1.2	Next generation digital twins.....	85
7.5.2.1.3	Domains.....	85
7.5.2.1.4	F5G network challenges	86
7.5.2.2	Motivation	87
7.5.2.3	Pre-conditions	87
7.6	Use case #20: Media Transport	87
7.6.1	Use case context	87
7.6.2	Description of the use case	88
7.6.2.1	Overview	88
7.6.2.2	Motivation	89
7.7	Use case #21: Edge/Cloud-based visual inspection for automatic quality assessment in production	89
7.7.1	Use case context	89
7.7.2	Description of the use case	90
7.7.2.1	Overview.....	90
7.7.2.1.1	General	90
7.7.2.1.2	Video Cameras	91
7.7.2.1.3	Video Analytics and Compute Resource Requirements	92
7.7.2.1.4	Industrial Ethernet over TSN Approach	92
7.7.2.1.5	Automation Control Layer.....	93
7.7.2.2	Motivation	93
7.7.2.3	Pre-condition	93
7.7.2.4	Operational flow of actions	93
7.8	Use case #22: Edge/Cloud-based control of automated guided vehicles (AGV)	94
7.8.1	Use case context	94
7.8.2	Description of the use case	94
7.8.2.1	Overview.....	94
7.8.2.1.1	General	94
7.8.2.1.2	Wireless Network Options.....	95
7.8.2.1.3	Deployment Scenarios	96
7.8.2.2	Motivation.....	96
7.8.2.3	Pre-condition	96
7.9	Use case #23: Cloudification of Medical Imaging	97
7.9.1	Use case context	97
7.9.2	Description of the use case	97
7.9.2.1	Overview.....	97
7.9.2.1.1	General	97
7.9.2.1.2	Key components and data flows	97
7.9.2.1.3	Data Security	99
7.9.2.1.4	Flexible Bandwidth allocation.....	99
7.9.2.2	Motivation.....	101
7.9.2.3	Pre-conditions	101
7.10	Use case #24: F5G for Intelligent Mine	102
7.10.1	Use case context	102
7.10.2	Description of the use case for the mining industry.....	102
7.10.2.1	Overview.....	102
7.10.2.2	Motivation.....	105
7.10.2.3	Pre-condition	106
7.11	Use case #25: Enhanced optical transport network for Data Centre Interconnections	106
7.11.1	Use case context	106
7.11.2	Description of the use case	106
7.11.2.1	Overview.....	106
7.11.2.1.1	General	106
7.11.2.1.2	AZ DCI.....	107
7.11.2.1.3	Region DCI.....	107
7.11.2.1.4	Summarized DCI needs	108
7.11.2.1.5	Suggested optical network enhancements	109
7.11.2.2	Motivation.....	109
7.11.2.3	Pre-conditions	110
7.11.2.4	Operational flow of actions	110

7.12	Use case #26: Enhanced Point to Point optical access	110
7.12.1	Use case context	110
7.12.2	Description of the use case	110
7.12.1.1	Overview.....	110
7.12.2.1.1	General	110
7.12.2.1.2	Supervision.....	111
7.12.2.1.3	Point to point link reach	111
7.12.2.1.4	Optical infrastructure operations	112
7.12.2.2	Motivation.....	113
7.13	Use case #27: Rural Scenarios	113
7.13.1	Use case context	113
7.13.2	Description of the use case	113
7.13.2.1	Overview of P2P (Point to Point) Solutions.....	113
7.13.2.1.1	General	113
7.13.2.1.2	PON P2P FWL HGW (0-10 Customer)	114
7.13.2.1.3	Wireless P2P scenarios.....	114
7.13.2.2	Overview of P2MP (Point to Multi Point) Solutions	115
7.13.2.2.1	General	115
7.13.2.2.2	PON P2MP FWL HGW (0-10 Customer).....	115
7.13.2.2.3	Wireless P2MP scenarios	115
7.13.2.3	Overview of Services	116
7.13.2.4	Motivation.....	116
7.14	Use case #28: High-speed Passive P2MP Network Traffic Aggregation.....	116
7.14.1	Use case context	116
7.14.2	Description of the use case	117
7.14.2.1	Overview.....	117
7.14.2.2	Motivation.....	119
7.14.2.3	Pre-condition.....	119
7.15	Use case #29: Orchestration of B2B services in xPON networks	119
7.15.1	Use case context	119
7.15.2	Description of the use case	120
7.15.2.1	Overview.....	120
7.15.2.2	Motivation.....	121
7.15.2.3	Pre-condition.....	121
7.15.2.4	Operational flow of actions	122
7.16	Use case #30: Bandwidth on Demand	122
7.16.1	Use case context	122
7.16.2	Description of the use case	122
7.16.2.1	Overview.....	122
7.16.2.2	Motivation.....	123
7.16.2.3	Pre-conditions	123
7.16.2.4	Operational flow of actions	123
7.17	Use case #31: Intelligent Optical Cable Management.....	125
7.17.1	Use case context	125
7.17.2	Description of the use case	125
7.17.2.1	Overview.....	125
7.17.2.1.1	General	125
7.17.2.1.2	Key points to be addressed	126
7.17.2.2	Motivation.....	128
7.17.2.3	Pre-condition.....	128
7.17.2.4	Operational flow of actions	128
7.18	Use case #32: AI-based PON optical path diagnosis.....	129
7.18.1	Use case context	129
7.18.2	Description of the use case	129
7.18.2.1	Overview.....	129
7.18.2.1.1	Current issue	129
7.18.2.1.2	Benefits of AI-based PON optical path diagnosis	129
7.18.2.1.3	Implementation	129
7.18.2.2	Motivation.....	130
7.18.2.3	Pre-conditions	130
7.18.2.4	ODN deployment operation flow	131

History	132
---------------	-----

i T h A N D A R D P R E V I

(s t a n d a r d s . i t e h)

E T S I G R F 5 G . 0 0 8 V 1 .
h t t p s : / / s t a n d a r d s . i t e h . g - r f 5 g - 0 0 8 - v 1 - 1 - 1 - 2 0

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the **GSM** logo are trademarks registered and owned by the **GSM Association**.

Foreword

(standards.iteh.ai)

This Group Report (GR) has been produced by ETSI Industry Specification Group (ISG) Fifth Generation Fixed Network (F5G).
<http://standards.iteh.ai/catalog/standards/sist/b8f58fff-7a18-4c19-b9bd-db1656c480b3/etsi-gr-f5g-008-v1-1-1-2022-06>

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document describes the use cases to be enabled by the Fifth Generation Fixed Network (F5G). These use cases include services to residential, business and vertical industry customers as well as functionalities to optimize the management and performance of F5G. These use cases will be used as input to a gap analysis and a technology landscape study, aiming to extract the technical requirements needed for their implementations. The use cases are identified based on their influence on the fixed network architecture and requirements. The context and description of each use case are presented in the present document.

2 References

2.1 Normative references

Normative references are not applicable in the present document.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI GR F5G 001: "Fifth Generation Fixed Network (F5G); F5G Generation Definition Release #1".
<https://standards.iteh.ai/catalog/standards/sist/b8f58fff-7a18-4c19-b9bd-db1656c480b3/etsi-3gppp-tr-38.801>
- [i.2] 3GPPP TR 38.801: "3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Study on new radio access technology: Radio access architecture and interfaces (Release 14)".
- [i.3] Recommendation ITU-T G.987: "10-Gigabit-capable passive optical network (XG-PON) systems: Definitions, abbreviations and acronyms".
- [i.4] AIA Global Association for Vision Information: "GiGE Vision 2.1".
- [i.5] AIA Global Association for Vision Information: "USB3 Vision 1.1".
- [i.6] IEEE 1588TM: "Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems".
- [i.7] IEEE 802.1TM: "Time-Sensitive Networking (TSN) Task Group".

NOTE: Available at <https://1.ieee802.org/tsn/> [accessed Feb. 2018].

- [i.8] IEEE Std 802.1ASTM: "IEEE Standard for Local and Metropolitan Area Networks - Timing and Synchronization for Time-Sensitive Applications", January 2020.
- [i.9] IEC/IEEE 60802: "TSN Profile for Industrial Automation", Draft D1.2, June 2020.
- [i.10] PROFIBUS Nutzerorganisation e. V.: "PROFINET System Description: Technology and Application," Version November 2018, Order Number 4.132.
- [i.11] PROFIBUS Nutzerorganisation e.V.: "PROFINET over TSN Guideline", Version 1.21, June 2020.
- [i.12] IEC 62541: "OPC unified architecture".

- [i.13] IEC 61131-3: "Programmable controllers - Part 3 : Programming languages".
- [i.14] OPC Foundation, PROFIBUS Nutzerorganisation e.V.: "OPC UA for PROFINET", Version 1.00, January 2020.
- [i.15] Recommendation ITU-T G.697: "Optical monitoring for dense wavelength division multiplexing systems".
- [i.16] IETF RAW: "Reliable and Available Wireless Technologies", Internet Draft, February 2021.
- [i.17] IETF RAW: "RAW use cases," Internet Draft, February 2021.
- [i.18] IETF RAW: "Requirements for Reliable Wireless Industrial Services", Internet Draft, March 2021.
- [i.19] 3GPP: "Study on Communication for Automation in Vertical Domains", Technical Specification (TS) 22.804, section 5.3.7, version 16.3.0, July 2020.
- [i.20] 5G ACIA: "Key 5G Use Cases and Requirements From the Viewpoint of Operational Technology Providers", White Paper, May 2020.
- [i.21] K. Löser: "Wi-Fi 6 in the Industry", White Paper, Siemens AG, 2020.
- [i.22] E. Khorov, I. Levitsky, I. F. Akyildiz: "Current Status and Directions of IEEE 802.11be, the Future Wi-Fi 7," IEEE Access, vol. 8, pp. 88664-88688, May 2020.
- [i.23] K. L. Bober, S. M. Mana, M. Hinrichs, S. M. Koushini, C. Kottke, D. Schulz, C. Schmidt, R. Freund, V. Jungnickel: "Distributed Multiuser MIMO for LiFi in Industrial Wireless Applications", Journal of Lightwave Technology, early access, March 2021.
- [i.24] IEEE 802.11-18/1109r5: "LC Usage Document", July 2018.
- [i.25] Y. Le, H. Zeng, X. Zhou, N. Deng, S. Megeed, A. Shen, Z. Dong, Z. Feng, T. Chang and X. Liu: "Real-Time Demonstration of an Integrated Metro-Access Network Carrying Live VR Traffic Based on Multi-Carrier Modulation and Simplified Sub-band Coherent Detection", in Optical Fibre Communication Conference (OFC) 2019, paper Th3F.3 (2019).
- [i.26] D. F. Welch: "Disruption Cycles for Optical Networks: How Point to Multi-Point Coherent Optics can Transform the Cost and Complexity of the Optical Network", in European Conference on Optical Communications 2020, Invited Talk Tu1C-1 (2020).
- [i.27] Optical Internetworking Forum (OIF): "Implementation agreement 400ZR", March 2020.
- [i.28] 5G-ACIA White Paper (2021): "Integration of 5G with Time-Sensitive Networking for Industrial Communications", published by 5G-ACIA.
- [i.29] Boschert, S., Heinrich, C., Rosen, R. (2018): "Next Generation Digital Twin", Proceedings of TMCE 2018.
- [i.30] Qiuchen Lu, Ajith Kumar Parlikad, Philip Woodall, Gishan Don Ranasinghe, Xiang Xie, Zhenglin Liang, Eirini Konstantinou, James Heaton and Jennifer Schooling (2020): "Developing a dynamic digital twin at building and city levels: A case study of the West Cambridge campus", Journal of Management in Engineering, 36(3).
- [i.31] ETSI GS F5G 003: "Fifth Generation Fixed Network (F5G); F5G Technology Landscape".
- [i.32] ETSI GS F5G 004: "Fifth Generation Fixed Network (F5G); F5G Network Architecture".
- [i.33] IEEE 802.3br-2016TM: "IEEE Standard for Ethernet Amendment 5: Specification and Management Parameters for Interspersing Express Traffic".
- [i.34] IEEE Std 802.1CB-2017TM: "IEEE Standard for Local and Metropolitan Area Networks - Frame Replication and Elimination for Reliability".

NOTE: Available at <https://ieeexplore.ieee.org/servlet/opac?punumber=8091137>.

[i.35] IEEE Std 802.1Qbv-2015™: "IEEE Standard for Local and Metropolitan Area Networks - Bridges and Bridged Networks - Amendment 25: Enhancements for Scheduled Traffic".

NOTE: Available at <https://standards.ieee.org/findstds/standard/802.1Qbv-2015.html>.

[i.36] IEEE Std 802.1Qbu-2016™: "IEEE Standard for Local and Metropolitan Area Networks - Bridges and Bridged Networks - Amendment 26: Frame Preemption".

NOTE: Available at <https://standards.ieee.org/findstds/standard/802.1Qbu-2016.html>.

[i.37] IEEE Std 802.1AB-2016™: "Station and Media Access Control Connectivity Discovery (specifies the Link Layer Discovery Protocol (LLDP))".

NOTE: Available at <https://ieeexplore.ieee.org/servlet/opac?punumber=7433913>.

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the following terms apply:

AI annotation: task of labelling data with metadata in preparation for training a machine learning model

rendering: process of generating a photorealistic or non-photorealistic image from a 2D or 3D model by means of a computer program

iTeh STANDARD PREVIEW

3.2 Symbols (standards.iteh.ai)

Void.

ETSI GR F5G 008 V1.1.1 (2022-06)

3.3 Abbreviations

<https://standards.iteh.ai/log/standards/sist/b8f58fff-7a18-4c19-b9bd-db1656c480b3/etsi-gr-f5g-008-v1-1-1-2022-06>

For the purposes of the present document, the following abbreviations apply:

6DoF	Six Degrees of Freedom
AC	Access Controller
ACIA	Alliance for Connected Industries and Automation
AggN	Aggregation Network
AGV	Automated Guided Vehicle
AI	Artificial Intelligence
AN	Access Network
AP	Access Point
API	Application Programming Interface
AR	Augmented Reality
ASI	Asynchronous Serial Interface
ATM	Automatic Teller Machine
AZ	Availability Zone
B2B	Business to Business
B2C	Business to Customer
BBU	Base Band Unit
BIP	Bit-Interleaved Parity
BNG	Broadband Network Gateway
CAPEX	CAPital EXPenditure
CCTV	Closed Circuit TeleVision
CDN	Content Delivery Network
CE	Customer Equipment
CFP	C Form-factor Pluggable
CO	Central Office
CoS	Class of Service

CPE	Customer Premise Equipment
CPN	Customer Premises Network
CR	Computed Radiography
CR	Core Router
CSP	Communication Service Provider
CT	Communication Technology/Computed Tomography
CU	Central Unit
CWDM	Coarse Wavelength Division Multiplexing
DBA	Dynamic Bandwidth Allocation
DC	Data Centre
DC-GW	Data Center Gateway
DCI	Data Centre Interconnect
DHCP	Dynamic Host Control Protocol
DICOM	(Digital Imaging and Communications in Medicine
DIM	Dynamic Integrity Measurement
DR	Digital Radiography
DSA	Digital Subtraction Angiography
DSL	Digital Subscriber Line
DSLAM	Digital Subscriber Line Access Multiplexer
DT	Digital Twin
DU	Distributed Unit
DWDM	Dense Wavelength Division Multiplexing
E2E	End to End
EAU	Electrical Aggregation Unit
EG	Enterprise Gateway
eMBB	Enhanced Mobile Broadband
EMI	Electro-Magnetic Interference
EMS	Element Management System
ERP	Enterprise Resource Planning
EU	European Union
F5G	Fifth Generation Fixed Network
FAT	Fibre Access Terminal
FDMA	Frequency-Division Multiple Access
FEC	Forward Error Correction
FFC	Full-Fibre Connection
FGW	Fibre GateWay
FIN	Fibre in-premises Network
FPS	First Person Shooter
FTTB	Fibre To The Building
FTTB/C	Fibre To The Building/Curb
FTTC	Fibre To The Curb
FTTH	Fibre To The Home
FTTR	Fibre To The Room
FWL	Fixed Wireless Link
GE	Gigabit Ethernet
GiGE Vision®	GiGabit Ethernet Vision
GIS	Geographic Information System
GPON	Gigabit-capable Passive Optical Network
GPS	Global Positioning System
GPU	Graphics Processing Unit
GRE	Guaranteed Reliable Experience
GVCP	GiGE Vision Control Protocol
GVSP	GiGE Vision Stream Protocol
HD	High Definition
HDR	High Dynamic Range
HDTV	High Definition TeleVision
HGW	Home Gateway
HIS	Hospital Information System
HMD	Head-Mounted-Display
HMI	Human Machine Interface
HQ	Head Quarter
HSI	High Speed Internet

HW	HardWare
IBC	International Broadcasting Centre
ICT	Information and Communication Technology
IIoT	Industrial Internet of Things
IOR	Industrial Optical Ring
IP	Internet Protocol
IPTV	Internet Protocol TeleVision
ISP	Internet Service Provider
IT	Information Technology
LAN	Local Area Network
LiFi	Light Fidelity
LoS	Line of Sight
MAC	Media Access Control
MDU	Multiple Dwelling Unit
MES	Manufacturing Execution System
ML	Machine Learning
mMTC	Massive Machine Type Communication
MOBA	Multiplayer Online Battle Arena
MOOC	Massive Open Online Course
MPEG	Moving Picture Experts Group
MPLS	Multiprotocol Label Switching
MR	Mixed Reality
MRI	Magnetic Resource Imaging
MSA	Multi-Source Agreement
MSCO	Multi-Service Connectivity Orchestrator
MWDM	Metro Wavelength Division Multiplexing
NFV	Network Functions Virtualisation
NMS	Network Management System
OA	Office Automation
OAM	Operation And Maintenance
ODN	Optical Distribution Network
ODTR	Optical Time Domain Reflectometer
OEHC	Optical Electric Hybrid Cable
OLO	Optical Local Oscillator
OLT	Optical Line Termination
OMCI	ONU Management and Control Interface
ONU	Optical Network Unit
OPC UA	Open Platform Communications Unified Architecture
OPC	Open Platform Communications
OPEX	OPerational Expenses
ORE	Optical Ring End
ORH	Optical Ring Head
ORP	Optical Ring Passive
OS	Operating System
OSS	Operation Support System
OT	Operational Technology
OTDR	Optical Time Domain Reflectometer
OTN	Optical Transport Network
OXC	Optical Cross-Connect
P2MP	Point-to-MultiPoint
P2P	Point to Point
PACS	Picture Archiving and Communication Systems
PC	Personal Computer
PCC	Point Cloud Compression
PDM	Polarization-Division Multiplexed
PE	Provider Edge
PET-CT	Positron Emission Tomography-Computed Tomography
PLC	Programmable Logical Controller
PM	Post Meridiem
PoD	Point of Delivery
PoE	Power over Ethernet
POL	Passive Optical LAN

PON	Passive Optical Network
PoP	Point of Presence
PTP	Precise Time Protocol
QSFP	Quad (4-channel) Small Form-factor Pluggable
RA	Remote Attestation
RAC	Real Application Cluster
RAN	Radio Access Network
RAW	Reliable and Available Wireless
RF	Radio Frequency
RFS	Resource Facing Services
RGBD	Red Green Blue Depth
RIS	Radiology Information System
RN	Remote Node
RRH	Radio Remote Head
RSSI	Received Signal Strength Indication
RTT	Round Trip Time
RTU	Remote Terminal Unit
RU	Radio Unit
SA	StandAlone
SCADA	Supervisory Control and Data Acquisition
SD	Standard Definition
SDI	Serial Digital Interface
SDN	Software-Defined Network
SD-WAN	Software-Defined Wide Area Network
SFP	Small Form-factor Pluggable
SLA	Service-Level Agreement
SME	Small and Medium Enterprises
SNI	Service Node Interface
SRLG	Shared Risk Link Group
STP	Shielded Twisted Pair
TCP	Transmission Control Protocol
TDMA	Time Division Multiple Address
TPM	Trusted Platform Module
TSN	Time-Sensitive Networking
TTM	Time To Market
TV	TeleVision
TWT	Target Wake Time
UA	Unified Architecture
UAC	User Application Client
UAS	User Application Server
UDP	User Datagram Protocol
UHD	Ultra-High Definition
UPF	User Plane Function
URLLC	Ultra-Reliable and Low Latency Communications
UTP	Unshielded Twisted Pair
VAS	Value Added Services
VLAN	Virtual Local Area Network
VM	Virtual Machine
VoIP	Voice over Internet Protocol
VPC	Virtual Private Cloud
V-PCC	Video codec based Point Cloud Compression
vPLC	virtual Programmable Logic Controller
VPN	Virtual Private Network
VR	Virtual Reality
VR/AR	Virtual Reality/Augmented Reality
VTM	Video Teller Machine
VXLAN	Virtual eXtensible Local Area Network
WDM	Wavelength Division Multiplexing
Wi-Fi®	Wireless Fidelity
WLAN	Wireless Local Area Network
XFP	Gigabit Small Form-factor Pluggable
XG-PON	10-Gigabit-capable Passive Optical Network