TECHNICAL SPECIFICATION

First edition 2015-10-01

Health informatics — Detailed clinical models, characteristics and processes

Informatique de santé — Modèles cliniques détaillés, caractéristiques et processus

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 13972:2015 https://standards.iteh.ai/catalog/standards/sist/087b91d2-d385-4afb-8437b2cb34b19605/iso-ts-13972-2015



Reference number ISO/TS 13972:2015(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/TS 13972:2015</u> https://standards.iteh.ai/catalog/standards/sist/087b91d2-d385-4afb-8437b2cb34b19605/iso-ts-13972-2015



© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents

Page

Forew	Foreword								
Introd	luction			vi					
1	Scope								
2	Terms and definition1								
3	Abbre	Abbreviated terms							
4	Definition, purpose, contexts and position of Detailed Clinical Models								
	4.1	Definitio	on of Detailed Clinical Models	8					
	4.2	Purpose	se for Detailed Clinical Models						
	4.3	Referen	ce (Information) Models and Detailed Clinical Models	11					
	4.4	Types of Detailed Clinical Models							
	4.5	 Context of Detailed Clinical Models Architectural approach to healthcare interoperability and Detailed Clinical Models Architectural considerations for Detailed Clinical Models based on the GCM 							
	4.0 4.7								
5	Requirements and Methodology for Detailed Clinical Models								
	5.1	DCM ap	plication, structure and management	16					
	5.2	Clinical	Requirements	19					
		5.2.1	General	19					
		5.2.2	Clinician/user requirements, involvement, and verification for Detailed						
	ГO	Clinical	Cimical Models ND ARD PREVIEW	20					
	5.3 5.4		acceptance, adoption, and use	20					
	5.4	5 4 1	General	21					
		5.4.2	General requirements						
		5.4.3	General DCM documentation requirements	21					
	5.5	DCM Go	s//standards.iteh.ai/catalog/standards/sist/087b91d2-d385-4afb-8437-	22					
		5.5.1	General. 62cb34b19605/iso-ts-139/2-2015	22					
		5.5.2	Governance and Management responsibility for Detailed Clinical Models	22					
		5.5.3	Organizing Detailed Clinical Model governance.	22					
		5.5.4	Submission criteria for Detailed Clinical Models	22					
		5.5.5	Contributors and key competence	23					
		5.5.0	Clear Accountability	23					
		5.5.8	Quality						
	5.6	Stakeho	older Participation						
	5.7	DCM De	velopment Processes	24					
		5.7.1	General	24					
		5.7.2	Hazards in data exchange between clinical information systems	24					
		5.7.3	Include data exchange specifically in Detailed Clinical Model hazard analysis	25					
	ГO	5./.4	Keep the Detailed Clinical Model as simple as possible	25					
	5.8	5 g 1	Conoral	25					
		5.8.2	Clinical concent specification of a particular Detailed Clinical Model	25					
		5.8.3	Context of clinical concept in a Detailed Clinical Model						
		5.8.4	Purpose of the Detailed Clinical Model at instance level						
		5.8.5	Evidence Base for the Detailed Clinical Model topic	27					
		5.8.6	Description of data elements in the Detailed Clinical Model	28					
		5.8.7	Instructions for documentation of DCM content	33					
		5.8.8	Care process / dependence	34					
		5.8.9	Issues	34					
		5.8.1U 5.0.11	Example of the DUM	35 25					
		2.0.11		55					

		5.8.12	Copyrights of source materials, Disclaimer, Terms of use and Copyrights					
			for Detailed Clinical Model					
		5.8.13	Metadata					
		5.8.14	Version management					
		5.8.15	Guidelines and principles for Detailed Clinical Modelling					
		5.8.16	Inclusion of other Detailed Clinical Models					
		5.8.17	Use of terminology					
	5.9	Measure	ement, analysis and improvement					
		5.9.1	General					
		5.9.2	Detailed Clinical Model maintenance					
		5.9.3	Monitoring and measurement					
Annex A (informative) Data type profile used for the logical model parts for Detailed								
	Clinical Models							
Annex B (informative) Example Detailed Clinical Model in UML and Table format								
Bibliography								

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 13972:2015

https://standards.iteh.ai/catalog/standards/sist/087b91d2-d385-4afb-8437b2cb34b19605/iso-ts-13972-2015

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 215, *Health informatics*.

<u>ISO/TS 13972:2015</u> https://standards.iteh.ai/catalog/standards/sist/087b91d2-d385-4afb-8437b2cb34b19605/iso-ts-13972-2015

Introduction

In current healthcare information technology, there is an identified need for clinical information recorded by one professional or in one information system and transferred electronically to another professional or information system to retain enough of its intended and precise meaning to be safe and useful [HL7, ISO 13606, EC Recommendation COM (2008) 3282 final]. In particular, clinical safety requires that the receiving system and user of all data elements contributing to clinical knowledge makes the exact same interpretation of their meaning as applied in the source system. Semantic interoperability enables actors in a clinical process to cooperate by ensuring they share a common understanding of information and activities pertinent to the clinical process. When actors in a clinical process use a combined system containing two (or more) information systems, semantic interoperability occurs as an emergent (whole system) characteristic of those data exchanges that constitute meaningful communications between actors using different information systems. As is typical for engineering properties of systems, semantic interoperability is not absolute. It enables sufficiently unambiguous understanding of stored, used, and communicated data so that patients, health care professionals, and others including automated systems can interpret and act upon data in health care information systems (health IT systems) consistently and accurately.

Semantic interoperability is defined as "ensuring that the precise meaning of exchanged information is understandable by any other system or application not initially developed for this purpose" [EC Recommendation, COM (2008) 3282 final]. Semantic interoperability addresses issues of how to best facilitate seamless computer mediated processes of coding, transmission, and use of meaning across health services, between providers, patients, citizens and authorities, research, and training (modified from Semantic Health, 2009). A key requirement to achieve this is the standardization of clinical concept representation within health data, including content, structure, context, and transmission processes. This represents the core development need for future electronic health records (EHR) and other health IT systems and for communication between these systems. In addition, standardization of clinical concept representation is a desirable and cost effective way to aggregate data from multiple health IT systems and operate as a cohesive whole, for example for clinical audit and research. Exchanging information using standardized clinical concept representations thereby takes its place as one of the specific kinds of semantic interoperability, with well-defined benefits and limitations.

The ability to exchange information between clinical information systems without loss of clinical meaning is also essential to enable safe and effective implementation of automated decision support. Whether a decision support system requests specific information from an EHR system or an EHR system requests specific computations from a decision support system (and both of these patterns of interaction are used), it is essential that the clinical information exchanged is understood accurately and consistently by both systems.

This Technical Specification provides guidance on representation format and processes to improve the quality of modular data specifications for clinical information, here called Detailed Clinical Models (DCM). The modelling approach described in ISO/TR 17119 as the ISO Health Informatics Profiling Framework (HIPF) is followed. ISO/TR 17119 defines three levels of specificity for artefacts which are CONCEPTUAL, LOGICAL, and PHYSICAL and describes six perspectives for an artefact, the WHO, WHAT, HOW, WHERE, WHY, and WHEN perspectives.

With respect to the processes for DCM, a Quality Management system (QMS) based on a framework such as ISO 9001 can be used. Defined processes for development, application, and governance ensure the quality of DCM artefacts. In terms of the HIPF, this provides WHO, HOW, and WHEN perspectives at the LOGICAL level of specificity.

The scope of this Technical Specification is the conceptual and logical aspects of a DCM and quality management processes for DCM artefacts. Although the DCM is modelling a clinical concept, we are defining these concepts at the logical level. Therefore, these are **logical** constructs. There is ongoing debate in the Health Informatics community about the exact nature and role of modular data specifications for clinical information. This Technical Specification reflects a pragmatic consensus based on experience, in particular regarding the level of detail in the breakdown and representation

of a DCM and how instances of a DCM are likely to be used within an actual Healthcare Information Architecture.

The following organizers and participants contributed to the Technical Specification:

- Health Level 7 International (HL7) (USA)
- National ICT Institute in Health Care (NICTIZ, Netherlands)
- National Health Service (NHS) (England)
- Canada Infoway (Canada)
- National E-Health Transition Authority (NEHTA), (Australia)
- OpenEHR (International)
- EN 13606 association (Europe)
- Intermountain Healthcare (USA)
- Center for Interoperable EHR (CiEHR) (South Korea)
- Parelsnoer Initiative (Netherlands)
- Netherlands Normalization Institute, Detailed Clinical Model Quality Center (Netherlands)
- Portavita (Netherlands) STANDARD PREVIEW
- Clinical Information Modelling Initiative (CIMI) (International)
- Results 4 Care BV (Netherlands)
- And the many other individuals and organizations that contributed 8437-
- b2cb34b19605/iso-ts-13972-2015

Clinical concepts as core of EHR and message content

Detailed Clinical Models are highly specialized logical models of clinical concepts. Their development and management require common and more generic definitions/descriptions of clinical concepts. ISO 13940 is suitable as a common base for development of DCMs.

To support communication between actors in clinical processes as described above and also to enable design review by both clinical domain experts and technical modellers, an artefact describing a DCM must contain considerable detail concerning the values and types of attributes and how they fit together to convey the clinical reality being communicated. In this way, Detailed Clinical Models define representations of clinical concepts independent of implementation, enabling safe translation from one technological implementation of a Detailed Clinical Model into another of the same DCM.

Data specifications similar to the DCM described in this Technical Specification have been found to be useful in a wide range of health care information and communication technologies, including but not limited to EHR systems, telehealth applications, messaging integration, medical devices, computer algorithms, and deductive reasoning for decision support (e.g. Huff et al., 2004, Hoy et al., 2007, 2009, Kalra et al., 2008, Rector, Qamar, Marley, 2008, Goossen et al., 2010, Shafarman and Gilliam, 2010, among others).

Standardized Detailed Clinical Models underpin the coherence of Electronic Health Records (EHR, ISO 18308), where data needs to be accepted from multiple sources and stored in a consistent deterministic fashion. In addition, for a functional EHR system (EHR System Functional Model, ISO/HL7 10781), queries must be constructed based on clinical knowledge and tied to clinical context and workflow; services need to be automated based on known values of patient parameters linked to agreed protocols; data display and data entry needs to reference clinical guidelines while safety and quality issues for clinicians moving from system to system can be minimized through consistent information representation. In this way, standardized Detailed Clinical Models become the lingua

franca of reuse and reusability in and across clinical systems. They promote safety and quality, enable decision support; are a pre-requisite for effective and reliable analysis and aggregation for research and they underpin safe and effective exchange of clinical information. A final important aspect of Detailed Clinical Models is that in any given implementation context, they will need to be combined into larger interlinked structures, sometimes with changing levels of detail as might occur for specifying a hospital discharge summary. A consequence of such requirements is that mechanisms such as specialization are needed to enable DCM to be safely represented at different levels of detail. *A hospital discharge summary consists of many elements, many of which might be seen as DCM, however the data specification of a discharge summary is a separate artefact making use of a number of DCMs and is not a DCM in itself. How these combinations of DCM can be achieved is not part of this Technical Specification. For example, the HL7 version 2 and version 3 standards both provide means whereby composite message models can be constructed from previously defined parts. Often such combinations are defined in a Domain Analysis Model. In the ISO 13606 environment it is usually called templating.*

There is widespread acceptance that models need to be developed and standardized by clinicians on the one hand and also be technology 'neutral' yet usable in real systems on the other. To be patientsafe, a DCM must be defined in terms of an underlying information model (RM, RIM). This Technical Specification is about meeting this challenge by detailing clinical model quality requirements, principles, development methodology, and governance, addressing the conceptual content for the logical levels of modelling, but not intervening in the physical implementation. This means we are modelling clinical concepts at the logical level, but we are not doing conceptual modelling and are not doing physical implementations.

The electronic health record (EHR, ISO 18308) is the core requirement intended to achieve safe, efficient semantic interoperability. EHRs are based on a logical structure whereby data can be entered in a structured format that represents systematic meaning and where the clinical concepts captured are represented in a manner that ensures consistent semantics of what is managed and stored. This ideally requires semantic interoperability between all EHRs, whether organizational, personal, or national and the clinical systems which contribute to, and make use of, that data. The achievement of that vision will be a long journey however Detailed Clinical Models will accelerate progress by determining clearly what we need to exchange for specific purposes such as clinical record keeping, continuity of care or for aggregation purposes.

The need for standardized clinical models has been recognized and endorsed by firstly CEN, and then ISO, who have adopted and incorporated 'archetypes' and an EHR information Reference Model into ISO 13606 where parts 1 to 3 are adapted from early specifications developed by the openEHR Foundation. Finer grained standards for expressing clinical information have been developed as standardized data types (ISO 21090), terminologies (SNOMED CT), and nomenclatures (ISO 11073). This Technical Specification acknowledges that the reference model is underpinned by standardized data types and that Detailed Clinical Models, archetypes and other clinical models need to reference standardized term sets and units of measure. This clinical model approach has also been adopted by HL7 International in developing HL7 v3 templates, reusable components in HL7 v3 message models specifying data types and standardized terminology. Further evidence of shared will and harmonization in this area is that the CEN/ISO and HL7 data types have been harmonized into ISO 21090. DCMs support a migration path towards standards based information systems.

Health informatics — Detailed clinical models, characteristics and processes

1 Scope

This Technical Specification:

- Describes requirements and recommended methods against which clinicians can gather, analyse and, specify the clinical context, content, and structure of Detailed Clinical Models.
- Defines Detailed Clinical Models (DCMs) in terms of an underlying logical model. They are logical models of clinical concepts and can be used to define and to structure clinical information.
- Describes requirements and principles for DCMs, meta-data, versioning, content and context specification, data element specification and data element relationships, and provide guidance and examples.
- Specifies DCM governance principles to ensure conceptual integrity of all DCM attributes and logical model accuracy.
- Describes DCM development and the methodology principles for use that will support the production
 of quality DCMs to minimize risk and ensure patient safety.

This Technical Specification is not applicable to ds. iteh.ai)

- Details of the content of instances of Detailed/Clinical Models. e.g. This Technical Specification will not specify the concrete data elements for the Glasgow Coma Scale, body height, and such (apart from some examples to explain the clauses) of will however give guidance on how to properly specify the clinical knowledge of Glasgow Coma Scale or body height, how to correctly identify, name and model the data elements for these clinical concepts, and how to give unique codes to each data element and, where possible, value set. In other words, it will explain the how to create instances, but not offer the instances themselves.
- Specifications of dynamic modelling, for example workflow.
- Specifications for modelling entire domains or aggregates of many Detailed Clinical Models such as complete assessment documents or discharge summaries. It will not specify DCM compositions.

2 Terms and definition

For the purposes of this document, the following terms and definitions apply.

2.1

archetype

model of a clinical or other domain-specific concept which defines the structure and business rules of the concept

[SOURCE: ISO/TR 20514:2005]

2.2

archetype model

information model of the metadata to represent the domain-specific characteristics of Electronic Health Record entries by specifying values or value constraints for classes and attributes in the EHR reference model

[SOURCE: ISO 13606-1:2008]

attribute

characteristic of an object or entity

Note 1 to entry: In the context of this Technical Specification: a specific characteristic of a data element.

[SOURCE: ISO/IEC 11179-1:2004]

2.4

care provision

type and scope of responsibility taken-on by the performer of the act for a specific subject of care

Note 1 to entry: The "Act of Care Provision" is the recording of a process that defines the responsibility for supplying support to the target of care. It is a statement of supervision, management, and custody.

[SOURCE: HL7 International]

2.5

clinical

pertaining to healthcare, in particular to characterize activities in which a patient and care professional interact directly or indirectly

2.6

clinical concept

unit of knowledge, expressed by means of characteristics pertinent to its use in health care

2.7

iTeh STANDARD PREVIEW

clinical context

the variable situations in healthcare that influence the interpretation of health(care) information

2.8

ISO/TS 13972:2015 clinical information data that is meaningful in a clinical context b2cb34b19605/iso-ts-13972-2015

[SOURCE: ISO 13940:—]

2.9

clinical knowledge

part of medical knowledge pertaining to promoting good health and the management and prevention of ill health

Note 1 to entry: Used to diagnose, treat, and alleviate disease/dysfunction.

Note 2 to entry: In ISO 13940 (Contys) proposed to be understood clinical information.

[SOURCE: ISO 13119:2012]

2.10

clinical statement

expression of a discrete item of clinical, clinically related, or public health information recorded because of its relevance to the care of a patient or other entities

[SOURCE: HL7 International]

2.11

clinical template

clinical information model that structures information round discrete clinical concepts in a way that supports reuse of components across different clinical communication and record keeping activities and promotes common approaches to clinical information system development and interoperability

[SOURCE: Hoy et al., 2007, 2009]

concept

unit of knowledge created by a unique combination of characteristics

[SOURCE: ISO 1087-1:2000]

2.13

concept analysis

formal linguistic strategy that allows the defining attributes or characteristics of a concept to be examined

[SOURCE: Walker LO Avant KC (1988). Strategies for Theory Construction in Nursing. 2nd edition. Norwalk/ San Mateo, Appleton and Lange]

2.14

concept definition

description of the attributes of a concept to delineate the meaning

2.15

conceptual model

describes common concepts and their relationships particularly in order to facilitate exchange of information between parties within a specific domain of healthcare

[SOURCE: ENV 1613 CR 12587]

2.16

continuity of care component of patient care quality consisting of the degree to which the care needed by a patient is coordinated among practitioners and across organizations and time

[SOURCE: ISO/TR 18307:2001]

ISO/TS 13972:2015

2.17 https://standards.iteh.ai/catalog/standards/sist/087b91d2-d385-4afb-8437-

context b2cb34b19605/iso-ts-13972-2015 related conditions and situations that provide a useful understanding and meaning of a subject

[SOURCE: ISO/TR 17119:2005]

2.18

data

reinterpretable representation of information in a formalized manner suitable for communication, interpretation or processing

[SOURCE: ISO/IEC 2382-1:1993]

2.19

data element

unit of data that is considered, in context, to be indivisible

[SOURCE: ISO/IEC 14957:2010]

2.20

data item

expression of a single data element or a composite data element represented in a specific format and identified by the preceding field tag

[SOURCE: ISO 15022-1:1999]

2.21

data type

set of distinct values, characterized by properties of those values and by operations on those values

[SOURCE: ISO/IEC 11404:2007]

Detailed Clinical Model

DCM

logical model designed to express one or more clinical concepts and their context in a standardized and reusable manner, specifying the requirements for clinical information as a discrete set of logical clinical data elements

2.23

Domain Information Model

DIM

information model describing concepts and relationships relevant to a specific problem area

2.24

Electronic Health Record

EHR

logical representation of information regarding or relevant to the health of a subject of care

[SOURCE: ISO 18308:2011, modified]

2.25

electronic health record architecture

logical generic components from which electronic health records are designed, defined in terms of an information model and computational services

[SOURCE: ISO 18308:2011, modified]

iTeh STANDARD PREVIEW

2.26 entity

entity (standards.iteh.ai) concrete or abstract thing of interest, including associations among things

[SOURCE: ISO/IEC 2382:--]

ISO/TS 13972:2015 https://standards.iteh.ai/catalog/standards/sist/087b91d2-d385-4afb-8437b2cb34b19605/iso-ts-13972-2015

2.27

entrv

documentation of a discrete item of health information

Note 1 to entry: An entry may for example represent the documentation of a clinical observation, an inference, an intention, a plan or an action.

[SOURCE: ISO 18308]

2.28

governance for Detailed Clinical Models

system by which development, distribution, responsibility, accountability, delegation of authoritative powers, including legal and ethical aspects and maintenance of Detailed Clinical Models are directed and controlled

Note 1 to entry: The management framework which governs DCM development and maintenance decision making

[SOURCE: ISO/IEC 38500:2015, modified]

2.29

harmonization

process whereby a DCM is designed and presented in such a way as to fulfill a range of criteria originally expressed as distinct requirements and possibly originally put forward as distinct DCMs

2.30

Health(care) information

information about a person, relevant to his or her health or health care

[SOURCE: ISO 13606-1:2008]

information governance

processes by which an organization obtains assurance that the risks to its information and thereby the operational capabilities and integrity of the organization, are effectively identified and managed

[SOURCE: ISO 27799:2008]

2.32

information

knowledge concerning such things as facts, concepts, objects, events, ideas

[SOURCE: ISO 1087-2:2000]

2.33

lifecycle [of information resource]

sequence of events that mark the development and use of an information resource

EXAMPLE Conception of an invention, creation of a draft, revision of an article, publication of a book, acquisition by a library, transcription to magnetic disk, migration to optical storage, translation into English and derivation of a new work (e.g. a movie).

[SOURCE: ISO 15836:2003]

2.34

logical information model

information model that specifies the structures and relationships between data elements but is independent of any particular technology or implementation environment

[SOURCE: ISO/TR 17119:2005] (standards.iteh.ai)

2.35

medical knowledge

<u>ISO/TS 13972:2015</u>

field pertaining to the structure, function, or dysfunction of the human body and how it can be influenced by external or internal factors and interventions¹⁵

Note 1 to entry: Medical does not imply "physician", all health professionals have medical knowledge according to this definition.

[SOURCE: ISO 656:1980]

2.36

metadata data that defines and describes other data

[SOURCE: ISO/IEC 11179-1:2004]

2.37

model

representation of a domain that uses abstraction to express the relevant concepts

2.38

modeling

construction of abstract representations in the course of design, for example to represent the logical structure of software applications before coding

[SOURCE: http://www.omg.org/gettingstarted/what_is_uml.htm]

2.39

OpenEHR template

directly, locally usable data creation/validation artifact that is semantically a constraint/choice of archetypes and which will often correspond to a whole form or screen

[SOURCE: ISO/TR 20514:2005]

OSI reference model

model that divides and defines the functions of communication equipment, such as computers, into a seven layer structure based on the design policy of Open Systems Interconnection (OSI) established by ISO for network structuring, in order to facilitate heterogeneous network data transfer

2.41

parameter

synonym for data item, in particular when used to adapt a computation, or the operation or appearance of a software application for a particular purpose

2.42

patient safety

prevention of harm caused by errors of commission and omission

[SOURCE: Aspden, Corrigan, Wolcott, et al., 2004]

2.43

persistent data data stored on a permanent basis

[SOURCE: ISO/IEC 11179-1:2004]

2.44

physical model or design model

instantiation of a logical model that respects specific technological constraints, normally for use in building a specific system or product.

[SOURCE: ISO/TR 20514:2005 and ISO/TR 17119:2005 ds.iteh.ai)

2.45

<u>ISO/TS 13972:2015</u>

quality https://standards.iteh.ai/catalog/standards/sist/087b91d2-d385-4afb-8437degree to which all the properties and characteristics of a product, process, or service satisfy the requirements which ensue from the purpose for which that product, process, or service is to be used

[SOURCE: ISO 9001:2008]

2.46

Quality Management System (QMS)

Framework described by the ISO 9000 family of standards and comprised of the three core elements: quality control, quality assurance and quality improvement

2.47

Reference Model for Open Distributed Processing (RM-ODP)

standardized approach to design and governance of information systems, in particular systems involving data communications between organizations that have different computing platforms.

[SOURCE: ITU-T Rec. X.901-X.904 | ISO/IEC 10746]

2.48

safety

freedom from unacceptable risk of harm

[SOURCE: ISO/IEC Guide 51:2014]

2.49

semantic interoperability

ability for data shared by systems to be understood at the level of fully defined domain concepts

[SOURCE: ISO/TS 18308:2011]

template

expression of a set of constraints on the RIM/RM or derived model used to apply additional constraints to a portion of an instance of data which is expressed in terms of some other Static Model, to further define and refine these existing models to specify a narrower and more focused scope

[SOURCE: HL7 V3 Templates. HL7 Version 3 Standard: Specification and Use of Reusable Constraint Templates, Release 2 February 2008]

2.51

term

designation of a defined concept in a special language by a linguistic expression

[SOURCE: ISO 1087-1:2000]

2.52

terminological system

ordered collection of concepts, in which each concept is expressed by terms, words or expressions

[SOURCE: NEN 7522, based on ISO/IEC 11179-1:2004, definition 3.2.25]

2.53

value set

uniquely identifiable set of valid concept representations, where any concept representation can be tested to determine whether or not it is a member

Note 1 to entry: A value set is intended to be a set in the formal sense, and so should contain only one code for each uniquely identifiable concept that it contains.

[SOURCE: Adapted from TN903 HITSP specified metadata: element, description, HITSP Template Metadata and the HL7 Templates DSTU Property name, MIE mapping. Adapted from HL7 Version 3 Core Principals]

https://standards.iteh.ai/catalog/standards/sist/087b91d2-d385-4afb-8437b2cb34b19605/iso-ts-13972-2015

2.54 variable

symbolic name associated with a data element or data item, often a data element or data item whose content or value may change over time

2.55

view

alternate presentation of data for a different user or purpose

[SOURCE: ISO 13606-1:2008]

2.56

workflow

depiction of the actual sequence of the operations or actions taken in a process

Note 1 to entry: A workflow reflects the successive decisions and activities in the performance of a process.

[SOURCE: ISO 18308:2011]