

SLOVENSKI STANDARD SIST EN 62884-1:2017

01-november-2017

Merilne tehnike za piezoelektrične, dielektrične in elektrostatične oscilatorje - 1. del: Osnovne merilne metode (IEC 62884-1:2017)

Measurement techniques of piezoelectric, dielectric and electrostatic oscillators - Part 1: Basic methods for the measurement (IEC 62884-1:2017)

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten ZEN 62884-1:2017 https://standards.iteh.a/catog/standards/sist/102884-1:2017

742fa85c4013/sist-en-62884-1-2017

ICS:

31.140 Piezoelektrične naprave Piezoelectric devices

SIST EN 62884-1:2017 en

SIST EN 62884-1:2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62884-1:2017</u> https://standards.iteh.ai/catalog/standards/sist/f05aad63-0edf-4a70-9d4d-742fa85c4013/sist-en-62884-1-2017 EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 62884-1

September 2017

ICS 31.140

English Version

Measurement techniques of piezoelectric, dielectric and electrostatic oscillators -Part 1: Basic methods for the measurement (IEC 62884-1:2017)

Techniques de mesure des oscillateurs piézoélectriques, diélectriques et électrostatiques -Partie 1 : Méthodes fondamentales pour le mesurage (IEC 62884-1:2017) Messverfahren für piezoelektrische, dielektrische und elektrostatische Oszillatoren -Teil 1: Grundlegende Messverfahren (IEC 62884-1:2017)

This European Standard was approved by CENELEC on 2017-07-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

https://standards.iteh.ai/catalog/standards/sist/f05aad63-0edf-4a70-9d4d-

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 62884-1:2017

European foreword

The text of document 49/1187A/CDV, future edition 1 of IEC 62884-1, prepared by IEC/TC 49 "Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62884-1:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at (dop) 2018-04-13 national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-07-13 the document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW Endorsement notice (standards.iteh.ai)

The text of the International Standard IEC 62884-1:2017 was approved by CENELEC as a European Standard without any modification. 742fa85c4013/sist-en-62884-1-2017

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60122-1:2002	NOTE	Harmonized as EN 60122-1:2002 (not modified).
IEC 60679-3:2012	NOTE	Harmonized as EN 60679-3:2013 (not modified).
IEC 60679-4	NOTE	Harmonized as EN 60679-4.
IEC 60679-5	NOTE	Harmonized as EN 60679-5.
IEC 60749-26	NOTE	Harmonized as EN 60749-26.
IEC 60749-27	NOTE	Harmonized as EN 60749-27.
IEC 61000-4-2	NOTE	Harmonized as EN 61000-4-2.
IEC 61019-1:2004	NOTE	Harmonized as EN 61019-1:2005 (not modified).
IEC 61019-2:2005	NOTE	Harmonized as EN 61019-2:2005 (not modified).
IEC 61837-1:2012	NOTE	Harmonized as EN 61837-1:2012 (not modified).
IEC 61837-2:2011	NOTE	Harmonized as EN 61837-2:2011 (not modified).
IEC 61837-4:2015	NOTE	Harmonized as EN 61837-4:2015 (not modified).
ISO 80000-4:2006	NOTE	Harmonized as EN ISO 80000-4:2013 (not modified).

EN 62884-1:2017

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60027	series	Letter symbols to be used in electrical	EN 60027	series
IEC 60050-561	i <u>T</u> eh	International electrotechnical vocabulary - Part 561: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection	<u>N</u>	-
IEC 60068-1	2013	ds.iteh.ai/catalog/standards/sist/f05aad63-0edf-4a70 Environmental testing Part 1:0General and guidance	-9d4d- EN 60068-1	2014
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-7	-	Basic environmental testing procedures - Part 2-7: Tests - Test Ga and guidance: Acceleration, steady state	EN 60068-2-7	-
IEC 60068-2-10	2005	Environmental testing - Part 2-10: Tests - Test J and guidance: Mould growth	EN 60068-2-10	2005
IEC 60068-2-13	-	Basic environmental testing procedures - Part 2-13: Tests - Test M: Low air pressure	EN 60068-2-13	-
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-17	1994	Basic environmental testing procedures - Part 2-17: Tests - Test Q: Sealing	EN 60068-2-17	1994

EN 62884-1:2017

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	Year
IEC 60068-2-20	-	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	-
IEC 60068-2-21	-	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	-
IEC 60068-2-27	-	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-30	-	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	-
IEC 60068-2-31	-	Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens	EN 60068-2-31	-
IEC 60068-2-45	-	Basic environmental testing procedures - Part 2-45: Tests - Test XA and guidance: Immersion in cleaning solvents	EN 60068-2-45	-
IEC 60068-2-52	<u>i</u> Teh	Environmental testing - Part 2-52: Tests - Test Kb; Salt mist, cyclic (sodium chloride solution)	EN 60068-2-52	-
IEC 60068-2-58	- https://standar	Environmental testing - Part 2-58: Tests - Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)	EN 60068-2-58 1-9d4d-	-
IEC 60068-2-64	-	Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance	EN 60068-2-64	-
IEC 60068-2-78	-	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	-
IEC 60469	-	Transitions, pulses and related waveforms - Terms, definitions and algorithms	EN 60469	-
IEC 60617-DB	-	Graphical symbols for diagrams	-	-
IEC 60679-1	2017	Piezoelectric, dielectric and electrostatic oscillators of assessed quality - Part 1 : Generic specification	EN 60679-1	1)
ISO 80000-1	-	Quantities and units - Part 1: General	EN ISO 80000-1	-

¹⁾ To be published.



IEC 62884-1

Edition 1.0 2017-06

INTERNATIONAL STANDARD



Measurement techniques of piezoelectric, dielectric and electrostatic oscillators –

Part 1: Basic methods for the measurement

(standards.iteh.ai)

<u>SIST EN 62884-1:2017</u> https://standards.iteh.ai/catalog/standards/sist/f05aad63-0edf-4a70-9d4d-742fa85c4013/sist-en-62884-1-2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.140 ISBN 978-2-8322-4395-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

Г		KU	
1	Scop	e	8
2	Norm	native references	8
3	Term	s and definitions	9
	3.1	General	9
	3.2	Terms and definitions	10
4	Test	and measurement procedures	10
	4.1	General	10
	4.2	Test and measurement conditions	10
	4.2.1	Standard conditions for testing	10
	4.2.2	Equilibrium conditions	10
	4.2.3	Air flow conditions for temperature tests	10
	4.2.4	Power supplies	11
	4.2.5	Precision of measurement	11
	4.2.6		
	4.2.7	Alternative test methods	11
	4.3	Visual inspection	
	4.3.1	TOLSTANDADD DDLY/LLX/	11
	4.3.2		
	4.3.3	(Stanuarus.itch.ar)	11
	4.3.4		
	4.4	Dimensions and gauging procedures 2884-12017	
	4.4.1	7	
	4.4.2		
	4.5	Electrical test procedures	
	4.5.1		
	4.5.2	5 1	
	4.5.3	' '	
	4.5.4 4.5.5		
	4.5.6	• • • •	
	4.5.7	• •	
	4.5.8	, , ,	
	4.5.9		
	4.5.1	-	
	4.5.1		
	4.5.1	, , ,	
	4.5.1		
	4.5.1	,	
	4.5.1		
	4.5.1	6 Oscillator output waveform (pulse)	27
	4.5.1	7 Oscillator output power (sinusoidal)	27
	4.5.1	8 Oscillator output impedance (sinusoidal)	27
	4.5.1	9 Re-entrant isolation	28
	4.5.2	0 Output suppression of gated oscillators	28
	4.5.2	•	
	4.5.2	2 Amplitude modulation characteristics	30

4.5.23	Frequency modulation characteristics	.36
4.5.24	Spurious response	.40
4.5.25	Phase noise	.40
4.5.26	Phase noise – vibration	.41
4.5.27	Phase noise – acoustic	.41
4.5.28	Noise pedestal	.42
4.5.29	Spectral purity	.43
4.5.30	Incidental frequency modulation	.43
4.5.31	RMS fractional frequency fluctuations	.44
4.5.32	Electromagnetic interference (radiated)	
4.6 Mec	hanical and environmental test procedures	
4.6.1	Robustness of terminations (destructive)	.52
4.6.2	Sealing test (non-destructive)	
4.6.3	Soldering (solderability and resistance to soldering heat) (destructive)	.54
4.6.4	Rapid change of temperature: severe shock by liquid immersion (non-destructive)	.57
4.6.5	Rapid change of temperature: thermal shock in air (non-destructive)	.57
4.6.6	Bump (destructive)	. 57
4.6.7	Vibration (destructive)	.58
4.6.8	Shock (destructive)	.58
4.6.9	Free fall (destructive)	. 59
4.6.10	Acceleration, steady-state (non-destructive)	. 59
4.6.11	Acceleration – 2g tip avedards.iteh.ai)	.59
4.6.12	Acceleration noise	. 59
4.6.13	Low air pressure (non-destructive) 4-12017	.59
4.6.14	Dry heat (non-destructive)	. 59
4.6.15	Low air pressure (non-destructive) https://standards.itch.ai/catalog/standards/sist/f05aad63-0edf-4a70-9d4d- Dry heat (non-destructive) Damp heat, cyclic (destructive)	. 59
4.6.16	Cold (non-destructive)	
4.6.17	Climatic sequence (destructive)	.60
4.6.18	Damp heat, steady-state (destructive)	.60
4.6.19	Salt mist, cyclic (destructive)	
4.6.20	Mould growth (non-destructive)	.60
4.6.21	Immersion in cleaning solvent (non-destructive)	.60
4.6.22	Radiation hardness	.60
Bibliography		.61
Figure 1 – Tes	t circuits for insulation resistance measurements	.12
Figure 2 – Tes	t circuit for voltage proof test	.13
Figure 3 – Tes	t circuit for oscillator input power measurement	.13
Figure 4 – Tes	t circuit for oven and oscillator input power measurement	.14
Figure 5 – Tes	t circuit for measurement of output frequency, method1	. 15
	t circuit for measurement of output frequency, method 2	
•	t circuit for measurement of frequency/temperature characteristics	
•	rmal transient behaviour of typical oscillator	
=	neralized oscillator circuit	
•	st circuit for start-up behaviour and start-up time measurement	
Figure 11 – Tv	pical start-up behaviour with slow supply voltage ramp	.20

Figure 12 – Definition of start-up time	21
Figure 13 – Supply voltage waveform for periodical $t_{\sf SU}$ measurement	22
Figure 14 – Typical oscillator stabilization characteristic	22
Figure 15 – Example of retrace characteristic	23
Figure 16 – Test circuit for the measurement of output voltage	24
Figure 17 – Test circuit for the measurement of pulse outputs	
Figure 18 – Characteristics of an output waveform	
Figure 19 – Test circuit for harmonic distortion measurement	
Figure 20 – Quasi-sinusoidal output waveforms	
Figure 21 – Frequency spectrum for harmonic distortion	26
Figure 22 – Test circuit for the determination of isolation between output ports	28
Figure 23 – Test circuit for measuring suppression of gated oscillators	29
Figure 24 – Test circuit for 3-state disable mode output current	29
Figure 25 – Test circuit for output gating time – 3-state	
Figure 26 – Test circuit for modulation index measurement	
Figure 27 – Modulation waveform for index calculation	
Figure 28 – Logarithmic signal amplitude scale	31
Figure 29 – Test circuit to determine amplitude modulation sensitivity	33
Figure 30 – Frequency spectrum of amplitude modulation distortion	
Figure 31 – Test circuit to determine pulse amplitude modulation	
Figure 32 – Pulse modulation characteristic	35
Figure 33 – Test circuit for the determination of modulation input impedance	36
Figure 34 – Test circuit for the measurement of f.m. deviation	36
Figure 35 – Test circuit for the measurement of f.m. sensitivity	38
Figure 36 – Test circuit for the measurement of frequency modulation distortion	39
Figure 37 – Test circuit for the measurement of single-sideband phase noise	40
Figure 38 – Typical noise pedestal spectrum	42
Figure 39 – Test circuit for the measurement of incidental frequency modulation	44
Figure 40 – Test circuit for method 1	45
Figure 41 – Test circuit for method 2	
Figure 42 – Circuit modifications for methods 1 and 2	47
Figure 43 – Time-domain short-term frequency stability of a typical 5 MHz precision oscillator	48
Figure 44 – Radiated interference tests	49
Figure 45 – Characteristics of line impedance of stabilizing network	50
Figure 46 – Circuit diagram of line impedance of stabilizing network	51
Figure 47 – Reflow temperature profile for solderability	55
Figure 48 – Reflow temperature profile for resistance to soldering heat	56
Table 1 – Measuring sets bandwidth	
Table 2 – Tensile force	
Table 3 – Thrust force	
Table 4 – Bending force	53

SIST EN 62884-1:2017

IEC 62884-1:2017 © IEC 2017	- 5 -	
Table 5 – Torque force	5	4
Table 6 – Solderability – Test condition, ref	low method5	5
Table 7 – Resistance to soldering heat – Te	est condition and severity, reflow method5	7

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62884-1:2017</u> https://standards.iteh.ai/catalog/standards/sist/f05aad63-0edf-4a70-9d4d-742fa85c4013/sist-en-62884-1-2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MEASUREMENT TECHNIQUES OF PIEZOELECTRIC, DIELECTRIC AND ELECTROSTATIC OSCILLATORS –

Part 1: Basic methods for the measurement

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. (Standards.11en.al)
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter. https://standards.itch.ai/catalog/standards/sist/105aad63-0edf-4a70-9d4d-
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62884-1 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

The text of this International Standard is based on the following documents:

CDV	Report on voting
49/1187A/CDV	49/1200/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62884-1:2017 © IEC 2017

-7-

A list of all parts in the IEC 62884 series, published under the general title *Measurement techniques of piezoelectric, dielectric and electrostatic oscillators*, can be found on the IEC website.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62884-1:2017</u> https://standards.iteh.ai/catalog/standards/sist/f05aad63-0edf-4a70-9d4d-742fa85c4013/sist-en-62884-1-2017

MEASUREMENT TECHNIQUES OF PIEZOELECTRIC, DIELECTRIC AND ELECTROSTATIC OSCILLATORS –

Part 1: Basic methods for the measurement

1 Scope

This part of IEC 62884 specifies the measurement techniques for piezoelectric, dielectric and electrostatic oscillators, including Dielectric Resonator Oscillators (DROs) and oscillators using FBAR (hereinafter referred to as "Oscillator").

NOTE Dielectric Resonator Oscillators (DROs) and oscillators using FBAR are under consideration.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), Letter symbols to be used in electrical technology

IEC 60050-561, International electrotechnical vocabulary a Part 561: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection. Available at http://www.electropedia.org

IEC 60068-1:2013, Environmental testing - Part 1: General and guidance

IEC 60068-2-1, Environmental testing – Part 2-1: Tests – Test A: Cold

IEC 60068-2-2, Environmental testing - Part 2-2: Tests - Test B: Dry heat

IEC 60068-2-6, Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)

IEC 60068-2-7, Basic environmental testing procedures – Part 2-7: Tests – Test Ga and guidance: Acceleration, steady state

IEC 60068-2-10:2005, Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth

IEC 60068-2-13, Basic environmental testing procedures – Part 2-13: Tests – Test M: Low air pressure

IEC 60068-2-14, Environmental testing – Part 2-14: Tests – Test N: Change of temperature

IEC 60068-2-17:1994, Basic environmental testing procedures – Part 2-17: Tests – Test Q: Sealing

IEC 60068-2-20, Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads

IEC 60068-2-21, Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices

IEC 62884-1:2017 © IEC 2017

-9-

IEC 60068-2-27, Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock

IEC 60068-2-30, Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)

IEC 60068-2-31, Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens

IEC 60068-2-45, Basic environmental testing procedures – Part 2-45: Tests – Test XA and guidance: Immersion in cleaning solvents

IEC 60068-2-52, Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium, chloride solution)

IEC 60068-2-58, Environmental testing — Part 2-58: Tests — Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)

IEC 60068-2-64, Environmental testing – Part 2-64: Tests – Test Fh: Vibration, broadband random and guidance

IEC 60068-2-78, Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state

iTeh STANDARD PREVIEW

IEC 60469, Transitions, pulses and related waveforms – Terms, definitions and algorithms (Standards.iteh.al)

IEC 60617, *Graphical symbols for diagrams*. Available at http://std.iec.ch/iec60617 <u>SIST EN 62884-12017</u>

IEC 60679-1:2017, Piezoelectric dielectric and electrostatic oscillators of assessed quality – Part 1: Generic specification 742fa85c4013/sist-en-62884-1-2017

ISO 80000-1, Quantities and units - Part 1: General

Where any discrepancies occur for any reason, documents shall rank in the following order of precedence:

- detail specification;
- sectional specification;
- generic specification;
- any other international documents (for example of the IEC) to which reference is made.

The same order of precedence shall apply to equivalent national documents.

3 Terms and definitions

3.1 General

Units, graphical symbols, letter symbols and terminology shall, wherever possible, be taken from the following standards:

- IEC 60027;
- IEC 60050-561;
- IEC 60469;
- IEC 60617;
- ISO 80000-1.