
**Road vehicles — Implementation
of World-Wide Harmonized On-
Board Diagnostics (WWH-OBD)
communication requirements —**

**Part 6:
External test equipment**

*Véhicules routiers — Mise en application des exigences de
communication pour le diagnostic embarqué harmonisé à l'échelle
mondiale (WWH-OBD) —*

ISO 27145-6:2015

Partie 6: Équipement d'essai externe

<https://standards.iteh.ai/catalog/standards/sist/1a910040-551d-4dc1-9386-307ee3c9ab3f/iso-27145-6-2015>



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 27145-6:2015

<https://standards.iteh.ai/catalog/standards/sist/1a916b40-551d-4de1-9386-307ee3c9ab3f/iso-27145-6-2015>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols, and abbreviated terms	2
3.1 Terms and definitions.....	2
3.2 Abbreviated terms.....	2
4 Conventions	3
5 Document overview	3
6 Requirements overview and principles	5
6.1 Basic principles for the graphical notation.....	5
6.2 Requirements clustering.....	5
6.2.1 Overview.....	5
6.2.2 Main requirements clusters.....	5
7 External test equipment requirements	7
7.1 General.....	7
7.2 Applicability of requirements according to local legislation.....	8
7.3 User instructions and guidelines.....	8
7.4 Cluster “Mechanical requirements”.....	8
7.5 Cluster “Electrical requirements”.....	9
7.6 Cluster “Communication setup” and connections.....	9
7.6.1 Connections.....	9
7.6.2 Communication setup.....	10
7.7 Cluster “Diagnostic messages”.....	12
7.7.1 Overview.....	12
7.7.2 Timing.....	12
7.7.3 Negative response handling.....	12
7.7.4 Error handling of no response from the vehicle.....	14
7.7.5 Setup of ECU list.....	15
7.7.6 Setting up ECU communication list.....	16
7.7.7 Setting up data information list.....	16
7.7.8 Reading DTCs.....	17
7.7.9 Setting up DTC information list.....	17
7.7.10 Clear diagnostic information.....	22
7.7.11 Continuously reading ECU data.....	22
8 Roadside inspection test equipment	23
8.1 Definition.....	23
8.2 Related use cases.....	23
8.3 Implementation requirements.....	24
8.3.1 Overview.....	24
8.3.2 Application layer.....	24
9 Inspection and maintenance (I/M) test equipment	25
9.1 Definition.....	25
9.2 Related use cases.....	25
9.3 Implementation requirements.....	25
9.3.1 General.....	25
9.3.2 Application layer.....	25
10 Repair shop test equipment	27
10.1 Definition.....	27
10.2 Related use cases.....	27

10.3	Implementation requirements.....	27
10.3.1	Overview.....	27
10.3.2	Application layer.....	28
11	Multiple test equipment communication	31
11.1	General.....	31
11.2	Behaviour of external test equipment.....	31
Bibliography	32

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 27145-6:2015

<https://standards.iteh.ai/catalog/standards/sist/1a916b40-551d-4de1-9386-307ee3c9ab3f/iso-27145-6-2015>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 3, *Electrical and electronic equipment*.

ISO 27145 consists of the following parts, under the general title *Road vehicles — Implementation of Word-Wide Harmonized On-Board Diagnostics (WWH-OBD) communication requirements*:

- *Part 1: General information and use case definition*
- *Part 2: Common data dictionary*
- *Part 3: Common message dictionary*
- *Part 4: Connection between vehicle and test equipment*
- *Part 6: External test equipment*

Introduction

Overview

This International Standard includes the communication between the vehicle's on-board diagnostics (OBD) systems and external test equipment within the scope of the World-Wide Harmonized On-Board Diagnostics Global Technical Regulations (WWH-OBD GTR).

This International Standard has been established in order to apply the unified diagnostic services (specified in ISO 14229-1) to WWH-OBD systems.

This International Standard includes the communication between the vehicle's WWH-OBD systems and external (off-board) "generic" test equipment within the scope of the country-specific regulatory requirements.

To achieve this, it is based on the Open Systems Interconnection (OSI) Basic Reference Model specified in ISO/IEC 7498-1 and ISO/IEC 10731, which structures communication systems into seven layers. When mapped on this model, the services specified by this International Standard are broken into:

- diagnostic services (layer 7), specified in ISO 27145-3 with reference to ISO 14229-1,
- presentation layer (layer 6), specified in ISO 27145-2 with reference to SAE J1930-DA, SAE J1939-DA, SAE J1939-73, Appendix A (FMIs), SAE J1979-DA, and SAE J2012-DA,
- session layer services (layer 5), specified in ISO 14229-2,
- transport layer services (layer 4), specified in ISO 27145-4 with reference to ISO 13400-2, ISO 15765-2, and ISO 15765-4,
- network layer services (layer 3), specified in ISO 27145-4 with reference to ISO 13400-2, ISO 15765-2, and ISO 15765-4,
- data link layer (layer 2), specified in ISO 27145-4 with reference to ISO 11898-1, ISO 11898-2, ISO 13400-3, ISO 15765-4, and IEEE 802.3, and
- physical layer (layer 1), specified in ISO 27145-4 with reference to ISO 11898-1, ISO 11898-2, ISO 13400-3, ISO 15765-4, and IEEE 802.3,

in accordance with [Table 1](#).

Table 1 — WWH-OBD specification reference applicable to the OSI layers


Applicability	OSI seven layer	WWH-OBD document reference			
Seven layer according to ISO/IEC 7498-1 and ISO/IEC 10731	Application (layer 7)	ISO 14229-1, 3			ISO 27145-6
	Presentation (layer 6)	ISO 27145-2, SAE J1930-DA, SAE J1939-DA, SAE J1939-73, Appendix A (FMIs), SAE J1979-DA, SAE J2012-DA			
	Session (layer 5)	ISO 14229-2			—
	Transport (layer 4)	ISO 15765-2 DoCAN, ISO 15765-4 DoCAN	ISO 27145-4	ISO 13400-2 DoIP TCP and IP	
	Network (layer 3)				
	Data link (layer 2)	ISO 11898-1 CAN DLL, ISO 11898-2 CAN HS, ISO 15765-4 DoCAN		ISO 13400-3 DoIP, IEEE 802.3	
	Physical (layer 1)				

SAE document reference concept

This International Standard references several SAE documents which contain all terms, data and diagnostic trouble code (DTC) definitions.

ISO 27145-2 defines a common data dictionary for this International Standard, according to the definitions in the following documents ([Figure 1](#)):

- SAE J1930-DA: this digital annex contains all standardized naming objects, terms, and abbreviated terms;
- SAE J1939-DA and SAE J1939-73: The Digital Annex indexes names for suspect parameter numbers (SPNs) that provide an alternative presentation format for SAE J2012-DA DTCs. SPNs are combined with failure mode indicators (FMIs) to form the full alternative presentation. These FMIs are described in SAE J1939-73, Appendix A;
- SAE J1979-DA: this digital annex contains all standardized data items such as data identifiers (DIDs), test identifiers (TIDs), monitor identifiers (MIDs), and infotype identifiers (ITIDs);
- SAE J2012-DA: this digital annex contains all standardized data items such as DTC definitions and FTB (failure type byte) definitions.



Key

- 1 SAE digital annexes: data definitions
- 2 SAE J1939 series of documents: DTC definitions

Figure 1 — SAE digital annex document reference

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

ISO 27145-6:2015

<https://standards.iteh.ai/catalog/standards/sist/1a916b40-551d-4de1-9386-307ee3c9ab3f/iso-27145-6-2015>

Road vehicles — Implementation of World-Wide Harmonized On-Board Diagnostics (WWH-OBD) communication requirements —

Part 6: External test equipment

1 Scope

This part of ISO 27145 defines the requirements for the external test equipment as listed:

- a means of establishing communications between a WWH-OBD-equipped vehicle and external test equipment;
- a set of diagnostic services, including addressing methods, to be provided by the external test equipment in order to exercise the services defined in ISO 27145-3.

This part of ISO 27145 describes the minimum capabilities or functions in the external test equipment. Additional functionality, e.g. non WWH-OBD protocols or retrieval of repair and maintenance information, can be integrated into the external test equipment according to the test equipment manufacturer needs. The external test equipment designer ensures that no such capability or function can adversely affect either a WWH-OBD-equipped vehicle connected to the equipment, or the equipment itself.

When the external test equipment implements functionality, which is not covered by ISO 27145-3, this functionality is not linked to the timing requirements defined in this International Standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7637-2:2011, *Road vehicles — Electrical disturbances from conduction and coupling — Part 2: Electrical transient conduction along supply lines only*

ISO 13400 (all parts), *Road vehicles - Diagnostic communication over Internet Protocol (DoIP)*

ISO 14229-1, *Road vehicles — Unified diagnostic services (UDS) — Part 1: Specification and requirements*

ISO 14229-2, *Road vehicles — Unified diagnostic services (UDS) — Part 2: Session layer services*

ISO 15031-3, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 3: Diagnostic connector and related electrical circuits, specification and use*

ISO 15765-4, *Road vehicles — Diagnostic communication over Controller Area Network (DoCAN) — Part 4: Requirements for emissions-related systems*

ISO 16750-2:2010, *Road vehicles — Environmental conditions and testing for electrical and electronic equipment — Part 2: Electrical loads*

ISO 27145-1:2012, *Road vehicles — Implementation of World-Wide Harmonized On-Board Diagnostics (WWH-OBD) communication requirements — Part 1: General information and use case definition*

ISO 27145-2:2012, *Road vehicles — Implementation of World-Wide Harmonized On-Board Diagnostics (WWH-OBD) communication requirements — Part 2: Common data dictionary*

ISO 27145-3:2012, *Road vehicles — Implementation of World-Wide Harmonized On-Board Diagnostics (WWH-OBD) communication requirements — Part 3: Common message dictionary*

ISO 27145-4:2012, *Road vehicles — Implementation of World-Wide Harmonized On-Board Diagnostics (WWH-OBD) communication requirements — Part 4: Connection between vehicle and test equipment*

SAE J1930-DA, *Digital Annex, Electrical/Electronic Systems Diagnostic Terms, Definitions, Abbreviations, and Acronyms*

SAE J1939, *Companion Spreadsheet (CS 1939)*

SAE J1939-73, *Recommended Practice for a Serial Control and Communication Vehicle Network — Application layer — Diagnostics*

SAE J1979-DA, *Digital Annex, E/E Diagnostic Test Modes*

SAE J2012-DA, *Digital Annex, Diagnostic Trouble Code Definitions*

3 Terms, definitions, symbols, and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 27145-1, ISO 27145-2, ISO 14229-1, and the following apply:

3.2 Abbreviated terms

https://standards.iteh.ai/catalog/standards/sist/1a916b40-551d-4de1-9386-307ee3c9ab3f/iso-27145-6-2015	
CALID	calibration identification
CAN	Controller Area Network
DoCAN	Diagnostics over CAN
DoIP	Diagnostics over IP
DTC	Diagnostic Trouble Code
EMC	electromagnetic compatibility
ESD	electrostatic discharge
ETEREC	external test equipment recommendation
ETEREQ	external test equipment requirement
GTR	Global Technical Regulations
HMI	Human-Machine Interface
IP	Internet Protocol
IUPR	In Use (Monitor) Performance Ratio
MVCI	Modular Vehicle Communication Interface
MI	Malfunction Indication

MIL	Malfunction Indication Lamp
NRC	Negative Response Code
ODX	Open Diagnostic data eXchange

4 Conventions

This International Standard is based on the conventions discussed in the OSI Service Conventions (ISO/IEC 10731) as they apply to diagnostic services.

5 Document overview

[Figure 2](#) shows the reference documents for this International Standard.

This International Standard specifies the following references:

- a) ISO 27145-1 specifies the general structure of this International Standard and the use cases applicable to WWH-OBd GTR;
 - b) ISO 27145-2 specifies the common data dictionary with references to the following:
 - 1) SAE J1930-DA, which defines the terms, definitions, abbreviated terms, etc.;
 - 2) SAE J1939-DA contains all SPNs (parameters), PGNs (messages), and other SAE J1939 data previously published in the SAE J1939 top level document;
- NOTE The SAE J1939 series of documents is concerned with the definition of emissions-related SPNs and FMIs for use as DTCs.
- 3) SAE J1939-73, Appendix A, which specifies the FMIs;
 - 4) SAE 1979-DA, which specifies all data items;
 - 5) SAE J2012-DA, which specifies the DTC definitions and failure type byte definitions.
- c) This part of ISO 27145 specifies the diagnostic services defined in ISO 14229-1 that are applicable to WWH-OBd GTR;
 - d) ISO 14229-2 specifies the standardized service primitive interface to separate application and session layers from protocol transport and network layers;
 - e) ISO 27145-4 specifies the initialization procedure and includes references to:
 - 1) ISO 15765-4 DoCAN;
 - 2) ISO 13400 (all parts) DoIP.




Figure 2 — Reference documents for implementation of WWH-OBDonCAN and WWH-OBDonIP according to the OSI model

6 Requirements overview and principles

6.1 Basic principles for the graphical notation

The flow graphs show the behaviour of the external test equipment. Hierarchical references e.g. are shown using round edged transparent rectangles. [Figure 3](#) shows the notation semantics.




Figure 3 — Flow graph notation semantics used in this document

6.2 Requirements clustering

6.2.1 Overview

Each requirement in this part of ISO 27145 is assigned to one requirements cluster. The clusters cover technical areas where the assigned requirements apply for.

[Table 2](#) lists the technical requirements clusters. The table provides an overview of all requirements clusters and the associated technical requirements. This list is a summary of the requirements included in this part of ISO 27145.

Each technical requirement is identified by the mnemonic “ETEREQ-” and an alpha-numeric number. In addition, the alpha-numeric number includes the requirement cluster classifier according to [Table 2](#).

Recommendations intended to guide the implementation are identified by the mnemonic “ETEREC-”, which is shown in italic style for differentiation.

6.2.2 Main requirements clusters

[Table 2](#) provides an overview of the main clusters of external test equipment requirements. A requirement cluster has at least one requirement and optional recommendations.