



SLOVENSKI STANDARD SIST-TS CEN/TS 14632:2023

01-september-2023

Nadomešča:

SIST-TS CEN/TS 14632:2012

Cevni sistemi iz polimernih materialov za odvodnjavanje, kanalizacijo in oskrbo z vodo, s tlakom in brez njega - S steklenimi vlakni okrepljeni duromerni materiali (GRP), ki temeljijo na nenasičeni poliestrski smoli (UP) - Navodilo za ugotavljanje skladnosti

Plastics piping systems for drainage, sewerage and water supply, pressure and non-pressure - Glass-reinforced thermosetting plastics (GRP) based on unsaturated polyester resin (UP) - Guidance for the assessment of conformity

Kunststoff-Rohrleitungssysteme für die Entwässerung und Wasserversorgung mit und ohne Druck - Glasfaserverstärkte duroplastische Kunststoffe (GFK) auf der Basis von Polyesterharz (UP) - Empfehlungen für die Beurteilung der Konformität

Systèmes de canalisations en plastique pour les branchements, les collecteurs d'assainissement et l'alimentation en eau, avec ou sans pression - Plastiques thermodurcissables renforcés de verre (PRV) à base de résine polyester (UP) - Guide pour l'évaluation de conformité

Ta slovenski standard je istoveten z: CEN/TS 14632:2023

ICS:

23.040.05	Cevovodi za zunanje sisteme za odpadno vodo in njihovi deli	Pipeline and its parts for external sewage systems
83.120	Ojačani polimeri	Reinforced plastics
91.140.60	Sistemi za oskrbo z vodo	Water supply systems
91.140.80	Drenažni sistemi	Drainage systems

SIST-TS CEN/TS 14632:2023

en,fr,de

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 14632

June 2023

ICS 91.140.60; 91.140.80; 93.030; 23.040.05

Supersedes CEN/TS 14632:2012

English Version

Plastics piping systems for drainage, sewerage and water supply, pressure and non-pressure - Glass-reinforced thermosetting plastics (GRP) based on unsaturated polyester resin (UP) - Guidance for the assessment of conformity

Kunststoff-Rohrleitungssysteme für die Entwässerung und Wasserversorgung mit und ohne Druck - Glasfaserverstärkte duroplastische Kunststoffe (GFK) auf der Basis von Polyesterharz (UP) - Empfehlungen für die Beurteilung der Konformität

This Technical Specification (CEN/TS) was approved by CEN on 7 May 2023 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	4
Introduction	6
1 Scope	8
2 Normative references	8
3 Terms and definitions	10
4 Abbreviated terms	12
5 General	12
6 Testing and inspection	13
6.1 General	13
6.2 Type testing	13
6.3 Audit tests (AT)	16
6.4 Quality control tests	18
Annex A (normative) Procedures for dealing with test data provided by the manufacturer and for witnessed tests in a manufacturer's laboratory	20
A.1 General	20
A.2 Test data provided by the manufacturer	20
A.3 Witnessed tests in a manufacturer's laboratory	20
A.3.1 General	20
A.3.2 Control of witnessed tests	20
Annex B (normative) Definitions of changes in material, design and process	21
B.1 General	21
B.2 Change in materials — Reinforcements	21
B.3 Resins	21
B.3.1 General	21
B.3.2 Curing agents or systems	22
B.3.3 Fillers and/or aggregates	22
B.3.4 Joint materials	22
B.3.4.1 Gasket sealed joints	22
B.3.4.2 Bonded joints	22
B.4 Change in design	23
B.5 Change in process	23
Annex C (normative) Tests to assess the effects of changes	24
C.1 Tests	24
C.2 Evaluation of test results	24

C.2.1	Initial properties	24
C.2.2	Reduced long-term tests	24
Annex D (normative) Parameters and criteria for reduced long-term tests (RLTT)		26
D.1	General	26
D.2	Reduced long-term test parameters	26
D.2.1	Reduced parameters for long-term failure pressure	26
D.2.2	Reduced parameters for the resistance to strain corrosion	26
D.2.2.1	General	26
D.2.2.2	Procedure using failure points	26
D.2.2.3	Procedure using specified levels	27
D.2.2.3.1 General	27
D.2.2.3.2 Using deflection	27
D.2.2.3.3 Using strain	27
D.2.3	Reduced parameters for ultimate long-term resistance to failure in a deflected condition	27
D.3	Evaluation of results of destructive RLTTs (see D.2.1, D.2.2 and D.2.3)	28
D.3.1	General	28
D.3.2	Example	29
Annex E (normative) Reduced long-term testing (RLTT) of the determination of wet creep factor		32
E.1	General	32
E.2	Evaluation of results and criteria	32
E.2.1	General	32
E.2.2	Example	33
Annex F (normative) Additional statements for manholes and inspection chambers		36
F.1	General	36
F.2	Tests specific to manholes and chambers	36
F.2.1	Longitudinal compressive strength	36
F.2.2	Determination of the resistance of installed steps to vertical and horizontal loading	36
F.3	Type tests	36
F.4	Audit tests	36
F.5	Batch release tests	36
Annex G (informative) Consequence Classes and Quality Levels		37
G.1	General	37
Bibliography		39

CEN/TS 14632:2023 (E)**European foreword**

This document (CEN/TS 14632:2023) has been prepared by Technical Committee CEN/TC 155 “Plastics piping systems and ducting systems”, the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 14632:2012.

Compared with CEN/TS 14362:2012, the following changes have been made:

- In the scope references to ISO 25780 and ISO 16611 have been added and reference to EN ISO 23856 replaces reference to the previous product standards. References to appropriate accreditation standards have also been corrected. This also applies in other parts of the document;
- In Clause 2 references to several standards have been added and updated;
- In Clause 3.6 on type testing the note has been removed;
- In Table 3, 4 and 5, the term “Long-term failure pressure” has been replaced with “Resistance to internal pressure” and the term “strain corrosion” has been replaced with “chemical attack”. Also, the reference to EN 1447 has been replaced with reference to ISO 7509;
- In Clause 6.2.3.4 a sentence has been added with reference to EN 681-1 and ISO 4633;
- Clause 6.2.5 has been rewritten;
- In Table 4 reference to ISO 7510 has been added. The notes to the table have been rewritten;
- In Clause 6.4.1.1 the words “the production” have been replaced with “each production batch”;
- Table 6 has been rewritten;
- First paragraph of Clause 6.4.2 has been reworded;
- In Clause B.1 the penultimate paragraph has been deleted;
- In Clause B.2 the items e), f), and g) have been deleted;
- Two items have been added to Clause B.3.4.1;
- Clause B.5 has been reworded and item b) deleted;
- Table C.1 has been completely reworked;
- Note a in Table C.2 has been removed and the table corrected accordingly, a column has been added, and reference to α and β factors removed;
- In Clause D.2.2.3.2 the word “deflection” has been replaced with “initial ring stiffness”
- Throughout the document the words “specific ring stiffness” have been replaced with “ring stiffness”;

- Annex E has been completely rewritten;
- A new Annex G has been introduced;
- Typographical and grammatical errors have been corrected throughout the document.

This document can be used to support elaboration of national third-party certification procedures for GRP products (glass-reinforced thermosetting plastics based on unsaturated polyester resin) to be used in piping systems for the transport of water, drainage and sewage.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST-TS CEN/TS 14632:2023](https://standards.iteh.ai/catalog/standards/sist/de480367-c090-4a81-b17e-447199372144/sist-ts-cen-ts-14632-2023)

<https://standards.iteh.ai/catalog/standards/sist/de480367-c090-4a81-b17e-447199372144/sist-ts-cen-ts-14632-2023>

Introduction

Figures 1 and 2 are intended to provide general information on the concept of testing and organization of those tests used for the purpose of the assessment of conformity. For each type of test (i.e. type testing (TT), batch release test (BRT), process verification test (PVT) and audit test (AT), this document details the applicable characteristics to be assessed and the frequency and sampling of testing.

A typical scheme for the assessment of conformity of pipes, fittings and assemblies by manufacturers is given in Figure 1.




Figure 1 — Typical scheme for the assessment of conformity by a manufacturer

A typical scheme for the assessment of conformity of pipes, fittings and assemblies by manufacturers, including a third-party certification, is given in Figure 2.




Figure 2 — Typical scheme for the assessment of conformity by a manufacturer, including a third-party certification

The quality management system conforms to or is no less stringent than the relevant requirements to EN ISO 9001 [1].

<https://standards.iteh.ai/catalog/standards/sist/de480367-c090-4a81-b17e-447199372144/sist-ts-cen-ts-14632-2023>

1 Scope

This document gives guidance on the assessment of conformity of GRP-UP (glass-reinforced thermosetting resins based on unsaturated polyesters) piping products and assemblies in accordance with EN ISO 23856. ISO 25780 and ISO 16611 intended to be included in the manufacturer's quality plan as part of the quality management system and for the establishment of third-party certification procedures.

This document also gives guidance on the assessment of conformity of GRP-UP manholes and inspection chambers (see EN 15383 for additional information). Pipes (see EN ISO 23856) are used for manufacturing the shafts and chamber units. Additional statements as needed to assess the conformity of manholes and inspection chambers are given in Annex F.

NOTE 1 For the purpose of this document, the term polyester resin (UP) also includes vinyl-ester resins (VE).

NOTE 2 If third-party certification is involved, the certification body is accredited to ISO/IEC 17065 or EN ISO/IEC 17021 [3] as applicable.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 681-1, *Elastomeric seals - Materials requirements for pipe joint seals used in water and drainage applications - Part 1: Vulcanized rubber*

ISO 4633, *Rubber seals – Joint rings for water supply, drainage and sewerage pipelines – Specifications for materials*

ISO 7509, *Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes — Determination of time to failure under sustained internal pressure*

EN 1990, *Eurocode - Basis of structural and geotechnical design*

EN 15383, *Plastics piping systems for drainage and sewerage — Glass-reinforced thermosetting plastics (GRP) based on polyester resin (UP) — Manholes and inspection chambers*

EN ISO 3126, *Plastics piping systems - Plastics components - Determination of dimensions (ISO 3126)*

EN ISO 23856, *Plastics piping systems for pressure and non-pressure water supply, drainage or sewerage - Glass-reinforced thermosetting plastics (GRP) systems based on unsaturated polyester (UP) resin (ISO 23856)*

ISO 25780, *Plastics piping systems for pressure and non-pressure water supply, irrigation, drainage or sewerage — Glass-reinforced thermosetting plastics (GRP) systems based on unsaturated polyester (UP) resin — Pipes with flexible joints intended to be installed using jacking techniques*

ISO 16611, *Plastics piping systems for drainage and sewerage without pressure — Non-circular pipes and joints made of glass-reinforced thermosetting plastics (GRP) based on unsaturated polyester resins (UP) — Dimensions, requirements and tests*

ISO 7432, *Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Test methods to prove the design of locked socket-and-spigot joints, including double-socket joints, with elastomeric seals*

- ISO 7510, *Plastics piping systems — Glass-reinforced plastics (GRP) components — Determination of the amounts of constituents*
- ISO 7685, *Glass-reinforced thermosetting plastics (GRP) pipes — Determination of initial ring stiffness*
- ISO 8513, *Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes — Determination of longitudinal tensile properties*
- ISO 8521, *Glass-reinforced thermosetting plastic (GRP) pipes — Test methods for the determination of the initial circumferential tensile wall strength*
- ISO 8533, *Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Test methods to prove the design of cemented or wrapped joints*
- ISO 8639, *Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Test methods for leaktightness and proof of structural design of flexible joints*
- ISO 10466, *Glass-reinforced thermosetting plastics (GRP) pipes — Test method to prove the resistance to initial ring deflection*
- ISO 10468, *Glass-reinforced thermosetting plastics (GRP) pipes — Determination of the creep properties under wet or dry conditions*
- ISO 10471, *Glass-reinforced thermosetting plastics (GRP) pipes — Determination of the long-term ultimate bending strain and the long-term ultimate relative ring deflection under wet conditions*
- ISO 10928, *Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Methods for regression analysis and their use*
- ISO 10952, *Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Determination of the resistance to chemical attack for the inside of a section in a deflected condition*
- ISO 18851, *Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Test method to prove the structural design of fittings*
- ISO/TS 20656-1, *Plastics piping systems — General rules for structural design of glass-reinforced thermosetting plastics (GRP) pipes — Part 1: Buried pipes*
- ISO 178, *Plastics — Determination of flexural properties*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 23856, ISO 25780, ISO 16611 and EN 15383 and the following apply.

3.1 certification body

impartial body, governmental or non-governmental, possessing the necessary competence and responsibility to carry out certification of conformity according to given rules of procedure and management

Note 1 to entry: A certification body is preferably accredited to ISO/IEC 17065 [5].

3.2 inspection body

impartial organisation or company, approved by the certification body as possessing the necessary competence to verify and/or to carry out initial type testing, audit testing and inspection of the manufacturer's factory production control in accordance with the relevant standard

Note 1 to entry: An inspection body is preferably accredited to ISO/IEC 17020 [2].

3.3 testing laboratory

laboratory which measures, tests, calibrates or otherwise determines the characteristics of the performance of materials and products

Note 1 to entry: In the context of this document, the materials and products can be subjected to type testing, batch release testing, process verification testing, audit testing, and witness testing, as applicable.

Note 2 to entry: A testing laboratory is preferably accredited to ISO/IEC 17025 [4].

3.4 quality management system

management system to direct and control an organization with regard to quality

Note 1 to entry: Requirements for quality management systems are given in EN ISO 9001 [1].

3.5 quality plan

document setting out the specific quality practices, resources and sequence of activities relevant to a particular product or range of products

3.6 type testing

TT
testing performed to prove that the material, product, joint or assembly is capable of conforming to the requirements given in the relevant standard

3.7 batch release test

BRT
test performed by or on behalf of the manufacturer on a batch of products, which has to be satisfactorily completed before the batch can be released

3.8**process verification test****PVT**

test performed by or on behalf of the manufacturer on products at specific intervals to confirm that the process continues to be capable of producing products which conform to the requirements given in the relevant standard

Note 1 to entry: Such tests are not required to release batches of products and are carried out as a measure of process control.

3.9**audit test****AT**

test performed by a test laboratory on behalf of an inspection body or certification body to confirm that the product continues to conform to the requirements given in the relevant standard and to provide information to assess the effectiveness of the quality management system

3.10**indirect test****IT**

test performed by or on behalf of the manufacturer, different from that specified test for that particular characteristic, having previously verified its correlation with the specified test

3.11**witness test****WT**

test accepted by an inspection or a certification body for type testing and/or audit testing, which is carried out by or on behalf of the manufacturer and supervised by a representative of the inspection or certification body, qualified in testing

3.12**product**

pipe, fitting, manhole or inspection chamber of a clearly identified type intended to be a part of a piping system which the manufacturer puts on the market

3.13**product batch**

clearly identified collection of products, manufactured consecutively or continuously under the same conditions, conforming to the same specification

Note 1 to entry: The production batch is defined and identified by the product manufacturer.

3.14**lot**

clearly identifiable sub-division of a batch for inspection purposes

3.15**sample**

one or more products drawn from the same production batch or lot, selected at random without regard to their quality

Note 1 to entry: The number of products in the sample is the sample size.