



Multi-access Edge Computing (MEC); API Conformance Test Specification; Part 2: Test Purposes (TP)

[ETSI GS MEC-DEC 032-2 V3.1.1 \(2022-04\)
https://standards.iteh.ai/catalog/standards/sist/82295796-
9d40-45f1-9bd5-5fc9c56eda9c/etsi-gs-mec-dec-032-2-
v3-1-1-2022-04](https://standards.iteh.ai/catalog/standards/sist/82295796-9d40-45f1-9bd5-5fc9c56eda9c/etsi-gs-mec-dec-032-2-v3-1-1-2022-04)

Disclaimer

The present document has been produced and approved by the Multi-access Edge Computing (MEC) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/MEC-DEC32-2v311ApiTest

Keywords

API, conformance, MEC, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.

All rights reserved.

Contents

Intellectual Property Rights	11
Foreword.....	11
Modal verbs terminology.....	11
1 Scope	12
2 References	12
2.1 Normative references	12
2.2 Informative references.....	13
3 Definition of terms, symbols and abbreviations.....	13
3.1 Terms.....	13
3.2 Symbols.....	14
3.3 Abbreviations	14
4 Prerequisites and Test Configurations.....	14
4.1 Test Configurations	14
5 Test Suite Structure (TSS).....	16
5.1 Overview	16
5.2 Test groups and subgroups specifications	17
5.3 Conventions.....	17
6 Test Purposes (TP)	18
6.1 MEC009	18
6.1.1 Generic MEC API Producer (MEX).....	18
6.1.1.1 Generic feature (Any)	18
6.2 MEC010p2	19
6.2.1 Multi-access Edge Orchestrator (MEO)	19
6.2.1.1 Granting (GRANT)	19
6.2.1.2 App Package Management (PKGM).....	24
6.2.2 Multi-access Edge Platform Manager (MEPM).....	39
6.2.2.1 Lifecycle Management (LCM).....	39
6.2.2.2 App Package Management (PKGM).....	41
6.2.3 Generic MEC API Producer (MEX).....	53
6.2.3.1 Lifecycle management (LCM)	53
6.3 MEC011	72
6.3.1 Services (SRV)	72
6.3.1.1 Application Service Availability Query (APPSAQ)	72
6.3.1.2 Application Subscriptions (APPSUB).....	79
6.3.1.3 Confirmation Tasks (CONFTASK)	83
6.3.1.4 DNS rules (DNS)	86
6.3.1.5 MEC Service Liveness (LIV).....	89
6.3.1.6 Service Availability Query (SAQ)	92
6.3.1.7 Service Subscriptions (SRVSUB).....	94
6.3.1.8 Timing capabilities (TIME)	99
6.3.1.9 Traffic rules (TRAF).....	100
6.3.1.10 Transport (TRANS)	103
6.4 MEC012	104
6.4.1 Services (SRV)	104
6.4.1.1 Radio Network Information Service (RNIS).....	104
6.5 MEC013	122
6.5.1 Services (SRV)	122
6.5.1.1 Radio Node Location Lookup (RLOCLOOK).....	122
6.5.1.2 UE Area Subscribe (UEAREASUB)	123
6.5.1.3 UE Distance Lookup (UEDISTLOOK)	126
6.5.1.4 UE Distance Subscribe (UEDISTSUB)	127
6.5.1.5 UE Information Lookup (UEINFLOOK).....	130
6.5.1.6 UE Information Subscription (UEINFSUB)	132

6.5.1.7	UE Location Lookup (UELOCLOOK).....	135
6.5.1.8	UE Location Subscription (UELOCSUB)	137
6.5.1.9	UE Tracking Subscribe (UETRACKSUB)	140
6.6	MEC014	143
6.6.1	Services (SRV)	143
6.6.1.1	UE Identity tag (UETAG)	143
6.7	MEC015	148
6.7.1	Services (SRV)	148
6.7.1.1	Multi-access Traffic Steering (MTS)	148
6.7.1.2	Traffic Management (TM)	157
6.8	MEC016	169
6.8.1	Multi-access Edge Orchestrator (MEO)	169
6.8.1.1	UE Application Contexts (UEAPPCTX)	169
6.8.1.2	UE Applications Location (UEAPPLOC).....	174
6.8.1.3	UE Applications (UEAPPS).....	176
6.9	MEC021	179
6.9.1	Services (SRV)	179
6.9.1.1	Application Mobility Service (AMS).....	179
6.10	MEC028	192
6.10.1	Services (SRV)	192
6.10.1.1	WLAN Access Information (WAI).....	192
6.11	MEC029	211
6.11.1	Services (SRV)	211
6.11.1.1	Fixed Access Information Service (FAIS).....	211
6.12	MEC030	212
6.12.1	Services (SRV)	212
6.12.1.1	V2X Information Service (V2X).....	212
Annex A (informative):	Information on the tools to generate the present document	239
Annex B (informative):	Change History	240
History		241

ETSI GS MEC-DEC 032-2 V3.1.1 (2022-04)

<https://standards.iteh.ai/catalog/standards/sist/82295796-9d40-45f1-9bd5-5fc9c56eda9c/etsi-gs-mec-dec-032-2-v3-1-1-2022-04>

List of tables

Table 5.1-1: Test Suite Structure for MEC API Conformance.....	16
Table 6.1.1-1: TP_MEC_MEC009_MEX_ANY_001_NT.....	18
Table 6.1.1-2: TP_MEC_MEC009_MEX_ANY_001_WT.....	18
Table 6.2.1-1: TP_MEC_MEC010p2_MEO_GRANT_001_OK.....	19
Table 6.2.1-2: TP_MEC_MEC010p2_MEO_GRANT_001_BR.....	20
Table 6.2.1-3: TP_MEC_MEC010p2_MEO_GRANT_002_OK.....	20
Table 6.2.1-4: TP_MEC_MEC010p2_MEO_GRANT_003_OK - INSTITUTE.....	21
Table 6.2.1-5: TP_MEC_MEC010p2_MEO_GRANT_004_OK.....	22
Table 6.2.1-6: TP_MEC_MEC010p2_MEO_GRANT_005_OK.....	22
Table 6.2.1-7: TP_MEC_MEC010p2_MEO_GRANT_006_OK.....	23
Table 6.2.1-8: TP_MEC_MEC010p2_MEO_GRANT_006_NF.....	23
Table 6.2.1-9: TP_MEC_MEC010p2_MEO_PKGM_001_OK.....	24
Table 6.2.1-10: TP_MEC_MEC010p2_MEO_PKGM_001_BR.....	24
Table 6.2.1-11: TP_MEC_MEC010p2_MEO_PKGM_002_01_OK.....	25
Table 6.2.1-12: TP_MEC_MEC010p2_MEO_PKGM_002_02_OK.....	26
Table 6.2.1-13: TP_MEC_MEC010p2_MEO_PKGM_002_BR.....	26
Table 6.2.1-14: TP_MEC_MEC010p2_MEO_PKGM_003_01_OK.....	27
Table 6.2.1-15: TP_MEC_MEC010p2_MEO_PKGM_003_02_OK.....	28
Table 6.2.1-16: TP_MEC_MEC010p2_MEO_PKGM_003_NF.....	28
Table 6.2.1-17: TP_MEC_MEC010p2_MEO_PKGM_004_OK.....	29
Table 6.2.1-18: TP_MEC_MEC010p2_MEO_PKGM_004_NF.....	29
Table 6.2.1-19: TP_MEC_MEC010p2_MEO_PKGM_005_OK.....	30
Table 6.2.1-20: TP_MEC_MEC010p2_MEO_PKGM_005_NF.....	30
Table 6.2.1-21: TP_MEC_MEC010p2_MEO_PKGM_006_OK.....	31
Table 6.2.1-22: TP_MEC_MEC010p2_MEO_PKGM_006_BR.....	31
Table 6.2.1-23: TP_MEC_MEC010p2_MEO_PKGM_007_OK.....	32
Table 6.2.1-24: TP_MEC_MEC010p2_MEO_PKGM_008_OK.....	32
Table 6.2.1-25: TP_MEC_MEC010p2_MEO_PKGM_008_NF.....	33
Table 6.2.1-26: TP_MEC_MEC010p2_MEO_PKGM_009_OK.....	33
Table 6.2.1-27: TP_MEC_MEC010p2_MEO_PKGM_009_NF.....	34
Table 6.2.1-28: TP_MEC_MEC010p2_MEO_PKGM_010_OK.....	34
Table 6.2.1-29: TP_MEC_MEC010p2_MEO_PKGM_011_OK.....	35
Table 6.2.1-30: TP_MEC_MEC010p2_MEO_PKGM_011_NF.....	35
Table 6.2.1-31: TP_MEC_MEC010p2_MEO_PKGM_012_01_OK.....	36
Table 6.2.1-32: TP_MEC_MEC010p2_MEO_PKGM_012_02_OK.....	36
Table 6.2.1-33: TP_MEC_MEC010p2_MEO_PKGM_012_BR.....	37
Table 6.2.1-34: TP_MEC_MEC010p2_MEO_PKGM_012_01_NF.....	37
Table 6.2.1-35: TP_MEC_MEC010p2_MEO_PKGM_012_02_NF.....	38
Table 6.2.1-36: TP_MEC_MEC010p2_MEO_PKGM_013_OK.....	38
Table 6.2.1-37: TP_MEC_MEC010p2_MEO_PKGM_013_NF.....	39
Table 6.2.2-1: TP_MEC_MEC010p2_MEPM_LCM_01_OK.....	39
Table 6.2.2-2: TP_MEC_MEC010p2_MEPM_LCM_01_BR.....	40
Table 6.2.2-3: TP_MEC_MEC010p2_MEPM_LCM_01_NF.....	40
Table 6.2.2-4: TP_MEC_MEC010p2_MEPM_PKGM_001_01_OK.....	41
Table 6.2.2-5: TP_MEC_MEC010p2_MEPM_PKGM_001_02_OK.....	41
Table 6.2.2-6: TP_MEC_MEC010p2_MEPM_PKGM_001_BR.....	42
Table 6.2.2-7: TP_MEC_MEC010p2_MEPM_PKGM_002_01_OK.....	43
Table 6.2.2-8: TP_MEC_MEC010p2_MEPM_PKGM_002_02_OK.....	43
Table 6.2.2-9: TP_MEC_MEC010p2_MEPM_PKGM_002_NF.....	44
Table 6.2.2-10: TP_MEC_MEC010p2_MEPM_PKGM_003_OK.....	45
Table 6.2.2-11: TP_MEC_MEC010p2_MEPM_PKGM_003_BR.....	45
Table 6.2.2-12: TP_MEC_MEC010p2_MEPM_PKGM_004_OK.....	46
Table 6.2.2-13: TP_MEC_MEC010p2_MEPM_PKGM_005_OK.....	46
Table 6.2.2-14: TP_MEC_MEC010p2_MEPM_PKGM_005_NF.....	47
Table 6.2.2-15: TP_MEC_MEC010p2_MEPM_PKGM_006_OK.....	47
Table 6.2.2-16: TP_MEC_MEC010p2_MEPM_PKGM_006_NF.....	48
Table 6.2.2-17: TP_MEC_MEC010p2_MEPM_PKGM_007_OK.....	48
Table 6.2.2-18: TP_MEC_MEC010p2_MEPM_PKGM_008_NA.....	49
Table 6.2.2-19: TP_MEC_MEC010p2_MEPM_PKGM_009_OK.....	49

Table 6.2.2-20: TP_MEC_MEC010p2_MPEM_PKGM_009_NF	50
Table 6.2.2-21: TP_MEC_MEC010p2_MPEM_PKGM_0010_FO	50
Table 6.2.2-22: TP_MEC_MEC010p2_MPEM_PKGM_011_NA	51
Table 6.2.2-23: TP_MEC_MEC010p2_MPEM_PKGM_012_01_OK	51
Table 6.2.2-24: TP_MEC_MEC010p2_MPEM_PKGM_012_02_OK	52
Table 6.2.2-25: TP_MEC_MEC010p2_MPEM_PKGM_012_01_NF	52
Table 6.2.2-26: TP_MEC_MEC010p2_MPEM_PKGM_012_02_NF	53
Table 6.2.3-1: TP_MEC_MEC010p2_MEX_LCM_001_OK	53
Table 6.2.3-2: TP_MEC_MEC010p2_MEX_LCM_001_BR	54
Table 6.2.3-3: TP_MEC_MEC010p2_MEX_LCM_002_OK	54
Table 6.2.3-4: TP_MEC_MEC010p2_MEX_LCM_003_OK	56
Table 6.2.3-5: TP_MEC_MEC010p2_MEX_LCM_003_NF	56
Table 6.2.3-6: TP_MEC_MEC010p2_MEX_LCM_004_OK	57
Table 6.2.3-7: TP_MEC_MEC010p2_MEX_LCM_004_NF	57
Table 6.2.3-8: TP_MEC_MEC010p2_MEX_LCM_005_OK	57
Table 6.2.3-9: TP_MEC_MEC010p2_MEX_LCM_005_BR	58
Table 6.2.3-10: TP_MEC_MEC010p2_MEX_LCM_005_NF	58
Table 6.2.3-11: TP_MEC_MEC010p2_MEX_LCM_006_OK	59
Table 6.2.3-12: TP_MEC_MEC010p2_MEX_LCM_006_BR	59
Table 6.2.3-13: TP_MEC_MEC010p2_MEX_LCM_006_NF	60
Table 6.2.3-14: TP_MEC_MEC010p2_MEX_LCM_007_OK	61
Table 6.2.3-15: TP_MEC_MEC010p2_MEX_LCM_007_BR	61
Table 6.2.3-16: TP_MEC_MEC010p2_MEX_LCM_007_NF	62
Table 6.2.3-17: TP_MEC_MEC010p2_MEX_LCM_008_OK	62
Table 6.2.3-18: TP_MEC_MEC010p2_MEX_LCM_009_OK	63
Table 6.2.3-19: TP_MEC_MEC010p2_MEX_LCM_009_NF	64
Table 6.2.3-20: TP_MEC_MEC010p2_MEX_LCM_010_OK	64
Table 6.2.3-21: TP_MEC_MEC010p2_MEX_LCM_010_BR	65
Table 6.2.3-22: TP_MEC_MEC010p2_MEX_LCM_011_OK	66
Table 6.2.3-23: TP_MEC_MEC010p2_MEX_LCM_012_OK	66
Table 6.2.3-24: TP_MEC_MEC010p2_MEX_LCM_012_NF	67
Table 6.2.3-25: TP_MEC_MEC010p2_MEX_LCM_013_OK	67
Table 6.2.3-26: TP_MEC_MEC010p2_MEX_LCM_013_NF	68
Table 6.2.3-27: TP_MEC_MEC010p2_MEX_LCM_014_OK	68
Table 6.2.3-28: TP_MEC_MEC010p2_MEX_LCM_014_BR	69
Table 6.2.3-29: TP_MEC_MEC010p2_MEX_LCM_014_NF	69
Table 6.2.3-30: TP_MEC_MEC010p2_MEX_LCM_015_OK	70
Table 6.2.3-31: TP_MEC_MEC010p2_MEX_LCM_015_NF	70
Table 6.2.3-32: TP_MEC_MEC010p2_MEX_LCM_016_OK	71
Table 6.2.3-33: TP_MEC_MEC010p2_MEX_LCM_016_NF	71
Table 6.2.3-34: TP_MEC_MEC010p2_MEX_LCM_017_OK	72
Table 6.3.1-1: TP_MEC_MEC011_SRV_APPSAQ_001_OK	72
Table 6.3.1-2: TP_MEC_MEC011_SRV_APPSAQ_001_BR	73
Table 6.3.1-3: TP_MEC_MEC011_SRV_APPSAQ_002_OK	74
Table 6.3.1-4: TP_MEC_MEC011_SRV_APPSAQ_002_BR	74
Table 6.3.1-5: TP_MEC_MEC011_SRV_APPSAQ_002_NF	75
Table 6.3.1-6: TP_MEC_MEC011_SRV_APPSAQ_003_OK	76
Table 6.3.1-7: TP_MEC_MEC011_SRV_APPSAQ_003_NF	76
Table 6.3.1-8: TP_MEC_MEC011_SRV_APPSAQ_004_OK	77
Table 6.3.1-9: TP_MEC_MEC011_SRV_APPSAQ_004_BR	77
Table 6.3.1-10: TP_MEC_MEC011_SRV_APPSAQ_004_NF	78
Table 6.3.1-11: TP_MEC_MEC011_SRV_APPSUB_001_OK	79
Table 6.3.1-12: TP_MEC_MEC011_SRV_APPSUB_001_NF	79
Table 6.3.1-13: TP_MEC_MEC011_SRV_APPSUB_002_OK	80
Table 6.3.1-14: TP_MEC_MEC011_SRV_APPSUB_002_BR	80
Table 6.3.1-15: TP_MEC_MEC011_SRV_APPSUB_003_OK	81
Table 6.3.1-16: TP_MEC_MEC011_SRV_APPSUB_003_NF	82
Table 6.3.1-17: TP_MEC_MEC011_SRV_APPSUB_004_OK	82
Table 6.3.1-18: TP_MEC_MEC011_SRV_APPSUB_004_NF	83
Table 6.3.1-19: TP_MEC_MEC011_SRV_CONFTASK_001_OK	83
Table 6.3.1-20: TP_MEC_MEC011_SRV_CONFTASK_001_NF	84
Table 6.3.1-21: TP_MEC_MEC011_SRV_CONFTASK_002_OK	84

Table 6.3.1-22: TP_MEC_MEC011_SRV_CONFTASK_002_NF	85
Table 6.3.1-23: TP_MEC_MEC011_SRV_DNS_001_OK	86
Table 6.3.1-24: TP_MEC_MEC011_SRV_DNS_002_OK	86
Table 6.3.1-25: TP_MEC_MEC011_SRV_DNS_002_NF	87
Table 6.3.1-26: TP_MEC_MEC011_SRV_DNS_003_OK	87
Table 6.3.1-27: TP_MEC_MEC011_SRV_DNS_003_BR	88
Table 6.3.1-28: TP_MEC_MEC011_SRV_DNS_003_NF	89
Table 6.3.1-29: TP_MEC_MEC011_SRV_MSL_001_OK	89
Table 6.3.1-30: TP_MEC_MEC011_SRV_MSL_001_NF	90
Table 6.3.1-31: TP_MEC_MEC011_SRV_MSL_002_OK	90
Table 6.3.1-32: TP_MEC_MEC011_SRV_MSL_002_BR	91
Table 6.3.1-33: TP_MEC_MEC011_SRV_SAQ_001_OK	92
Table 6.3.1-34: TP_MEC_MEC011_SRV_SAQ_001_BR	92
Table 6.3.1-35: TP_MEC_MEC011_SRV_SAQ_002_OK	93
Table 6.3.1-36: TP_MEC_MEC011_SRV_SAQ_002_NF	93
Table 6.3.1-37: TP_MEC_MEC011_SRV_SRVSUB_001_OK	94
Table 6.3.1-38: TP_MEC_MEC011_SRV_SRVSUB_001_NF	94
Table 6.3.1-39: TP_MEC_MEC011_SRV_SRVSUB_002_OK	95
Table 6.3.1-40: TP_MEC_MEC011_SRV_SRVSUB_002_BR	96
Table 6.3.1-41: TP_MEC_MEC011_SRV_SRVSUB_003_OK	96
Table 6.3.1-42: TP_MEC_MEC011_SRV_SRVSUB_003_NF	97
Table 6.3.1-43: TP_MEC_MEC011_SRV_SRVSUB_004_OK	97
Table 6.3.1-44: TP_MEC_MEC011_SRV_SRVSUB_004_NF	98
Table 6.3.1-45: TP_MEC_MEC011_SRV_TIME_001_OK	99
Table 6.3.1-46: TP_MEC_MEC011_SRV_TIME_002_OK	99
Table 6.3.1-47: TP_MEC_MEC011_SRV_TRAF_001_OK	100
Table 6.3.1-48: TP_MEC_MEC011_SRV_TRAF_001_NF	100
Table 6.3.1-49: TP_MEC_MEC011_SRV_TRAF_002_OK	101
Table 6.3.1-50: TP_MEC_MEC011_SRV_TRAF_003_OK	101
Table 6.3.1-51: TP_MEC_MEC011_SRV_TRAF_003_BR	102
Table 6.3.1-52: TP_MEC_MEC011_SRV_TRAF_003_NF	103
Table 6.3.1-53: TP_MEC_MEC011_SRV_TRANS_001_OK	103
Table 6.4.1-1: TP_MEC_MEC012_SRV_RNIS_001_OK	104
Table 6.4.1-2: TP_MEC_MEC012_SRV_RNIS_002_OK	105
Table 6.4.1-3: TP_MEC_MEC012_SRV_RNIS_003_OK	105
Table 6.4.1-4: TP_MEC_MEC012_SRV_RNIS_004_OK	106
Table 6.4.1-5: TP_MEC_MEC012_SRV_RNIS_005_OK	106
Table 6.4.1-6: TP_MEC_MEC012_SRV_RNIS_006_OK	107
Table 6.4.1-7: TP_MEC_MEC012_SRV_RNIS_007_OK	107
Table 6.4.1-8: TP_MEC_MEC012_SRV_RNIS_008_OK	108
Table 6.4.1-9: TP_MEC_MEC012_SRV_RNIS_009_OK	108
Table 6.4.1-10: TP_MEC_MEC012_SRV_RNIS_010_OK	109
Table 6.4.1-11: TP_MEC_MEC012_SRV_RNIS_011_OK	110
Table 6.4.1-12: TP_MEC_MEC012_SRV_RNIS_011_BR	110
Table 6.4.1-13: TP_MEC_MEC012_SRV_RNIS_012_OK	111
Table 6.4.1-14: TP_MEC_MEC012_SRV_RNIS_012_BR	112
Table 6.4.1-15: TP_MEC_MEC012_SRV_RNIS_013_OK	112
Table 6.4.1-16: TP_MEC_MEC012_SRV_RNIS_013_NF	113
Table 6.4.1-17: TP_MEC_MEC012_SRV_RNIS_014_OK	113
Table 6.4.1-18: TP_MEC_MEC012_SRV_RNIS_014_BR	114
Table 6.4.1-19: TP_MEC_MEC012_SRV_RNIS_014_NF	115
Table 6.4.1-20: TP_MEC_MEC012_SRV_RNIS_015_OK	115
Table 6.4.1-21: TP_MEC_MEC012_SRV_RNIS_015_NF	116
Table 6.4.1-22: TP_MEC_MEC012_SRV_RNIS_016_OK	116
Table 6.4.1-23: TP_MEC_MEC012_SRV_RNIS_016_BR	117
Table 6.4.1-24: TP_MEC_MEC012_SRV_RNIS_016_NF	117
Table 6.4.1-25: TP_MEC_MEC012_SRV_RNIS_017_OK	118
Table 6.4.1-26: TP_MEC_MEC012_SRV_RNIS_017_BR	118
Table 6.4.1-27: TP_MEC_MEC012_SRV_RNIS_017_NF	119
Table 6.4.1-28: TP_MEC_MEC012_SRV_RNIS_018_OK	119
Table 6.4.1-29: TP_MEC_MEC012_SRV_RNIS_018_BR	120
Table 6.4.1-30: TP_MEC_MEC012_SRV_RNIS_018_NF	120

Table 6.4.1-31: TP_MEC_MEC012_SRV_RNIS_019_OK	121
Table 6.4.1-32: TP_MEC_MEC012_SRV_RNIS_019_BR	121
Table 6.4.1-33: TP_MEC_MEC012_SRV_RNIS_019_NF	122
Table 6.5.1-1: TP_MEC_MEC013_SRV_RLOC_001_OK	122
Table 6.5.1-2: TP_MEC_MEC013_SRV_RLOC_001_NF	123
Table 6.5.1-3: TP_MEC_MEC013_SRV_UEAREASUB_001_OK	123
Table 6.5.1-4: TP_MEC_MEC013_SRV_UEAREASUB_001_BR	124
Table 6.5.1-5: TP_MEC_MEC013_SRV_UEAREASUB_002_OK	125
Table 6.5.1-6: TP_MEC_MEC013_SRV_UEAREASUB_002_NF	125
Table 6.5.1-7: TP_MEC_MEC013_SRV_UEDISTLOOK_001_OK	126
Table 6.5.1-8: TP_MEC_MEC013_SRV_UEDISTLOOK_001_BR	127
Table 6.5.1-9: TP_MEC_MEC013_SRV_UEDISTSUB_001_OK	127
Table 6.5.1-10: TP_MEC_MEC013_SRV_UEDISTSUB_001_BR	128
Table 6.5.1-11: TP_MEC_MEC013_SRV_UEDISTSUB_002_OK	129
Table 6.5.1-12: TP_MEC_MEC013_SRV_UEDISTSUB_002_NF	129
Table 6.5.1-13: TP_MEC_MEC013_SRV_UEINFLOOK_001_OK	130
Table 6.5.1-14: TP_MEC_MEC013_SRV_UEINFLOOK_001_BR	130
Table 6.5.1-15: TP_MEC_MEC013_SRV_UEINFLOOK_001_NF	131
Table 6.5.1-16: TP_MEC_MEC013_SRV_UEINFSUB_001_OK	132
Table 6.5.1-17: TP_MEC_MEC013_SRV_UEINFSUB_001_BR	133
Table 6.5.1-18: TP_MEC_MEC013_SRV_UEINFSUB_002_OK	133
Table 6.5.1-19: TP_MEC_MEC013_SRV_UEINFSUB_002_NF	134
Table 6.5.1-20: TP_MEC_MEC013_SRV_UELOC_001_OK	135
Table 6.5.1-21: TP_MEC_MEC013_SRV_UELOC_001_BR	136
Table 6.5.1-22: TP_MEC_MEC013_SRV_UELOC_001_NF	136
Table 6.5.1-23: TP_MEC_MEC013_SRV_UELOCSUB_001_OK	137
Table 6.5.1-24: TP_MEC_MEC013_SRV_UELOCSUB_001_BR	138
Table 6.5.1-25: TP_MEC_MEC013_SRV_UELOCSUB_002_OK	138
Table 6.5.1-26: TP_MEC_MEC013_SRV_UELOCSUB_002_NF	139
Table 6.5.1-27: TP_MEC_MEC013_SRV_UETRACKSUB_001_OK	140
Table 6.5.1-28: TP_MEC_MEC013_SRV_UETRACKSUB_001_BR	141
Table 6.5.1-29: TP_MEC_MEC013_SRV_UETRACKSUB_002_OK	141
Table 6.5.1-30: TP_MEC_MEC013_SRV_UETRACKSUB_002_NF	142
Table 6.6.1-1: TP_MEC_SRV_UEAG_001_OK	143
Table 6.6.1-2: TP_MEC_SRV_UEAG_001_BR	144
Table 6.6.1-3: TP_MEC_SRV_UEAG_001_NF	144
Table 6.6.1-4: TP_MEC_SRV_UEAG_002_OK	145
Table 6.6.1-5: TP_MEC_SRV_UEAG_002_BR	146
Table 6.6.1-6: TP_MEC_SRV_UEAG_002_NF	147
Table 6.6.1-7: TP_MEC_SRV_UEAG_002_PF	148
Table 6.7.1-1: TP_MEC_MEC015_SRV_MTS_001_OK	148
Table 6.7.1-2: TP_MEC_MEC015_SRV_MTS_002_OK	149
Table 6.7.1-3: TP_MEC_MEC015_SRV_MTS_002_BR	149
Table 6.7.1-4: TP_MEC_MEC015_SRV_MTS_002_NF	150
Table 6.7.1-5: TP_MEC_MEC015_SRV_MTS_003_OK	150
Table 6.7.1-6: TP_MEC_MEC015_SRV_MTS_003_OK_02	151
Table 6.7.1-7: TP_MEC_MEC015_SRV_MTS_003_BR	152
Table 6.7.1-8: TP_MEC_MEC015_SRV_MTS_004_OK	153
Table 6.7.1-9: TP_MEC_MEC015_SRV_MTS_004_BR	153
Table 6.7.1-10: TP_MEC_MEC015_SRV_MTS_004_NF	154
Table 6.7.1-11: TP_MEC_MEC015_SRV_MTS_005_OK	154
Table 6.7.1-12: TP_MEC_MEC015_SRV_MTS_005_BR	155
Table 6.7.1-13: TP_MEC_MEC015_SRV_MTS_005_NF	156
Table 6.7.1-14: TP_MEC_MEC015_SRV_MTS_006_OK	156
Table 6.7.1-15: TP_MEC_MEC015_SRV_MTS_006_NF	157
Table 6.7.1-16: TP_MEC_MEC015_SRV_TM_001_OK	157
Table 6.7.1-17: TP_MEC_MEC015_SRV_TM_002_OK	158
Table 6.7.1-18: TP_MEC_MEC015_SRV_TM_002_BR	159
Table 6.7.1-19: TP_MEC_MEC015_SRV_TM_002_NF	159
Table 6.7.1-20: TP_MEC_MEC015_SRV_TM_003_OK_01	160
Table 6.7.1-21: TP_MEC_MEC015_SRV_TM_003_OK_02	160
Table 6.7.1-22: TP_MEC_MEC015_SRV_TM_003_BR_01	161

Table 6.7.1-23: TP_MEC_MEC015_SRV_TM_003_BR_02.....	162
Table 6.7.1-24: TP_MEC_MEC015_SRV_TM_003_BR_03.....	162
Table 6.7.1-25: TP_MEC_MEC015_SRV_TM_004_OK.....	163
Table 6.7.1-26: TP_MEC_MEC015_SRV_TM_004_NF.....	164
Table 6.7.1-27: TP_MEC_MEC015_SRV_TM_005_OK.....	164
Table 6.7.1-28: TP_MEC_MEC015_SRV_TM_005_BR.....	165
Table 6.7.1-29: TP_MEC_MEC015_SRV_TM_005_NF.....	165
Table 6.7.1-30: TP_MEC_MEC015_SRV_TM_006_OK.....	166
Table 6.7.1-31: TP_MEC_MEC015_SRV_TM_006_BR.....	167
Table 6.7.1-32: TP_MEC_MEC015_SRV_TM_006_NF.....	167
Table 6.7.1-33: TP_MEC_MEC015_SRV_TM_007_OK.....	168
Table 6.7.1-34: TP_MEC_MEC015_SRV_TM_007_NF.....	168
Table 6.8.1-1: TP_MEC_MEC016_MEO_UEAPPCTX_001_OK.....	169
Table 6.8.1-2: TP_MEC_MEO_UEAPPCTX_001_BR.....	170
Table 6.8.1-3: TP_MEC_MEC016_MEO_UEAPPCTX_001_NF.....	170
Table 6.8.1-4: TP_MEC_MEC016_MEO_UEAPPCTX_002_OK.....	171
Table 6.8.1-5: TP_MEC_MEC016_MEO_UEAPPCTX_002_BR.....	171
Table 6.8.1-6: TP_MEC_MEC016_MEO_UEAPPCTX_002_NF.....	172
Table 6.8.1-7: TP_MEC_MEC016_MEO_UEAPPCTX_003_OK.....	173
Table 6.8.1-8: TP_MEC_MEC016_MEO_UEAPPCTX_003_NF.....	173
Table 6.8.1-9: TP_MEC_MEC016_MEO_UEAPPLOC_001_OK.....	174
Table 6.8.1-10: TP_MEC_MEC016_MEO_UEAPPLOC_001_BR.....	174
Table 6.8.1-11: TP_MEC_MEC016_MEO_UEAPPLOC_001_NF.....	175
Table 6.8.1-12: TP_MEC_MEC016_MEO_UEAPPS_001_OK.....	176
Table 6.8.1-13: TP_MEC_MEC016_MEO_UEAPPS_001_NF.....	176
Table 6.8.1-14: TP_MEC_MEC016_MEO_UEAPPS_002_OK.....	177
Table 6.8.1-15: TP_MEC_MEC016_MEO_UEAPPS_002_BR.....	177
Table 6.8.1-16: TP_MEC_MEC016_MEO_UEAPPS_001_ERR.....	178
Table 6.8.1-17: TP_MEC_MEC016_MEO_UEAPPS_001_ERR Instances.....	179
Table 6.9.1-1: TP_MEC_SRV_AMS_001_OK.....	179
Table 6.9.1-2: TP_MEC_SRV_AMS_001_BR.....	180
Table 6.9.1-3: TP_MEC_SRV_AMS_002_OK.....	181
Table 6.9.1-4: TP_MEC_SRV_AMS_002_BR.....	182
Table 6.9.1-5: TP_MEC_SRV_AMS_003_OK.....	183
Table 6.9.1-6: TP_MEC_SRV_AMS_003_BR.....	184
Table 6.9.1-7: TP_MEC_SRV_AMS_004_OK.....	184
Table 6.9.1-8: TP_MEC_SRV_AMS_004_BR.....	185
Table 6.9.1-9: TP_MEC_SRV_AMS_005_OK.....	186
Table 6.9.1-10: TP_MEC_SRV_AMS_005_NF.....	186
Table 6.9.1-11: TP_MEC_SRV_AMS_006_OK.....	187
Table 6.9.1-12: TP_MEC_SRV_AMS_006_NF.....	187
Table 6.9.1-13: TP_MEC_SRV_AMS_007_OK.....	188
Table 6.9.1-14: TP_MEC_SRV_AMS_007_BR.....	189
Table 6.9.1-15: TP_MEC_SRV_AMS_007_NF.....	189
Table 6.9.1-16: TP_MEC_SRV_AMS_008_OK.....	190
Table 6.9.1-17: TP_MEC_SRV_AMS_009_OK.....	191
Table 6.9.1-18: TP_MEC_SRV_AMS_010_OK.....	192
Table 6.10.1-1: TP_MEC_MEC028_SRV_WAI_001_OK.....	192
Table 6.10.1-2: TP_MEC_MEC028_SRV_WAI_002_OK.....	193
Table 6.10.1-3: TP_MEC_MEC028_SRV_WAI_002_BR.....	194
Table 6.10.1-4: TP_MEC_MEC028_SRV_WAI_003_OK.....	194
Table 6.10.1-5: TP_MEC_MEC028_SRV_WAI_004_OK.....	195
Table 6.10.1-6: TP_MEC_MEC028_SRV_WAI_004_BR.....	196
Table 6.10.1-7: TP_MEC_MEC028_SRV_WAI_005_OK.....	196
Table 6.10.1-8: TP_MEC_MEC028_SRV_WAI_006_OK.....	197
Table 6.10.1-9: TP_MEC_MEC028_SRV_WAI_006_BR.....	198
Table 6.10.1-10: TP_MEC_MEC028_SRV_WAI_006_NF.....	198
Table 6.10.1-11: TP_MEC_MEC028_SRV_WAI_007_OK.....	199
Table 6.10.1-12: TP_MEC_MEC028_SRV_WAI_007_BR.....	199
Table 6.10.1-13: TP_MEC_MEC028_SRV_WAI_007_NF.....	200
Table 6.10.1-14: TP_MEC_MEC028_SRV_WAI_008_OK.....	200
Table 6.10.1-15: TP_MEC_MEC028_SRV_WAI_008_NF.....	201

Table 6.10.1-16: TP_MEC_MEC028_SRV_WAI_009_OK	201
Table 6.10.1-17: TP_MEC_MEC028_SRV_WAI_009_BR.....	202
Table 6.10.1-18: TP_MEC_MEC028_SRV_WAI_010_OK	203
Table 6.10.1-19: TP_MEC_MEC028_SRV_WAI_010_NF.....	204
Table 6.10.1-20: TP_MEC_MEC028_SRV_WAI_011_OK	204
Table 6.10.1-21: TP_MEC_MEC028_SRV_WAI_012_OK	205
Table 6.10.1-22: TP_MEC_MEC028_SRV_WAI_012_NF.....	205
Table 6.10.1-23: TP_MEC_MEC028_SRV_WAI_013_OK	206
Table 6.10.1-24: TP_MEC_MEC028_SRV_WAI_013_BR.....	206
Table 6.10.1-25: TP_MEC_MEC028_SRV_WAI_014_OK	207
Table 6.10.1-26: TP_MEC_MEC028_SRV_WAI_014_NF.....	208
Table 6.10.1-27: TP_MEC_MEC028_SRV_WAI_015_OK	208
Table 6.10.1-28: TP_MEC_MEC028_SRV_WAI_015_NF.....	209
Table 6.10.1-29: TP_MEC_MEC028_SRV_WAI_016_OK	210
Table 6.10.1-30: TP_MEC_MEC028_SRV_WAI_016_NF.....	210
Table 6.11.1-1: TP_MEC_SRV_FAIS_001_OK	211
Table 6.12.1-1: TP_MEC_MEC030_SRV_V2X_001_OK_01	212
Table 6.12.1-2: TP_MEC_MEC030_SRV_V2X_001_OK_02	212
Table 6.12.1-3: TP_MEC_MEC030_SRV_V2X_001_BR.....	213
Table 6.12.1-4: TP_MEC_MEC030_SRV_V2X_001_NF.....	213
Table 6.12.1-5: TP_MEC_MEC030_SRV_V2X_002_OK_01	214
Table 6.12.1-6: TP_MEC_MEC030_SRV_V2X_002_OK_02	215
Table 6.12.1-7: TP_MEC_MEC030_SRV_V2X_002_BR.....	215
Table 6.12.1-8: TP_MEC_MEC030_SRV_V2X_002_NF.....	216
Table 6.12.1-9: TP_MEC_MEC030_SRV_V2X_003_OK_01.....	216
Table 6.12.1-10: TP_MEC_MEC030_SRV_V2X_003_OK_02.....	217
Table 6.12.1-11: TP_MEC_MEC030_SRV_V2X_003_BR.....	217
Table 6.12.1-12: TP_MEC_MEC030_SRV_V2X_003_NF.....	218
Table 6.12.1-13: TP_MEC_MEC030_SRV_V2X_004_OK.....	218
Table 6.12.1-14: TP_MEC_MEC030_SRV_V2X_004_BR.....	219
Table 6.12.1-15: TP_MEC_MEC030_SRV_V2X_004_NF.....	220
Table 6.12.1-16: TP_MEC_MEC030_SRV_V2X_005_OK.....	220
Table 6.12.1-17: TP_MEC_MEC030_SRV_V2X_005_BR.....	221
Table 6.12.1-18: TP_MEC_MEC030_SRV_V2X_006_OK_01.....	221
Table 6.12.1-19: TP_MEC_MEC030_SRV_V2X_006_OK_02.....	222
Table 6.12.1-20: TP_MEC_MEC030_SRV_V2X_006_OK_03.....	222
Table 6.12.1-21: TP_MEC_MEC030_SRV_V2X_006_OK_04.....	223
Table 6.12.1-22: TP_MEC_MEC030_SRV_V2X_006_BR.....	224
Table 6.12.1-23: TP_MEC_MEC030_SRV_V2X_007_OK_01.....	224
Table 6.12.1-24: TP_MEC_MEC030_SRV_V2X_007_OK_02.....	225
Table 6.12.1-25: TP_MEC_MEC030_SRV_V2X_007_OK_03.....	225
Table 6.12.1-26: TP_MEC_MEC030_SRV_V2X_007_OK_04.....	226
Table 6.12.1-27: TP_MEC_MEC030_SRV_V2X_007_BR.....	227
Table 6.12.1-28: TP_MEC_MEC030_SRV_V2X_008_OK_01.....	227
Table 6.12.1-29: TP_MEC_MEC030_SRV_V2X_008_OK_02.....	228
Table 6.12.1-30: TP_MEC_MEC030_SRV_V2X_008_OK_03.....	229
Table 6.12.1-31: TP_MEC_MEC030_SRV_V2X_008_OK_04.....	229
Table 6.12.1-32: TP_MEC_MEC030_SRV_V2X_008_OK_BR.....	230
Table 6.12.1-33: TP_MEC_MEC030_SRV_V2X_008_NF.....	231
Table 6.12.1-34: TP_MEC_MEC030_SRV_V2X_009_OK_01.....	231
Table 6.12.1-35: TP_MEC_MEC030_SRV_V2X_009_OK_02.....	232
Table 6.12.1-36: TP_MEC_MEC030_SRV_V2X_009_OK_03.....	233
Table 6.12.1-37: TP_MEC_MEC030_SRV_V2X_009_OK_04.....	233
Table 6.12.1-38: TP_MEC_MEC030_SRV_V2X_009_BR.....	234
Table 6.12.1-39: TP_MEC_MEC030_SRV_V2X_009_NF.....	235
Table 6.12.1-40: TP_MEC_MEC030_SRV_V2X_010_OK_01.....	235
Table 6.12.1-41: TP_MEC_MEC030_SRV_V2X_010_OK_02.....	236
Table 6.12.1-42: TP_MEC_MEC030_SRV_V2X_010_OK_03.....	237
Table 6.12.1-43: TP_MEC_MEC030_SRV_V2X_010_OK_04.....	237
Table 6.12.1-44: TP_MEC_MEC030_SRV_V2X_010_NF.....	238

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

(standards.iteh.ai)

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Multi-access Edge Computing (MEC).

<https://standards.iteh.ai/catalog/standards/sist/82295796-9c40-4311-b0d5-91c7e36da9c/etsi-gs-mec-dec-032-2-v3-1-1-2022-04>

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [i.9].

v3-1-1-2022-04

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

Based on the testing methodology guidelines and framework specified in ETSI GR MEC-DEC 025 [i.8], the present document specifies part 2 of a multi-part deliverable test specification for the MEC service APIs (currently ETSI GS MEC 012 [5], ETSI GS MEC 013 [6], ETSI GS MEC 014 [7], ETSI GS MEC 015 [8], ETSI GS MEC 016 [9], ETSI GS MEC 021 [10], ETSI GS MEC 028 [11], ETSI GS MEC 029 [12] and ETSI GS MEC 030 [13]) and the MEC APIs specified in ETSI GS MEC 010-2 [3] and ETSI GS MEC 011 [4].

The present document includes the Test Suite Structure (TSS) and Test Purposes (TPs) using the standardized notation Test Description Language - Test Objectives extension (TDL_TO).

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] ETSI GS MEC 009 (V2.2.1): "Multi-access Edge Computing (MEC); General principles, patterns and common aspects of MEC Service APIs".
- [3] ETSI GS MEC 010-2 (V2.2.1): "Multi-access Edge Computing (MEC); MEC Management; Part 2: Application lifecycle, rules and requirements management".
- [4] ETSI GS MEC 011 (V2.2.1): "Multi-access Edge Computing (MEC); Edge Platform Application Enablement".
- [5] ETSI GS MEC 012 (V2.1.1): "Multi-access Edge Computing (MEC); Radio Network Information API".
- [6] ETSI GS MEC 013 (V2.1.1): "Multi-access Edge Computing (MEC); Location API".
- [7] ETSI GS MEC 014 (V2.1.1): "Multi-access Edge Computing (MEC); UE Identity API".
- [8] ETSI GS MEC 015 (V2.1.1): "Multi-Access Edge Computing (MEC); Traffic Management APIs".
- [9] ETSI GS MEC 016 (V2.2.1): "Multi-access Edge Computing (MEC); Device application interface".
- [10] ETSI GS MEC 021 (V2.1.1): "Multi-access Edge Computing (MEC); Application Mobility Service API".
- [11] ETSI GS MEC 028 (V2.2.1): "Multi-access Edge Computing (MEC); WLAN Access Information API".
- [12] ETSI GS MEC 029 (V2.1.1): "Multi-access Edge Computing (MEC); Fixed Access Information API".
- [13] ETSI GS MEC 030 (V2.1.1): "Multi-access Edge Computing (MEC); V2X Information Service API".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Void.
- [i.2] Void.
- [i.3] Void.
- [i.4] Void.
- [i.5] Void.
- [i.6] Void.
- [i.7] TTCN-3 abstract test language.

NOTE: Available at <http://www.ttcn-3.org/index.php/downloads/standards>.

- [i.8] ETSI GR MEC-DEC 025: "Multi-access Edge Computing (MEC); MEC Testing Framework".
- [i.9] ETSI GS MEC-DEC 032-1: "Multi-access Edge Computing (MEC); API Conformance Test Specification; Part 1: Test Requirements and Implementation Conformance Statement (ICS)".
- [i.10] ETSI GR MEC 001 (V3.1.1): "Multi-access Edge Computing (MEC); Terminology".

ETSI GS MEC-DEC 032-2 V3.1.1 (2022-04)

<https://standards.iteh.ai/catalog/standards/sist/82295796-9d40-43f1-9bd5-519c36eda9c6/etsi-gs-mec-dec-032-2-v3-1-1-2022-04>

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the following terms apply:

certification/compliance assessment: major goal of a compliance assessment is to ensure the interoperability of implementations, and the conformance of implementations to the standard

conformance testing: purpose of conformance testing is to determine to what extent a single implementation of a particular standard conforms to the individual requirements of that standard

interoperability testing: purpose of interoperability testing is to prove that end-to-end functionality between (at least) two communicating systems is as required by the standard(s) on which those systems are based

Test Case (TC): complete and independent specification of the actions required to achieve a specific Test Purpose

NOTE: TCs are written in testing languages, e.g. TTCN-3 [i.7].

Test Descriptions (TD): specification of the sequence of actions required to realize the verdict identified in the TP

NOTE: TDs are primarily intended for use in interoperability test specifications. However, in some instances, particularly where there is a considerable difference in complexity between the TPs and the TCs, it is worthwhile adding TDs as an extra design stage in a conformance test specification.

Test Purpose (TP): definition in broad terms of the goal of a particular test.

NOTE: A TP should be written for each potential test of each identified requirement. A TP is defined in prose, or in high level languages such as TDL-TO.

test suite: collection of Test Cases

testing framework: guidance for development of conformance and interoperability test strategies, test systems and the resulting test specifications

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI GR MEC 001 [i.10] apply.

4 Prerequisites and Test Configurations

4.1 Test Configurations

Test configurations capture and describe the components identified in the tests and the connections between them. In particular and as reported in ETSI GR MEC-DEC 025 [i.8], in the context of conformance testing the test configuration "defines how the test system connects to the SUT".

For the present test suite, six (6) configurations are identified and listed in the present clause.

For each test configuration two (2) main components are identified: the IUT implementing the API provider and the Tester implementing the API consumer. The IUT is part of a SUT (System Under Test), thus the component may be run together with other components of the MEC System that are required to enable the behaviour to be tested. The definition of the other components is out of scope.

Figure 4.1-1 depicts configuration Config_MEC_1 which includes a MEC Platform as the IUT and a MEC App as the Tester. This configuration is applicable for all test purposes in all subgroups of the SRV Group.




Figure 4.1-1: Config_MEC_1

Figure 4.1-2 depicts configuration Config_MEC_2 which includes a MEO as the IUT and OSS/BSS as the Tester. This configuration is applicable for group MEO, subgroup PKGM.




Figure 4.1-2: Config_MEC_2

Figure 4.1-3 depicts configuration Config_MEC_3 which includes a MEO as the IUT and a MEPM as the Tester. This configuration is applicable for subgroup MEO/GRANT and in subgroup MEPM/PKGM.




Figure 4.1-3: Config_MEC_3

Figure 4.1-4 depicts configuration Config_MEC_4 which includes a UALCM Proxy as the IUT and a DEV App as the Tester. This configuration is applicable for group MEO subgroups UEAPPCTX and UEAPPS.



Figure 4.1-4: Config_MEC_4

Figure 4.1-5 depicts configuration Config_MEC_5 which includes a MEPM as the IUT and a MEO as the Tester. This configuration is applicable for group MEPM, subgroup PKGM.




Figure 4.1-5: Config_MEC_5

Figure 4.1-6 depicts configuration Config_MEC_6 which includes a generic MEC API Provider as the IUT and a generic MEC API consumer as the Tester. This configuration is applicable for test targeting generic API behaviours, thus group MEX , subgroup ANY and LCM.