



**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 15: Transport layer independent Additional
Network Feature, Mobility Management (ANF-ISIMM)**

ETSI TS 100 392-3-15 V1.3.1 (2021-10)
c9b0917328fetsi-ts-100-392-3-15-v1-3-1-2021-10

ReferenceRTS/TCCE-03270

Keywordsmanagement, mobility, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	18
Introduction	18
1 Scope	19
2 References	20
2.1 Normative references	20
2.2 Informative references.....	21
3 Definition of terms, symbols and abbreviations.....	21
3.1 Terms.....	21
3.2 Symbols.....	24
3.3 Abbreviations	24
4 Overview	25
4.1 General	25
4.2 Applicability.....	25
4.2.1 Entities	25
4.2.2 Services.....	26
4.3 Testability	26
4.4 Provision/withdrawal.....	27
4.5 Activation/deactivation	27
4.6 Charging.....	27
5 The generic ANF-ISIMM stage 1 service model	27
5.1 ANF-ISIMM - the service provider.....	27
5.2 SwMI MMs - the ANF-ISIMM service users.....	28
5.3 Stage 1 description conventions	29
6 Migration service description - stage 1	30
6.1 Pre-requisite requirements for the migration service.....	30
6.2 Service definition	30
6.3 Service description	30
6.4 Service architecture	31
6.5 Normal procedures	31
6.5.1 Invocation	31
6.5.1.1 Invocation criteria	31
6.5.1.2 Invocation of ANF-ISIMM	31
6.5.2 Operation	33
6.5.2.1 General	33
6.5.2.2 Migration with pre-defined migration profile(s) (applicable for case 1).....	34
6.5.2.2.1 Support for call restoration	34
6.5.2.2.2 Final migration approval	35
6.5.2.3 Migration with migration profile exchange (applicable for case 2, 3a and 3b).....	36
6.5.2.3.1 Basic migration profile exchange	36
6.5.2.3.2 SS-migration profile(s) exchange (applicable for case 3a).....	46
6.5.2.3.3 Support for call restoration	48
6.5.2.3.4 Final migration approval (applicable for cases 2, 3a and 3b).....	48
6.5.2.3.5 SS-migration profile exchange after final migration approval (applicable for case 3b).....	49
6.6 Exceptional procedures	49
6.6.1 General.....	49
6.6.2 Detected by the individual subscriber visited SwMI MM	50
6.6.3 Detected by the individual subscriber home SwMI MM	51
6.7 Interactions.....	52
6.7.1 Interactions with the authentication service.....	52
6.7.2 Interactions with the group attachment and the group detachment services.....	52

7	Restricted migration service description - stage 1.....	52
7.1	Pre-requisite requirements for the restricted migration service.....	52
7.2	Service definition	52
7.3	Service description	53
7.4	Service architecture	53
7.5	Normal procedures	54
7.5.1	Invocation	54
7.5.1.1	Invocation criteria	54
7.5.1.2	Invocation of ANF-ISIMM	54
7.5.2	Operation	57
7.5.2.1	General	57
7.5.2.2	Operation when the individual subscriber visited SwMI MM invokes restricted migration.....	57
7.5.2.3	Invocation of RSI	58
7.5.2.4	Support for emergency call restoration	58
7.5.2.5	Receipt of restricted migration approval.....	58
7.6	Exceptional procedures	59
7.6.1	General.....	59
7.6.2	Detected by the individual subscriber visited SwMI MM	60
7.6.3	Detected by the individual subscriber home SwMI MM	60
7.7	Interactions.....	60
7.7.1	Interactions with the authentication service.....	60
7.7.2	Interactions with the group attachment and the group detachment services	60
8	Removal of Subscriber Information (RSI) service description - stage 1.....	61
8.1	Service definition	61
8.2	Service description	61
8.3	Service architecture	61
8.4	Normal procedures	62
8.4.1	Invocation	62
8.4.1.1	Invocation criteria	62
8.4.1.2	Invocation of ANF-ISIMM	63
8.4.2	Operation	64
8.5	Exceptional procedures	65
8.6	Interaction with authentication	66
9	De-registration service description - stage 1	67
9.1	Service definition	67
9.2	Service description	67
9.3	Service architecture	67
9.4	Normal procedures	68
9.4.1	Invocation	68
9.4.1.1	Invocation criteria	68
9.4.1.2	Invocation of ANF-ISIMM	68
9.4.2	Operation	69
9.5	Exceptional procedures	70
10	Profile update service description - stage 1	71
10.1	Service definition	71
10.2	Service description	71
10.3	Service architecture	71
10.4	Normal procedures	72
10.4.1	Invocation	72
10.4.1.1	Invocation criteria	72
10.4.1.2	Invocation of ANF-ISIMM	72
10.4.2	Operation	83
10.5	Exceptional operation.....	93
11	SS-profile update service description - stage 1	93
11.1	Service definition	93
11.2	Service description	94
11.3	Service architecture	94
11.4	Normal procedures	94
11.4.1	Invocation	94

11.4.1.1	Invocation criteria	94
11.4.1.2	Invocation of ANF-ISIMM	95
11.4.2	Operation	95
11.4.2.1	Creation of temporary SS-migration profiles	95
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles	96
11.5	Exceptional operation	97
12	Authentication service description - stage 1	98
12.1	Pre-requisite requirements for the authentication service	98
12.2	Service definition	99
12.3	Service description	99
12.4	Service architecture	99
12.5	Normal procedures	100
12.5.1	Invocation	100
12.5.1.1	Invocation criteria	100
12.5.1.2	Invocation of ANF-ISIMM	100
12.5.2	Operation (relevant for case 1)	101
12.5.2.1	Exchange of authentication parameters	101
12.5.2.2	Sending of authentication result	102
12.6	Exceptional procedures	102
12.6.1	General	102
12.6.2	Detected by the individual subscriber visited SwMI MM	103
12.6.3	Detected by the individual subscriber home SwMI MM	104
12.7	Interaction with migration and restricted migration	104
12.7.1	Normal operation	104
12.7.2	Exceptional procedures	104
13	Over The Air Re-keying (OTAR) service description - stage 1	105
13.1	Pre-requisite requirements	105
13.2	Service definition	105
13.3	Service description	105
13.4	Service architecture	106
13.5	Normal procedures	106
13.5.1	Invocation	106
13.5.1.1	Invocation criteria	106
13.5.1.2	Invocation of ANF-ISIMM	107
13.5.1.2.1	Case 1)	107
13.5.1.2.2	Case 2)	107
13.5.1.2.3	Case 3)	107
13.5.1.2.4	Case 4)	108
13.5.2	Operation	108
13.5.2.1	Case 1)	108
13.5.2.2	Case 2)	109
13.5.2.3	Case 3)	110
13.5.2.4	Case 4)	111
13.6	Exceptional procedures	111
13.6.1	General	111
13.6.2	Detected by the individual subscriber visited SwMI MM	112
13.6.3	Detected by the individual subscriber home SwMI MM	112
14	Individual subscriber Database Recovery (IDR) service description - stage 1	113
14.1	Service definition	113
14.2	Service description	113
14.3	Service architecture	114
14.4	Normal procedures	114
14.4.1	Invocation	114
14.4.1.1	Invocation criteria	114
14.4.1.2	Invocation of ANF-ISIMM	115
14.4.2	Operation (relevant for case 1 and 2 unless otherwise stated)	117
14.4.2.1	The individual subscriber visited SwMI MM receives the HMM recovery indication	117
14.4.2.2	The individual subscriber home SwMI MM receives the VMM recovery indication	117
14.4.2.3	The virtual migration or restricted migration	118
14.4.2.4	The virtual RSI	118

14.4.2.5	The iteration	119
14.4.2.6	The completion of the IDR	119
14.4.2.6.1	VMM recovery	119
14.4.2.6.2	HMM recovery	119
14.5	Exceptional procedures	120
15	Group attachment service description - stage 1	121
15.1	Service definition	121
15.2	Service description	121
15.3	Service architecture	122
15.4	Normal procedures	122
15.4.1	Invocation	122
15.4.1.1	Invocation criteria	122
15.4.1.2	Invocation of ANF-ISIMM	124
15.4.1.2.1	Case 1)	124
15.4.1.2.2	Cases 2) to 4)	125
15.4.1.2.3	Case 5)	126
15.4.1.2.4	Case 6)	131
15.4.2	Operation	132
15.4.2.1	Case 1)	132
15.4.2.1.1	General	132
15.4.2.1.2	Group attachment with pre-defined migration profile(s)	133
15.4.2.1.3	Group attachment with migration profile exchange	135
15.4.2.1.4	SS-migration profile(s) exchange	140
15.4.2.2	Cases 2) to 4)	143
15.4.2.2.1	Updates to G-HDB	143
15.4.2.2.2	Sending of group attachment approval	143
15.4.2.2.3	Receipt of group attachment approval	144
15.4.2.3	Case 5)	144
15.4.2.3.1	General	144
15.4.2.3.2	Group home SwMI MM initiated group attachment with pre-defined migration profile(s)	144
15.4.2.3.3	Group home SwMI MM initiated group attachment with migration profile exchange	146
15.4.2.4	Case 6)	148
15.4.2.4.1	Additional Group home SwMI MM initiated group attachment	148
15.5	Exceptional procedures	149
15.5.1	General	149
15.5.2	Detected by the group visited SwMI MM	150
15.5.3	Detected by the group home SwMI MM	151
15.6	Interactions	151
16	Group detachment service description (stage 1)	152
16.1	Service definition	152
16.2	Service description	153
16.3	Service architecture	154
16.4	Normal procedures	154
16.4.1	Invocation	154
16.4.1.1	General	154
16.4.1.2	Invocation of ANF-ISIMM	155
16.4.1.2.1	Cases 1) to 3)	155
16.4.1.2.2	Case 4)	156
16.4.2	Operation	157
16.4.2.1	Cases 1) to 3)	157
16.4.2.2	Case 4)	158
16.5	Exceptional procedures	159
16.6	Interactions	160
17	Group Database Recovery (GDR) service description - stage 1	161
17.1	Service definition	161
17.2	Service description	161
17.3	Service architecture	162
17.4	Normal procedures	162
17.4.1	Invocation	162
17.4.1.1	Invocation criteria	162

17.4.1.2	Invocation of ANF-ISIMM	163
17.4.2	Operation (applicable for cases 1) and 2) unless otherwise stated)	164
17.4.2.1	Verification of age information.....	164
17.4.2.2	The group visited SwMI MM receives the G-HDR indication	165
17.4.2.3	The group home SwMI MM receives the G-VDR indication	165
17.4.2.4	The virtual group attachment and detachment	166
17.4.2.5	The iteration	167
17.4.2.6	The completion of the GDR	167
17.4.2.6.1	G-HDR	167
17.4.2.6.2	G-VDR	167
17.5	Exceptional procedures	168
18	Group linking/unlinking service description - stage 1	169
18.1	Service definition	169
18.2	Service description	170
18.3	Service architecture	170
18.4	Normal procedures	171
18.4.1	Invocation	171
18.4.1.1	Invocation criteria	171
18.4.1.2	Invocation of ANF-ISIMM	171
18.4.1.2.1	Case 1) - group linking service - Sending of Linking_req.....	171
18.4.1.2.2	Case 2) - group unlinking service	172
18.4.1.2.3	Case 3) - remote group unlinking service.....	172
18.4.2	Operation	173
18.4.2.1	General	173
18.4.2.2	Case 1) - group linking service	173
18.4.2.2.1	First phase of group linking service.....	173
18.4.2.2.2	Second phase of group linking service	174
18.4.2.3	Case 2) - group unlinking service	176
18.4.2.4	Case 3) - remote group unlinking service	177
18.5	Exceptional procedures	177
18.5.1	General.....	177
18.5.2	Case 1) - group linking service	177
18.5.3	Case 2) - group unlinking service	178
18.5.4	Case 3) - remote group unlinking service	179
18.6	Interactions	180
19	Linked group attachment service description - stage 1	180
19.1	Service definition	180
19.2	Service description	180
19.3	Service Architecture.....	180
19.4	Normal Procedure.....	181
19.4.1	Invocation	181
19.4.1.1	Invocation criteria	181
19.4.1.2	Invocation of ANF-ISIMM	181
19.4.1.2.1	Case 1	181
19.4.1.2.2	Case 2	182
19.4.2	Operation	182
19.5	Exceptional cases	182
19.6	Interactions	182
20	Linked group detachment service description - stage 1	183
20.1	Service definition	183
20.2	Service description	183
20.3	Service architecture	183
20.4	Normal procedure.....	183
20.4.1	Invocation	183
20.4.1.1	Invocation criteria	183
20.4.1.2	Invocation of ANF-ISIMM	184
20.4.1.2.1	Case 1	184
20.4.1.2.2	Case 2	184
20.4.2	Operation	185
20.5	Exceptional cases	185

20.6	Interactions.....	185
21	ANF-ISIMM stage 2 specification	185
21.1	General	185
21.2	Functional model.....	185
21.3	Information flow diagrams	186
22	Migration - stage 2 information flow sequences	186
22.1	General	186
22.2	Normal operation.....	186
22.2.1	Migration with pre-defined profile(s)	186
22.2.2	Migration with basic migration profile exchange	187
22.2.3	Migration with basic migration and SS-migration profiles exchange.....	189
22.2.3.1	SS-migration profiles exchanged before final migration approval.....	189
22.2.3.2	SS-migration profiles exchanged after final migration approval	191
22.3	Exceptional operation.....	193
22.3.1	Migration rejection request upon receipt of the Migration_ind	193
22.3.2	Migration rejection request upon receipt of Profile update result and SS-profile update result	194
22.4	FE actions for subscriber migration	196
22.4.1	FE actions of FE1	196
22.4.2	FE actions of FE3	196
23	Restricted migration - stage 2 information flow sequences	197
23.1	General	197
23.2	Normal operation.....	197
23.2.1	Restricted migration requested by individual subscriber visited SwMI MM.....	197
23.2.2	Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the individual subscriber visited SwMI MM	197
23.2.3	Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the individual subscriber visited SwMI MM	198
23.3	Exceptional operation.....	198
23.4	FE actions for restricted migration	198
23.4.1	FE actions of FE1	198
23.4.2	FE actions of FE3	199
24	Removal of Subscriber Information - stage 2 information flow sequences	199
24.1	General	199
24.2	Normal operation.....	199
24.3	Exceptional operation.....	200
24.4	FE actions for subscriber migration	200
24.4.1	FE actions of FE1	200
24.4.2	FE actions of FE4	201
25	De-registration - stage 2 information flow sequences	201
25.1	General	201
25.2	Normal operation.....	201
25.2.1	Individual subscriber visited SwMI MM initiated de-registration.....	201
25.3	Exceptional operation.....	203
25.3.1	Individual subscriber visited SwMI MM initiated de-registration rejected	203
25.4	FE actions	203
25.4.1	FE actions of FE1	203
25.4.2	FE actions of FE3	204
26	Profile update - stage 2 information flow sequences.....	204
26.1	General	204
26.2	Normal operation.....	205
26.3	Profile update rejection	206
26.4	FE actions for Profile update.....	206
26.4.1	FE actions of FE1	206
26.4.2	FE actions of FE3	206
27	SS-profile update - stage 2 information flow sequences	207
27.1	General	207

27.2	Normal operation.....	207
27.3	SS-profile update rejection	208
27.4	FE actions for SS-profile update	208
27.4.1	FE actions of FE1	208
27.4.2	FE actions of FE3	208
28	Authentication - stage 2 information flow sequences	209
28.1	General	209
28.2	Normal operation.....	209
28.2.1	Authentication.....	209
28.2.2	Successful subsequent authentication	210
28.3	Authentication invoked in conjunction with migration	211
28.4	Exceptional operation.....	212
28.4.1	Authentication failure in the individual subscriber visited SwMI	212
28.5	FE actions for authentication.....	214
28.5.1	FE actions of FE1	214
28.5.2	FE actions of FE3	215
29	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	215
29.1	General	215
29.2	Normal operation.....	215
29.2.1	OTAR SCK generation service.....	215
29.2.2	Individual subscriber visited SwMI MM initiated OTAR SCK delivery service	217
29.2.3	Individual subscriber home SwMI MM initiated OTAR SCK delivery service	218
29.2.4	OTAR SCK generation service, subsequent use of parameters	219
29.3	Exceptional operation.....	220
29.3.1	Failed OTAR SCK generation service.....	220
29.3.2	Failed individual subscriber visited SwMI MM initiated OTAR SCK delivery	222
29.3.3	Failed individual subscriber home SwMI MM initiated OTAR SCK delivery.....	223
29.3.4	Failed subsequent use of OTAR SCK generation parameters	224
29.4	FE actions for OTAR	224
29.4.1	FE actions of FE1	224
29.4.2	FE actions of FE3	225
30	Individual subscriber database recovery - stage 2 information flow sequences.....	225
30.1	General	225
30.2	Normal operation.....	225
30.2.1	HMM recovery	225
30.2.2	VMM recovery	229
30.3	Exceptional operation.....	232
30.3.1	Rejection of HMM recovery	232
30.3.2	Rejection of VMM recovery	233
30.4	FE actions	233
30.4.1	FE actions of FE1	233
30.4.2	FE actions of FE3	234
30.4.3	FE actions of FE4	234
31	Group attachment - stage 2 information flow sequences	235
31.1	Normal operation.....	235
31.1.1	Group visited SwMI MM initiated group attachment without migration profile exchange.....	235
31.1.2	Group visited SwMI MM initiated first group attachment with migration profile exchange	236
31.1.3	Group home SwMI MM initiated group attachment without migration profile exchange.....	238
31.1.4	Group home SwMI MM initiated group attachment with migration profile exchange.....	238
31.2	Exceptional operation.....	241
31.2.1	Rejection of group visited SwMI MM initiated group attachment without migration profile exchange ..	241
31.2.2	Rejection of profile update in connection to group home SwMI MM initiated group attachment with migration profile exchange	242
31.2.3	Rejection of group home SwMI MM initiated group attachment without migration profile exchange	243
31.2.4	Rejection of group home SwMI MM initiated group attachment with migration profile exchange	244
31.3	FE actions.....	245
31.3.1	FE actions of FE2	245
31.3.2	FE actions of FE6	245
32	Normal operation for group detachment - stage 2 information flow sequences.....	246

32.1	Normal operation.....	246
32.1.1	Group visited SwMI MM initiated group detachment.....	246
32.1.2	Group home SwMI MM initiated group detachment.....	247
32.2	Exceptional operation.....	248
32.2.1	Rejection of group visited SwMI MM initiated group detachment	248
32.2.2	Rejection of group home SwMI MM initiated group detachment rejection	249
32.3	FE actions.....	249
32.3.1	FE actions of FE2	249
32.3.2	FE actions of FE3	250
33	Group database recovery - stage 2 information flow sequences	251
33.1	Normal operation.....	251
33.1.1	G-HDR.....	251
33.1.2	G-VDR.....	253
33.2	Exceptional operation.....	255
33.2.1	Rejection of G-HDR	255
33.2.2	Rejection of G-VDR	256
33.3	FE actions.....	256
33.3.1	FE actions of FE2	256
33.3.2	FE actions of FE6	257
34	Group linking/unlinking - stage 2 information flow scenarios.....	257
34.1	Normal operation.....	257
34.2	Exceptional operation - group linking rejected by participating SwMI	257
34.3	FE actions.....	257
34.3.1	FE actions of FE5	257
34.3.2	FE actions of FE6	257
35	Linked group attachment/detachment - stage 2 information flow scenarios.....	258
35.1	Normal operation.....	258
35.1.1	Group linking participating SwMI MM initiated attachment to a linked group	258
35.1.2	Group linking participating SwMI MM initiated detachment from a linked group.....	258
35.2	Exceptional operation - attach linked group rejected by linking controlling SwMI.....	259
35.3	FE actions.....	260
35.3.1	FE actions of FE2	260
35.3.2	FE actions of FE5	261
36	Definition of stage 2 information flows	261
36.1	General	261
36.2	ATTACH LINKED GROUP	261
36.3	ATTACH LINKED GROUP REJECT	262
36.4	AUTHENTICATION DEMAND	262
36.5	AUTHENTICATION RESPONSE.....	262
36.6	AUTHENTICATION RESULT.....	263
36.7	AUTH REJECT.....	263
36.8	DE-REGISTRATION	263
36.9	DE-REG REJECT	264
36.10	DETACH LINKED GROUP	264
36.11	GROUP ATTACHMENT	264
36.12	GROUP ATT REJECT	265
36.13	GROUP DETACHMENT	265
36.14	GROUP DET REJECT	265
36.15	HMM RECOVERY	266
36.16	HMM RECOVERY COMPLETED.....	266
36.17	HMM RECOVERY REJECT	266
36.18	LINKING	267
36.19	LINKING COMMAND	267
36.20	LINKING REJECT	267
36.21	MIGRATION	267
36.22	MIGRATION REJECT	267
36.23	OTAR-KEY DEMAND	268
36.24	OTAR-KEY PROVIDE	268
36.25	OTAR-KEY REJECT	268

36.26	OTAR-KEY RESULT	269
36.27	OTAR-PARAM DEMAND	269
36.28	OTAR-PARAM PROVIDE	269
36.29	OTAR-PARAM REJECT	270
36.30	OTAR-PARAM RESULT	270
36.31	PROFILE REJECT	270
36.32	PROFILE UPDATE	271
36.33	REMOTE UNLINKING	271
36.34	REMOVE REJECT	271
36.35	REMOVE SUBS	271
36.36	SS-PROFILE REJECT	272
36.37	SS-PROFILE UPDATE	272
36.38	UNLINKING	273
36.39	UNLINKING REJECT	273
36.40	VMM RECOVERY	273
36.41	VMM RECOVERY COMPLETED	273
36.42	VMM RECOVERY REJECT	274
36.43	Profiles	274
36.43.1	Basic migration profiles	274
36.43.1.1	Group basic migration profile (original and temporary)	274
36.43.1.2	Individual basic migration profile	275
36.43.2	SS-migration profile (original and temporary)	277
37	ANF-ISIMM encoding requirements - stage 3	277
37.1	Introduction	277
37.2	ANF-ISIMM PDU description tables	277
37.2.1	General	277
37.2.2	ATTACH LINKED GROUP	278
37.2.3	ATTACH LINKED GROUP RESPONSE	278
37.2.4	ATTACH LINKED GROUP REJECT	279
37.2.5	AUTHENTICATION DEMAND	279
37.2.6	AUTHENTICATION RESPONSE	280
37.2.7	AUTHENTICATION RESULT	280
37.2.8	AUTH REJECT	281
37.2.9	DE-REGISTRATION	281
37.2.10	DE-REGISTRATION RESPONSE	282
37.2.11	DE-REG REJECT	282
37.2.12	DETACH LINKED GROUP	282
37.2.13	DETACH LINKED GROUP RESPONSE	283
37.2.14	GROUP ATTACHMENT	283
37.2.15	GROUP ATTACHMENT RESPONSE	284
37.2.16	GROUP ATT REJECT	285
37.2.17	GROUP DETACHMENT	285
37.2.18	GROUP DETACHMENT RESPONSE	286
37.2.19	GROUP DET REJECT	286
37.2.20	HMM RECOVERY	287
37.2.21	HMM RECOVERY COMPLETED	287
37.2.22	HMM RECOVERY REJECT	288
37.2.23	HMM RECOVERY RESPONSE	288
37.2.24	LINKING	288
37.2.25	LINKING COMMAND	288
37.2.26	LINKING COMMAND RESPONSE	288
37.2.27	LINKING REJECT	289
37.2.28	LINKING RESPONSE	289
37.2.29	MIGRATION	289
37.2.30	MIGRATION REJECT	289
37.2.31	MIGRATION REJECT RESPONSE	290
37.2.32	MIGRATION RESPONSE	290
37.2.33	OTAR-KEY DEMAND	291
37.2.34	OTAR-KEY PROVIDE	291
37.2.35	OTAR-KEY REJECT	292
37.2.36	OTAR-KEY RESULT	292

37.2.37	OTAR-PARAM DEMAND	293
37.2.38	OTAR-PARAM PROVIDE	293
37.2.39	OTAR-PARAM REJECT	293
37.2.40	OTAR-PARAM RESULT	294
37.2.41	PROFILE REJECT	294
37.2.42	PROFILE UPDATE	295
37.2.43	PROFILE UPDATE RESPONSE	295
37.2.44	REMOTE UNLINKING	296
37.2.45	REMOVE REJECT	296
37.2.46	REMOVE SUBS	296
37.2.47	REMOVE SUBS RESPONSE	297
37.2.48	SS-PROFILE REJECT	297
37.2.49	SS-PROFILE UPDATE	297
37.2.50	SS-PROFILE UPDATE RESPONSE	298
37.2.51	UNLINKING	298
37.2.52	UNLINKING REJECT	298
37.2.53	UNLINKING RESPONSE	299
37.2.54	VMM RECOVERY	299
37.2.55	VMM RECOVERY COMPLETED	299
37.2.56	VMM RECOVERY REJECT	299
37.2.57	VMM RECOVERY RESPONSE	300
37.3	PDU information element encoding	300
37.3.1	Advanced link	300
37.3.2	Age stamp	301
37.3.3	AI encryption state list	301
37.3.4	ANF-ISIMM invoke id	302
37.3.5	Attach linked group rejection cause	302
37.3.6	Authentication invocation	302
37.3.7	Authentication rejection cause	303
37.3.8	Authentication service	303
37.3.9	Authentication type	304
37.3.10	Basic migration profile info	304
37.3.11	Call restoration support	304
37.3.12	Call time-out set-up phase timer (T301)	304
37.3.13	Call time-out timer (T310)	305
37.3.14	Circuit mode protected (high) data service	306
37.3.15	Circuit mode protected (low) data service	306
37.3.16	Circuit mode unprotected speech + data service	307
37.3.17	Default SS-information	307
37.3.18	De-registration rejection cause	308
37.3.19	De-registration type	308
37.3.20	Duplex service	308
37.3.21	End-to-end encryption service	309
37.3.22	First/Subsequent Group attachment	309
37.3.23	Following conditional element(s) present	309
37.3.24	Forced removal	310
37.3.25	Group attachment/detachment	310
37.3.26	Group attachment rejection cause	310
37.3.27	Group basic migration profile (original and temporary)	311
37.3.28	Group detachment rejection cause	312
37.3.29	Group information	312
37.3.30	Group information in subscriber profile	312
37.3.31	Group priority	313
37.3.32	GSSI	313
37.3.33	Home/Visited SwMI MM initiated	313
37.3.34	Individual basic migration profile (original and temporary)	314
37.3.35	Interleaving depth	315
37.3.36	IP service	315
37.3.37	ISSI	316
37.3.38	Last group detachment	316
37.3.39	Linking rejection cause	316
37.3.40	Maximum number of timeslots	316

37.3.41	Migration rejection cause.....	317
37.3.42	Migration type	317
37.3.43	MNI	318
37.3.44	Not supported SS	318
37.3.45	Number of not supported SSs	318
37.3.46	Number of SS-information	318
37.3.47	Original/Subsequent use of param	318
37.3.48	OTAR SCK delivery service	318
37.3.49	OTAR SCK generation service.....	319
37.3.50	OTAR SCK key rejection cause	320
37.3.51	OTAR SCK param rejection cause	320
37.3.52	Other linked group	320
37.3.53	PDU type	321
37.3.54	Pre-defined profile set reference(s).....	322
37.3.55	Profile exchange support	323
37.3.56	Profile rejection cause.....	323
37.3.57	Profile type.....	323
37.3.58	Point-to-multipoint acknowledged service	323
37.3.59	Point-to-multipoint broadcast service	324
37.3.60	Point-to-multipoint service	324
37.3.61	Point-to-point service.....	325
37.3.62	Profile status	325
37.3.63	Proprietary	326
37.3.64	Recovery.....	326
37.3.65	Recovery rejection cause	326
37.3.66	Recovery type	326
37.3.67	Restricted migration support	326
37.3.68	RSI rejection cause	327
37.3.69	SDS profile	327
37.3.70	Speech service	327
37.3.71	SS-information.....	328
37.3.72	SS-information response.....	328
37.3.73	SS-migration profile (original)	328
37.3.74	SS-migration profile response (temporary).....	329
37.3.75	SS-profile response status.....	329
37.3.76	SS-profile update indicator	329
37.3.77	SS-response status	329
37.3.78	SS-status	330
37.3.79	SS-type.....	330
37.3.80	Subscriber information	330
37.3.81	Subscriber information in group profile.....	330
37.3.82	Subscriber status	331
37.3.83	Type 3 element identifier	331
37.3.84	Unlinking rejection cause	331
37.3.85	Validity time	331
37.3.86	Validity time type	332
38	ANF-ISIMM procedures - stage 3.....	332
38.1	General	332
38.2	Generic procedures.....	332
38.2.1	General.....	332
38.2.2	Invoking SwMI.....	332
38.2.3	Receiving SwMI	332
38.2.4	Clearing of ISI GFP transport connection.....	332
38.2.5	Convert primitive to PDU.....	333
38.2.6	Convert PDU to primitive.....	333
38.2.7	Correspondence between ANF-ISIMM primitives and PDUs.....	333
38.3	SDL descriptions	334
38.4	Migration.....	334
38.4.1	General.....	334
38.4.2	Individual subscriber visited SwMI ANF-ISIMM	334
38.4.3	Individual subscriber home SwMI ANF-ISIMM.....	335

38.5	Restricted migration	337
38.5.1	General.....	337
38.5.2	Individual subscriber visited SwMI ANF-ISIMM	337
38.5.3	Individual subscriber home SwMI ANF-ISIMM.....	338
38.6	Removal of Subscriber Information	340
38.6.1	Individual subscriber home SwMI ANF-ISIMM.....	340
38.6.2	Previous visited SwMI ANF-ISIMM.....	341
38.7	De-registration.....	342
38.7.1	Individual subscriber visited SwMI ANF-ISIMM	342
38.7.2	Individual subscriber home SwMI ANF-ISIMM.....	343
38.8	Profile update	344
38.8.1	Individual subscriber or group home SwMI ANF-ISIMM	344
38.8.2	Individual subscriber or group visited SwMI ANF-ISIMM	345
38.9	SS-profile update.....	346
38.9.1	Individual subscriber or group home SwMI ANF-ISIMM	346
38.9.2	Individual subscriber or group visited SwMI ANF-ISIMM	347
38.10	Authentication	348
38.10.1	Individual subscriber visited SwMI ANF-ISIMM	348
38.10.2	Individual subscriber home SwMI ANF-ISIMM.....	349
38.11	Over the air re-keying.....	350
38.11.1	OTAR SCK generation	350
38.11.1.1	Individual subscriber visited SwMI ANF-ISIMM	350
38.11.1.2	Individual subscriber home SwMI ANF-ISIMM	351
38.11.2	OTAR SCK delivery.....	352
38.11.2.1	Individual subscriber visited SwMI ANF-ISIMM	352
38.11.2.2	Individual subscriber home SwMI ANF-ISIMM	352
38.12	Individual subscriber database recovery	353
38.12.1	HMM recovery	353
38.12.1.1	Individual subscriber visited SwMI ANF-ISIMM	353
38.12.1.2	Individual subscriber home SwMI ANF-ISIMM	354
38.12.1.3	Previous visited SwMI ANF-ISIMM	355
38.12.2	VMM recovery	356
38.12.2.1	Individual subscriber visited SwMI ANF-ISIMM	356
38.12.2.2	Individual subscriber home SwMI ANF-ISIMM	358
38.12.2.3	Previous visited SwMI ANF-ISIMM	359
38.13	Group attachment	359
38.13.1	Group visited SwMI ANF-ISIMM	359
38.13.2	Group Home SwMI ANF-ISIMM	360
38.14	Group detachment	363
38.14.1	Group visited SwMI ANF-ISIMM	363
38.14.2	Group home SwMI ANF-ISIMM	364
38.15	Group database recovery	365
38.15.1	Group visited SwMI ANF-ISIMM	365
38.15.2	Group home SwMI ANF-ISIMM	367
38.16	Linked Group Attachment.....	370
38.16.1	Participating SwMI ANF-ISIMM.....	370
38.16.2	Controlling SwMI ANF-ISIMM.....	371
38.17	Detach Linked Group	372
38.17.1	Participating SwMI ANF-ISIMM.....	372
38.17.2	Controlling SwMI ANF-ISIMM.....	373
38.18	Group linking/unlinking.....	373
39	General ANF-ISIMM service and protocol principles - stage 3	373
39.1	General	373
39.2	ANF-ISIMM invoke id.....	374
39.3	Inclusion of Short Subscriber Identity in PDUs	374
39.4	PISN number exchange between SwMI MMs	374
39.5	Timers	374
39.6	Exceptional procedures	374

Annex A (normative):	The SwMI scenarios and the migration, the restricted migration and the RSI services	375
-----------------------------	--	------------

Annex B (informative):	ANF-ISIMM services requirements for databases	376
Annex C (informative):	Bibliography	378
Annex D (informative):	Change Requests	379
History		380

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ETSI TS 100 392-3-15 V1.3.1 \(2021-10\)](https://standards.iteh.ai/catalog/standards/sist/9e0d4c6a-29fc-47d6-aea9-c9b0917328f/etsi-ts-100-392-3-15-v1-3-1-2021-10)

<https://standards.iteh.ai/catalog/standards/sist/9e0d4c6a-29fc-47d6-aea9-c9b0917328f/etsi-ts-100-392-3-15-v1-3-1-2021-10>