

---

# INTERNATIONAL STANDARD 1641 / II

---

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

---

## End mills and slot drills — Part II : Milling cutters with Morse taper shanks

*Fraises cylindriques 2 tailles et fraises à rainurer — Partie II : Fraises à queue cône Morse*

First edition — 1978-02-01

iteh STANDARD PREVIEW  
(standards.iteh.ai)  
ISO 1641-2:1978  
https://standards.iteh.ai/catalog/standards/sist/56240-57/eb-43a3-abd8-e898adcad82/iso-1641-2-1978

# ITeH STANDARD PREVIEW (standards.iteh.ai)

ISO 1641-2:1978

<https://standards.iteh.ai/catalog/standards/siv/94562470-57eb-43a3-abd8-e898adcad82/iso-1641-2-1978>

## FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 1641/II was developed by Technical Committee ISO/TC 29, *Small tools*, and was circulated to the member bodies in June 1977.

It has been approved by the member bodies of the following countries :

Australia	India	South Africa, Rep. of
Austria	Israel	Spain
Belgium	Italy	Sweden
Brazil	Japan	Switzerland
Chile	Korea, Rep. of	Turkey
France	Mexico	United Kingdom
Germany	Poland	U.S.S.R.
Hungary	Romania	Yugoslavia

The member body of the following country expressed disapproval of the document on technical grounds :

Czechoslovakia

This International Standard together with International Standard ISO 1641/I cancels and replaces ISO Recommendation R 1641-1970.

# End mills and slot drills — Part II : Milling cutters with Morse taper shanks

<https://standards.iteh.ai/catalog/standards/siv/94562470-57eb-43a3-a108-e898adca0c/iso-1641-2-1978>

ISO 1641-2:1978

ITEH STANDARD PREVIEW  
(standards.iteh.ai)

## 1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the general dimensions of the following milling cutters with Morse taper shanks having a tapped hole :

- End mills, flat-ended or ball-nosed — Standard series and long series.
- Slot drills — Short series and standard series.

Characteristics of Morse taper shanks are in accordance with ISO 296 and ISO 5413.

These same milling cutters with parallel shanks are dealt with in part I; those with 7/24 taper shanks, in part III.

## 2 REFERENCES

ISO 296, *Self-holding tapers for tool shanks.*

ISO 523, *Milling cutters — Recommended range of outside diameters.*

ISO 3855, *Milling cutters — Nomenclature.*

ISO 5413, *Machine tools — Positive drive of Morse tapers.*


## 3 DIMENSIONS

### Flat-ended end mills and ball-nosed parallel-end mills

Two series : standard and long according to the cutting length  $l$ .

### Slot drills

Two series : short series and standard series according to the cutting length  $l$ .



**Designation :** Milling cutters are designated by their type and their cutting diameter  $d$ .

**Tolerances on cutting diameters  $d$  :**

End mills :  $j_s 14$

Slot drills : e8

Dimensions in millimetres

Ranges of diameters $d$		Recommended diameters $d$			Length $l$			Length $L$ (1)						Morse taper No.											
					Short series	Standard series	Long series	Short series		Standard series		Long series													
over (excluded)	up to (included)				Alternative	Alternative	Alternative	Alternative	Alternative	Alternative	Alternative	Alternative	Alternative	Alternative											
5	6	6	—	8	13	24	78	83	94	108	115	123	138	148	160	177	192	208	231	254	273	311	336	366	1
6	7,5	—	7	10	16	30	80	86	100	108	115	123	138	148	160	177	192	208	231	254	273	311	336	366	1
7,5	9,5	8	9	11	19	38	81	89	108	115	123	138	148	160	177	192	208	231	254	273	311	336	366	1	
9,5	11,8	10	11	13	22	45	83	92	115	123	138	148	160	177	192	208	231	254	273	311	336	366	1		
11,8	15	12	14	16	26	53	86	96	123	138	148	160	177	192	208	231	254	273	311	336	366	1			
15	19	16	18	19	32	63	104	117	148	160	177	192	208	231	254	273	311	336	366	1					
19	23,6	20	22	22	38	75	107	123	160	177	192	208	231	254	273	311	336	366	1						
23,6	30	25	28	26	45	90	128	147	192	208	231	254	273	311	336	366	1								
30	37,5	32	36	32	53	106	134	155	208	231	254	273	311	336	366	1									
37,5	47,5	40	45	38	63	125	157	178	231	254	273	311	336	366	1										
47,5	60	50	56	45	75	150	163	188	250	273	311	336	366	1											
60	75	63	—	53	90	180	196	224	308	336	366	1													

1) The values  $L$  and  $l$  have been so chosen that the length difference ( $L - l$ ) remains constant whatever the series, short, standard or long.

Morse taper No.	1		2		3		4		5				
	Alternative	Alternative	Alternative	Alternative	Alternative	Alternative	Alternative	Alternative	Alternative	Alternative			
$L - l$	70	85	102	125	148	158	186	211	239	248	276	338	366

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

This page intentionally left blank

[ISO 1641-2:1978](https://standards.iteh.ai/catalog/standards/sist/94562470-57eb-43a3-abd8-e898adcadc82/iso-1641-2-1978)

<https://standards.iteh.ai/catalog/standards/sist/94562470-57eb-43a3-abd8-e898adcadc82/iso-1641-2-1978>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

This page intentionally left blank

[ISO 1641-2:1978](#)

<https://standards.iteh.ai/catalog/standards/sist/94562470-57eb-43a3-abd8-e898adcadc82/iso-1641-2-1978>

## iTeh STANDARD PREVIEW

(This page intentionally left blank)

ISO 1641-2:1978

<https://standards.iteh.ai/catalog/standards/sist/94562470-57eb-43a3-abd8-e898adcadc82/iso-1641-2-1978>