

INTERNATIONAL STANDARD



1641/III

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

End mills and slot drills – Part III : Milling cutters with 7/24 taper shanks

Fraises cylindriques 2 tailles et fraises à rainurer – Partie III : Fraises à queue cône 7/24

iTeh STANDARD PREVIEW
First edition – 1978-02-01
(standards.iteh.ai)

ISO 1641-3:1978

<https://standards.iteh.ai/catalog/standards/sist/b96c3fd-266e-4402-a117-135a0e99d151/iso-1641-3-1978>

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 1641/II was developed by Technical Committee ISO/TC 29, *Small tools*, and was circulated to the member bodies in June 1977.
**iTech STANDARD PREVIEW
(standards.iteh.ai)**

It has been approved by the member bodies of the following countries :

		<u>ISO 1641-3:1978</u> https://standards.iteh.ai/catalog/standards/sist/b96c3fd-266e-4402-a117-135a0e99d151/iso-1641-3-1978
Australia	India	Spain
Austria	Israel	Sweden
Belgium	Italy	Switzerland
Brazil	Japan	Turkey
Chile	Korea, Rep. of	United Kingdom
France	Mexico	U.S.S.R.
Germany	Romania	Yugoslavia
Hungary	South Africa, Rep. of	

The member body of the following country expressed disapproval of the document on technical grounds :

Czechoslovakia

This International Standard cancels and replaces ISO 2324-1972, of which it constitutes a technical revision.

End mills and slot drills – Part III : Milling cutters with 7/24 taper shanks

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the general dimensions of the following milling cutters with 7/24 taper shanks :
<https://www.iteh.ai/standards/sist/06-26-1266-4402-1117-135a0e99d151/iso-1641-3:1978>

- End mills, flat-ended or ball-nosed – Standard series and long series.
- Slot drills – Short series and standard series.

Characteristics of 7/24 taper shanks are in accordance with ISO 297 and ISO 2583.

These same milling cutters with parallel shanks are dealt with in part I; those with Morse taper shank having a tapped hole, in part II.

2 REFERENCES

ISO 297, 7/24 tapers for tool shanks.

ISO 523, *Milling cutters – Recommended range of outside diameters.*

ISO 2583, *Tool shanks and equipment with 7/24 tapers – Collar dimensions.*

ISO 3855, *Milling cutters – Nomenclature.*


3 DIMENSIONS

Hemispherical-ended mills and flat-ended end mills

Two series : standard and long according to the cutting length l .

Slot drills

Two series : short and standard according to the cutting length l .



Designation : Milling cutters are designated by their type and their diameter d .

[ISO 1641-3:1978](#)

Tolerances on cutting diameters d : <https://standards.iteh.ai/catalog/standards/sist/b96c3fcf-266e-4402-a117-135a0e99d151/iso-1641-3-1978>

End mills : $j_s 14$

Slot drills : $e8$

Dimensions in millimetres.

Ranges of diameters d		Recommended diameters d		Length l			Length L ¹⁾			7/24 taper No.
over	up to (including)	Short series	Standard series	Long series	Short series	Standard series	Long series			
23,6	30	25	28	26	45	90	131	150	195	30
30	37,5	32	36	32	53	106	137	158	211	
							167	188	241	40
							187	208	261	45
							173	198	260	40
37,5	47,5	40	45	38	63	125	193	218	280	45
							215	240	302	50
							180	210	285	40
47,5	60	50	56	45	75	150	200	230	305	45
							222	252	327	50
							208	245	335	45
60	75	63	71	53	90	180	230	267	357	50
							240	283	389	

1) The values L and l have been so chosen that the length difference ($L - l$) remains constant whatever the series, short, standard or long.

ISO 1641-3:1978
<https://standards.itech.ai/catalog/standards/sist/b96c3fd-266e-4402-a117-135a0e99d151/iso-1641-3-1978>

7/24 taper No.	30	40	45	50
$L - l$	105	135	155	177

iTeh STANDARD PREVIEW

(standards.iteh.ai)

ISO 1641-3:1978

<https://standards.iteh.ai/catalog/standards/sist/b96c3fcd-266e-4402-a117-135a0e99d151/iso-1641-3-1978>

iTeh STANDARD PREVIEW

(standards.iteh.ai)

This page intentionally left blank

ISO 1641-3:1978

<https://standards.iteh.ai/catalog/standards/sist/b96c3fcf-266e-4402-a117-135a0e99d151/iso-1641-3-1978>

iTeh STANDARD PREVIEW

(standards.iteh.ai)

This page intentionally left blank

[ISO 1641-3:1978](#)

<https://standards.iteh.ai/catalog/standards/sist/b96c3fcd-266e-4402-a117-135a0e99d151/iso-1641-3-1978>