
**Information technology — Object
Management Group Business Process
Model and Notation**

*Technologies de l'information — Modèle de procédé d'affaire et notation
de l'OMG*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 19510:2013](https://standards.iteh.ai/catalog/standards/sist/15f86c9e-4fe8-4fcf-9ab1-e571cef96d80/iso-iec-19510-2013)

[https://standards.iteh.ai/catalog/standards/sist/15f86c9e-4fe8-4fcf-9ab1-
e571cef96d80/iso-iec-19510-2013](https://standards.iteh.ai/catalog/standards/sist/15f86c9e-4fe8-4fcf-9ab1-e571cef96d80/iso-iec-19510-2013)

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 19510:2013](https://standards.iteh.ai/catalog/standards/sist/15f86c9e-4fe8-4fcf-9ab1-e571cef96d80/iso-iec-19510-2013)

<https://standards.iteh.ai/catalog/standards/sist/15f86c9e-4fe8-4fcf-9ab1-e571cef96d80/iso-iec-19510-2013>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Table of Contents

Foreword	xxvii
Introduction	xxviii
1 Scope	1
1.1 General	1
2 Conformance	1
2.1 General	1
2.2 Process Modeling Conformance	2
2.2.1 BPMN Process Types	2
2.2.2 BPMN Process Elements	3
2.2.3 Visual Appearance	8
2.2.4 Structural Conformance	8
2.2.5 Process Semantics	9
2.2.6 Attributes and Model Associations	9
2.2.7 Extended and Optional Elements	9
2.2.8 Visual Interchange	10
2.3 Process Execution Conformance	10
2.3.1 Execution Semantics	10
2.3.2 Import of Process Diagrams	10
2.4 BPEL Process Execution Conformance	10
2.5 Choreography Modeling Conformance	10
2.5.1 BPMN Choreography Types	10
2.5.2 BPMN Choreography Elements	11
2.5.3 Visual Appearance	11
2.5.4 Choreography Semantics	11
2.5.5 Visual Interchange	11
2.6 Summary of BPMN Conformance Types	12
3 Normative References	12
3.1 General	12
3.2 Normative	13
3.3 Non-Normative	13
4 Terms and Definitions	16
5 Symbols	16
6 Additional Information	16
6.1 Conventions	16
6.1.1 Typographical and Linguistic Conventions and Style	16
6.1.2 Abbreviations	17
6.2 Structure of this Document	17

6.3 Acknowledgments	17
7 Overview	19
7.1 General	19
7.2 BPMN Scope	20
7.2.1 Uses of BPMN	21
7.3 BPMN Elements	25
7.3.1 Basic BPMN Modeling Elements	26
7.3.2 Extended BPMN Modeling Elements	29
7.4 BPMN Diagram Types	39
7.5 Use of Text, Color, Size, and Lines in a Diagram	39
7.6 Flow Object Connection Rules	40
7.6.1 Sequence Flow Connections Rules	40
7.6.2 Message Flow Connection Rules	41
7.7 BPMN Extensibility	42
7.8 BPMN Example	43
8 BPMN Core Structure	47
8.1 General	47
8.2 Infrastructure	49
8.2.1 Definitions	49
8.2.2 Import	51
8.2.3 Infrastructure Package XML Schemas	52
8.3 Foundation	53
8.3.1 Base Element	54
8.3.2 Documentation	54
8.3.3 Extensibility	55
8.3.4 External Relationships	59
8.3.5 Root Element	62
8.3.6 Foundation Package XML Schemas	62
8.4 Common Elements	64
8.4.1 Artifacts	64
8.4.2 Correlation	72
8.4.3 Error	79
8.4.4 Escalation	80
8.4.5 Events	81
8.4.6 Expressions	82
8.4.7 Flow Element	84
8.4.8 Flow Elements Container	86
8.4.9 Gateways	88
8.4.10 Item Definition	89
8.4.11 Message	91
8.4.12 Resources	93
8.4.13 Sequence Flow	95
8.4.14 Common Package XML Schemas	98
8.5 Services	101
8.5.1 Interface	102
8.5.2 EndPoint	103

8.5.3 Operation	103
8.5.4 Service Package XML Schemas	104
9 Collaboration	107
9.1 General	107
9.2 Basic Collaboration Concepts	110
9.2.1 Use of BPMN Common Elements	110
9.3 Pool and Participant	111
9.3.1 Participants	113
9.3.2 Lanes	119
9.4 Message Flow	119
9.4.1 Interaction Node	122
9.4.2 Message Flow Associations	122
9.5 Conversations	123
9.5.1 Conversation Node	127
9.5.2 Conversation	129
9.5.3 Sub-Conversation	129
9.5.4 Call Conversation	130
9.5.5 Global Conversation	131
9.5.6 Conversation Link	131
9.5.7 Conversation Association	134
9.5.8 Correlations	135
9.6 Process within Collaboration	136
9.7 Choreography within Collaboration	136
9.8 Collaboration Package XML Schemas	138
10 Process	143
10.1 General	143
10.2 Basic Process Concepts	147
10.2.1 Types of BPMN Processes	147
10.2.2 Use of BPMN Common Elements	148
10.3 Activities	149
10.3.1 Resource Assignment	152
10.3.2 Performer	154
10.3.3 Tasks	154
10.3.4 Human Interactions	163
10.3.5 Sub-Processes	171
10.3.6 Call Activity	182
10.3.7 Global Task	186
10.3.8 Loop Characteristics	188
10.3.9 XML Schema for Activities	194
10.4 Items and Data	202
10.4.1 Data Modeling	202
10.4.2 Execution Semantics for Data	224
10.4.3 Usage of Data in XPath Expressions	225
10.4.4 XML Schema for Data	228
10.5 Events	232
10.5.1 Concepts	233
10.5.2 Start Event	237

10.5.3	End Event	245
10.5.4	Intermediate Event	248
10.5.5	Event Definitions	259
10.5.6	Handling Events	274
10.5.7	Scopes	280
10.5.8	Events Package XML Schemas	281
10.6	Gateways	286
10.6.1	Sequence Flow Considerations	288
10.6.2	Exclusive Gateway	289
10.6.3	Inclusive Gateway	291
10.6.4	Parallel Gateway	292
10.6.5	Complex Gateway	294
10.6.6	Event-Based Gateway	296
10.6.7	Gateway Package XML Schemas	300
10.7	Compensation	301
10.7.1	Compensation Handler	302
10.7.2	Compensation Triggering	303
10.7.3	Relationship between Error Handling and Compensation	304
10.8	Lanes	304
10.9	Process Instances, Unmodeled Activities, and Public Processes	308
10.10	Auditing	310
10.11	Monitoring	310
10.12	Process Package XML Schemas	311
11	Choreography	315
11.1	General	315
11.2	Basic Choreography Concepts	317
11.3	Data	319
11.4	Use of BPMN Common Elements	319
11.4.1	Sequence Flow	320
11.4.2	Artifacts	321
11.5	Choreography Activities	321
11.5.1	Choreography Task	323
11.5.2	Sub-Choreography	328
11.5.3	Call Choreography	333
11.5.4	Global Choreography Task	335
11.5.5	Looping Activities	335
11.5.6	The Sequencing of Activities	335
11.6	Events	339
11.6.1	Start Events	339
11.6.2	Intermediate Events	340
11.6.3	End Events	343
11.7	Gateways	344
11.7.1	Exclusive Gateway	344
11.7.2	Event-Based Gateway	349
11.7.3	Inclusive Gateway	351
11.7.4	Parallel Gateway	358
11.7.5	Complex Gateway	360

11.7.6 Chaining Gateways	361
11.8 Choreography within Collaboration	361
11.8.1 Participants	361
11.8.2 Swimlanes	362
11.9 XML Schema for Choreography	363
12 BPMN Notation and Diagrams	367
12.1 BPMN Diagram Interchange (BPMN DI)	367
12.1.1 Scope	367
12.1.2 Diagram Definition and Interchange	367
12.1.3 How to Read this Clause	368
12.2 BPMN Diagram Interchange (DI) Meta-model	368
12.2.1 Overview	368
12.2.2 Abstract Syntax	368
12.2.3 Classifier Descriptions	370
12.2.4 Complete BPMN DI XML Schema	378
12.3 Notational Depiction Library and Abstract Element Resolutions	380
12.3.1 Labels	381
12.3.2 BPMNShape	381
12.3.3 BPMNEdge	410
12.4 Example(s)	412
12.4.1 Depicting Content in a Sub-Process	412
12.4.2 Multiple Lanes and Nested Lanes	417
12.4.3 Vertical Collaboration	418
12.4.4 Conversation	419
12.4.5 Choreography	421
13 BPMN Execution Semantics	425
13.1 General	425
13.2 Process Instantiation and Termination	426
13.3 Activities	426
13.3.1 Sequence Flow Considerations	427
13.3.2 Activity	428
13.3.3 Task	430
13.3.4 Sub-Process/Call Activity	430
13.3.5 Ad-Hoc Sub-Process	431
13.3.6 Loop Activity	432
13.3.7 Multiple Instances Activity	432
13.4 Gateways	434
13.4.1 Parallel Gateway (Fork and Join)	434
13.4.2 Exclusive Gateway (Exclusive Decision (data-based) and Exclusive Merge) ...	434
13.4.3 Inclusive Gateway (Inclusive Decision and Inclusive Merge)	435
13.4.4 Event-based Gateway (Exclusive Decision (event-based))	437
13.4.5 Complex Gateway (related to Complex Condition and Complex Merge)	437
13.5 Events	439
13.5.1 Start Events	439
13.5.2 Intermediate Events	440
13.5.3 Intermediate Boundary Events	440
13.5.4 Event Sub-Processes	440

13.5.5 Compensation	441
13.5.6 End Events	443
14 Mapping BPMN Models to WS-BPEL	445
14.1 General	445
14.2 Basic BPMN-BPEL Mapping	446
14.2.1 Process	447
14.2.2 Activities	448
14.2.3 Events	455
14.2.4 Gateways and Sequence Flows	461
14.2.5 Handling Data	465
14.3 Extended BPMN-BPEL Mapping	469
14.3.1 End Events	469
14.3.2 Loop/Switch Combinations From a Gateway	469
14.3.3 Interleaved Loops	470
14.3.4 Infinite Loops	473
14.3.5 BPMN Elements that Span Multiple WSBPEL Sub-Elements	473
15 Exchange Formats	475
15.1 Interchanging Incomplete Models	475
15.2 Machine-Readable Files	475
15.3 XSD	475
15.3.1 Document Structure	475
15.3.2 References within the BPMN XSD	476
15.4 XMI	477
15.5 XSLT Transformation between XSD and XMI	477
Annex A - Changes from v1.2.....	479
Annex B - Diagram Interchange.....	481
Annex C - Glossary.....	499
Annex D - Legal Information	505

List of Figures

- Figure 7.1 – Example of a private Business Process 21
- Figure 7.2 – Example of a public Process 22
- Figure 7.3 – An example of a Collaborative Process 23
- Figure 7.4 – An example of a Choreography 23
- Figure 7.5 – An example of a Conversation diagram 24
- Figure 7.6 – An example of a Collaboration diagram with black-box Pools 43
- Figure 7.7 – An example of a stand-alone Choreography diagram 44
- Figure 7.8 – An example of a stand-alone Process (Orchestration) diagram 45
- Figure 8.1 – A representation of the BPMN Core and Layer Structure 47
- Figure 8.2 – Class diagram showing the core packages 48
- Figure 8.3 – Class diagram showing the organization of the core BPMN elements 49
- Figure 8.4 – Definitions class diagram 50
- Figure 8.5 – Classes in the Foundation package 53
- Figure 8.6 – Extension class diagram 55
- Figure 8.7 – External Relationship Metamodel 60
- Figure 8.8 – Artifacts Metamodel 64
- Figure 8.9 – An Association 65
- Figure 8.10 – The Association Class Diagram 65
- Figure 8.11 – A Directional Association 66
- Figure 8.12 – An Association of Text Annotation 66
- Figure 8.13 – A Group Artifact 67
- Figure 8.14 – A Group around Activities in different Pools 67
- Figure 8.15 – The Group class diagram 68
- Figure 8.16 – A Text Annotation 69
- Figure 8.17 – The Correlation Class Diagram 74
- Figure 8.18 – Error class diagram 79
- Figure 8.19 – Escalation class diagram 80
- Figure 8.20 – Event class diagram 82
- Figure 8.21 – Expression class diagram 83
- Figure 8.22 – FlowElement class diagram 85
- Figure 8.23 – FlowElementContainers class diagram 87
- Figure 8.24 – Gateway class diagram 88
- Figure 8.25 – ItemDefinition class diagram 90
- Figure 8.26 – A Message 91
- Figure 8.27 – A non-initiating Message 91
- Figure 8.28 – Messages Association overlapping Message Flows 92
- Figure 8.29 – Messages shown Associated with a Choreography Task 92
- Figure 8.30 – The Message class diagram 93
- Figure 8.31 – Resource class diagram 94
- Figure 8.32 – A Sequence Flow 95
- Figure 8.33 – A Conditional Sequence Flow 95
- Figure 8.34 – A Default Sequence Flow 96

- Figure 8.35 – SequenceFlow class diagram 96
- Figure 8.36 – The Service class diagram 102
- Figure 9.1 – Classes in the Collaboration package 108
- Figure 9.2 – A Pool 111
- Figure 9.3 – Message Flows connecting to the boundaries of two Pools 112
- Figure 9.4 – Message Flows connecting to Flow Objects within two Pools 112
- Figure 9.5 – Main (Internal) Pool without boundaries 113
- Figure 9.6 – Pools with a Multi-Instance Participant Markers 113
- Figure 9.7 – The Participant Class Diagram 114
- Figure 9.8 – A Pool with a Multiple Participant 116
- Figure 9.9 – The Participant Multiplicity class diagram 116
- Figure 9.10 – ParticipantAssociation class diagram 118
- Figure 9.11 – A Message Flow 119
- Figure 9.12 – A Message Flow with an Attached Message 120
- Figure 9.13 – A Message Flow passing through a Choreography Task 120
- Figure 9.14 – The Message Flow Class Diagram 121
- Figure 9.15 – MessageFlowAssociation class diagram 123
- Figure 9.16 – A Conversation diagram 124
- Figure 9.17 – A Conversation diagram where the Conversation is expanded into Message Flows 124
- Figure 9.18 – Conversation diagram depicting several conversations between Participants in a related domain 125
- Figure 9.19 – An example of a Sub-Conversation 126
- Figure 9.20 – An example of a Sub-Conversation expanded to a Conversation and Message Flow 126
- Figure 9.21 – An example of a Sub-Conversation that is fully expanded 127
- Figure 9.22 – Metamodel of ConversationNode Related Elements 128
- Figure 9.23 – A Communication element 129
- Figure 9.24 – A compound Conversation element 130
- Figure 9.25 – A Call Conversation calling a GlobalConversation 130
- Figure 9.26 – A Call Conversation calling a Collaboration 130
- Figure 9.27 – A Conversation Link element 131
- Figure 9.28 – Conversation links to Activities and Events 132
- Figure 9.29 – Metamodel of Conversation Links related elements 133
- Figure 9.30 – Call Conversation Links 134
- Figure 9.31 – The ConversationAssociation class diagram 135
- Figure 9.32 – An example of a Choreography within a Collaboration 137
- Figure 9.33– Choreography within Collaboration class diagram 138
- Figure 10.1 – An Example of a Process 143
- Figure 10.2 – Process class diagram 144
- Figure 10.3 – Process Details class diagram 145
- Figure 10.4 – Example of a private Business Process 148
- Figure 10.5 – Example of a public Process 148
- Figure 10.6 – Activity class diagram 149
- Figure 10.7 – The class diagram for assigning Resources 152
- Figure 10.8 – A Task object 154
- Figure 10.9 – Task markers 155
- Figure 10.10 – The Task class diagram 155
- Figure 10.11 – A Service Task Object 156
- Figure 10.12 – The Service Task class diagram 157

- Figure 10.13 – A Send Task Object 158
- Figure 10.14 – The Send Task and Receive Task class diagram 158
- Figure 10.15 – A Receive Task Object 159
- Figure 10.16 – A Receive Task Object that instantiates a Process 160
- Figure 10.17 – A User Task Object 161
- Figure 10.18 – A Manual Task Object 161
- Figure 10.19 – A Business Rule Task Object 162
- Figure 10.20 – A Script Task Object 162
- Figure 10.21 – Manual Task class diagram 163
- Figure 10.22 – User Task class diagram 164
- Figure 10.23 – HumanPerformer class diagram 165
- Figure 10.24 – Procurement Process Example 168
- Figure 10.25 – A Sub-Process object (collapsed) 171
- Figure 10.26 – A Sub-Process object (expanded) 172
- Figure 10.27 – Expanded Sub-Process used as a “Parallel Box” 172
- Figure 10.28 – Collapsed Sub-Process Markers 173
- Figure 10.29 – The Sub-Process class diagram 173
- Figure 10.30 – An Event Sub-Process object (Collapsed) 175
- Figure 10.31 – An Event Sub-Process object (expanded) 175
- Figure 10.32 – An example that includes Event Sub-Processes 176
- Figure 10.33 – A Transaction Sub-Process 177
- Figure 10.34 – A Collapsed Transaction Sub-Process 177
- Figure 10.35 – A collapsed Ad-Hoc Sub-Process 179
- Figure 10.36 – An expanded Ad-Hoc Sub-Process 179
- Figure 10.37 – An Ad-Hoc Sub-Process for writing a book chapter 181
- Figure 10.38 – An Ad-Hoc Sub-Process with data and sequence dependencies 182
- Figure 10.39 – A Call Activity object calling a Global Task 183
- Figure 10.40 – A Call Activity object calling a Process (Collapsed) 183
- Figure 10.41 – A Call Activity object calling a Process (Expanded) 183
- Figure 10.42 – The Call Activity class diagram 184
- Figure 10.43 – CallableElement class diagram 185
- Figure 10.44 – Global Tasks class diagram 187
- Figure 10.45 – LoopCharacteristics class diagram 188
- Figure 10.46 – A Task object with a Standard Loop Marker 189
- Figure 10.47 – A Sub-Process object with a Standard Loop Marker 189
- Figure 10.48 – Activity Multi-Instance marker for parallel instances 190
- Figure 10.49 – Activity Multi-Instance marker for sequential instances 190
- Figure 10.50 - ItemAware class diagram 203
- Figure 10.51 – DataObject class diagram 204
- Figure 10.52 – A DataObject 206
- Figure 10.53 – A DataObject that is a collection 206
- Figure 10.54 – A Data Store 207
- Figure 10.55 – DataStore class diagram 207
- Figure 10.56 – Property class diagram 209
- Figure 10.57 – InputOutputSpecification class diagram 211
- Figure 10.58 – A DataInput 213
- Figure 10.59 – Data Input class diagram 213

Figure 10.60 – A Data Output 215
Figure 10.61 – Data Output class diagram 215
Figure 10.62 – InputSet class diagram 218
Figure 10.63 – OutputSet class diagram 219
Figure 10.64 – DataAssociation class diagram 221
Figure 10.65 – A Data Association 221
Figure 10.66 – A Data Association used for an Outputs and Inputs into an Activities 221
Figure 10.67 – A Data Object shown as an output and an inputs 223
Figure 10.68 – A Data Object associated with a Sequence Flow 224
Figure 10.69 – The Event Class Diagram 233
Figure 10.70 – Start Event 238
Figure 10.71 – End Event 245
Figure 10.72 – Intermediate Event 249
Figure 10.73 – EventDefinition Class Diagram 261
Figure 10.74 – Cancel Events 262
Figure 10.75 – Compensation Events 262
Figure 10.76 – CompensationEventDefinition Class Diagram 262
Figure 10.77 – Conditional Events 263
Figure 10.78 – ConditionalEventDefinition Class Diagram 264
Figure 10.79 – Error Events 264
Figure 10.80 – ErrorEventDefinition Class Diagram 265
Figure 10.81 – Escalation Events 265
Figure 10.82 – EscalationEventDefinition Class Diagram 266
Figure 10.83 – Link Events 266
Figure 10.84 – Link Events Used as Off-Page Connector 267
Figure 10.85 – A Process with a long Sequence Flow 268
Figure 10.86 – A Process with Link Intermediate Events used as Go To Objects 268
Figure 10.87 – Link Events Used for looping 269
Figure 10.88 – Message Events 269
Figure 10.89 – MessageEventDefinition Class Diagram 270
Figure 10.90 – Multiple Events 271
Figure 10.91 – None Events 271
Figure 10.92 – Multiple Events 272
Figure 10.93 – SignalEventDefinition Class Diagram 272
Figure 10.94 – Signal Events 272
Figure 10.95 – Terminate Event 273
Figure 10.96 – Timer Events 273
Figure 10.97 – Exclusive start of a Process 274
Figure 10.98 – A Process initiated by an Event-Based Gateway 275
Figure 10.99 – Event synchronization at Process start 275
Figure 10.100 – Example of inline Event Handling via Event Sub-Processes 277
Figure 10.101 – Example of boundary Event Handling 278
Figure 10.102 – A Gateway 286
Figure 10.103 – The Different types of Gateways 287
Figure 10.104 – Gateway class diagram 288
Figure 10.105 – An Exclusive Data-Based Decision (Gateway) Example without the Internal Indicator 289
Figure 10.106 – A Data-Based Exclusive Decision (Gateway) Example with the Internal Indicator 290

- Figure 10.107 – Exclusive Gateway class diagram 290
- Figure 10.108 – An example using an Inclusive Gateway 291
- Figure 10.109 – Inclusive Gateway class diagram 292
- Figure 10.110 – An example using an Parallel Gateway 293
- Figure 10.111 – An example of a synchronizing Parallel Gateway 293
- Figure 10.112 – Parallel Gateway class diagram 294
- Figure 10.113 – An example using a Complex Gateway 294
- Figure 10.114 – Complex Gateway class diagram 295
- Figure 10.115 – Event-Based Gateway 296
- Figure 10.116 – An Event-Based Gateway example using Message Intermediate Events 297
- Figure 10.117 – An Event-Based Gateway example using Receive Tasks 297
- Figure 10.118 – Exclusive Event-Based Gateway to start a Process 298
- Figure 10.119 – Parallel Event-Based Gateway to start a Process 298
- Figure 10.120 – Event-Based Gateway class diagram 299
- Figure 10.121– Compensation through a boundary Event 302
- Figure 10.122 – Monitoring Class Diagram 303
- Figure 10.123 – Two Lanes in a Vertical Pool 305
- Figure 10.124 – Two Lanes in a horizontal Pool 305
- Figure 10.125 – An Example of Nested Lanes 306
- Figure 10.126 – The Lane class diagram 307
- Figure 10.127 – One Process supporting to another 309
- Figure 10.128 – Auditing Class Diagram 310
- Figure 10.129 – Monitoring Class Diagram 311
- Figure 11.1 – The Choreography metamodel 316
- Figure 11.2 – An example of a Choreography 317
- Figure 11.3 – A Collaboration diagram logistics example 318
- Figure 11.4 – The corresponding Choreography diagram logistics example 319
- Figure 11.5 – The use of Sequence Flows in a Choreography 320
- Figure 11.6 – The metamodel segment for a Choreography Activity 322
- Figure 11.7 – A Collaboration view of Choreography Task elements 323
- Figure 11.8 – A Choreography Task 323
- Figure 11.9 – A Collaboration view of a Choreography Task 324
- Figure 11.10 – A two-way Choreography Task 324
- Figure 11.11 – A Collaboration view of a two-way Choreography Task 325
- Figure 11.12 – Choreography Task Markers 326
- Figure 11.13 – The Collaboration view of a looping Choreography Task 326
- Figure 11.14 – The Collaboration view of a Parallel Multi-Instance Choreography Task 327
- Figure 11.15 – A Choreography Task with a multiple Participant 327
- Figure 11.16 – A Collaboration view of a Choreography Task with a multiple Participant 328
- Figure 11.17– A Sub-Choreography 329
- Figure 11.18 – A Collaboration view of a Sub-Choreography 329
- Figure 11.19 – An expanded Sub-Choreography 330
- Figure 11.20 – A Collaboration view of an expanded Sub-Choreography 330
- Figure 11.21 – Sub-Choreography (Collapsed) with More than Two Participants 331
- Figure 11.22 – Sub-Choreography Markers 332
- Figure 11.23 – Sub-Choreography Markers with a multi-instance Participant 332
- Figure 11.24 – A Call Choreography calling a Global Choreography Task 333

- Figure 11.25 – A Call Choreography calling a Choreography (Collapsed) 333
- Figure 11.26 – A Call Choreography calling a Choreography (expanded) 334
- Figure 11.27 – The Call Choreography class diagram 334
- Figure 11.28 – A valid sequence of Choreography Activities 336
- Figure 11.29 – The corresponding Collaboration for a valid Choreography sequence 337
- Figure 11.30 – A valid sequence of Choreography Activities with a two-way Activity 337
- Figure 11.31 – The corresponding Collaboration for a valid Choreography sequence with a two-way Activity 338
- Figure 11.32 – An invalid sequence of Choreography Activities 338
- Figure 11.33 – The corresponding Collaboration for an invalid Choreography sequence 339
- Figure 11.34 – An example of the Exclusive Gateway 345
- Figure 11.35 – The relationship of Choreography Activity Participants across the sides of the Exclusive Gateway shown through a Collaboration 346
- Figure 11.36 – Different Receiving Choreography Activity Participants on the output sides of the Exclusive Gateway 347
- Figure 11.37 – The corresponding Collaboration view of the above Choreography Exclusive Gateway configuration 348
- Figure 11.38 – An example of an Event Gateway 349
- Figure 11.39 – The corresponding Collaboration view of the above Choreography Event Gateway configuration 350
- Figure 11.40 – An example of a Choreography Inclusive Gateway configuration 352
- Figure 11.41 – The corresponding Collaboration view of the above Choreography Inclusive Gateway configuration 353
- Figure 11.42 – An example of a Choreography Inclusive Gateway configuration 354
- Figure 11.43 – The corresponding Collaboration view of the above Choreography Inclusive Gateway configuration 355
- Figure 11.44 – Another example of a Choreography Inclusive Gateway configuration 356
- Figure 11.45 – The corresponding Collaboration view of the above Choreography Inclusive Gateway configuration 357
- Figure 11.46 – The relationship of Choreography Activity Participants across the sides of the Parallel Gateway 358
- Figure 11.47 – The corresponding Collaboration view of the above Choreography Parallel Gateway configuration 359
- Figure 11.48 – An example of a Choreography Complex Gateway configuration 360
- Figure 11.49 – The corresponding Collaboration view of the above Choreography Complex Gateway configuration 361
- Figure 11.50 – An example of a Choreography Process combined with Black Box Pools 362
- Figure 11.51 – An example of a Choreography Process combined with Pools that contain Processes 363
- Figure 12.1 – BPMN Diagram 369
- Figure 12.2 – BPMN Plane 369
- Figure 12.3 – BPMN Shape 369
- Figure 12.4 – BPMN Edge 370
- Figure 12.5 – BPMN Label 370
- Figure 12.6 – Depicting a Label for a DataObjectReference with its state 381
- Figure 12.7 – Combined Compensation and Loop Characteristic Marker Example 384
- Figure 12.8 – Expanded Sub-Process Example 413
- Figure 12.9 – Start and End Events on the Border Example 414
- Figure 12.10 – Collapsed Sub-Process 415
- Figure 12.11 – Contents of Collapsed Sub-Process 416

- Figure 12.12 – Nested Lanes Example 417
Figure 12.13 – Vertical Collaboration Example 418
Figure 12.14 – Conversation Example 420
Figure 12.15 – Choreography Example 422
Figure 13.1 – Behavior of multiple outgoing Sequence Flows of an Activity 427
Figure 13.2 – The Lifecycle of a BPMN Activity 428
Figure 13.3 – Merging and Branching Sequence Flows for a Parallel Gateway 434
Figure 13.4 – Merging and Branching Sequence Flows for an Exclusive Gateway 434
Figure 13.5 – Merging and Branching Sequence Flows for an Inclusive Gateway 435
Figure 13.6 – Merging and branching Sequence Flows for an Event-Based Gateway 437
Figure 13.7 – Merging and branching Sequence Flows for a Complex Gateway 437
Figure 14.1 – A BPMN orchestration process and its block hierarchy 446
Figure 14.2 – An example of distributed token recombination 469
Figure 14.3 – An example of a loop from a decision with more than two alternative paths 470
Figure 14.4 – An example of interleaved loops 471
Figure 14.5 – An example of the WSBPEL pattern for substituting for the derived Process 472
Figure 14.6 – An example of a WSBPEL pattern for the derived Process 472
Figure 14.7 – An example: An infinite loop 473
Figure 14.8 – An example: Activity that spans two paths of a WSBPEL structured element 474
Figure B.1 – Diagram Definition Architecture 483
Figure B.2 – The Primitive Types 483
Figure B.3 – Diagram Definition Architecture 484
Figure B.4 – Diagram Definition Architecture 484
Figure B.5 – Dependencies of the DI package 488
Figure B.6 – Diagram Element 488
Figure B.7 – Node 488
Figure B.8 – Edge 489
Figure B.9 – Diagram 489
Figure B.10 – Plane 489
Figure B.11 – Labeled Edge 490
Figure B.12 – Labeled Shape 490
Figure B.13 – Shape 490