



**SLOVENSKI STANDARD**  
**SIST EN 300 392-10-18 V1.2.1:2003**  
**01-april-2003**

---

**Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 10. del: Dopolnilne storitve stopnje 1 - 18. poglavje: Zapora odhodnih klicev (BOC)**

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Sub-part 18: Barring of Outgoing Calls (BOC)

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Ta slovenski standard je istoveten z: **EN 300 392-10-18 Version 1.2.1**

SIST EN 300 392-10-18 V1.2.1:2003  
<https://standards.iteh.ai/catalog/standards/sist/49475535-da25-428c-8000-0f58700e96c3/sist-en-300-392-10-18-v1-2-1-2003>

**ICS:**

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	---------------------------------	-----------------------------------

**SIST EN 300 392-10-18 V1.2.1:2003**      **en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 300 392-10-18 V1.2.1:2003

<https://standards.iteh.ai/catalog/standards/sist/49473335-da23-428c-8600-0f58700e96c3/sist-en-300-392-10-18-v1-2-1-2003>

# ETSI EN 300 392-10-18 V1.2.1 (2002-09)

---

*European Standard (Telecommunications series)*

**Terrestrial Trunked Radio (TETRA);  
Voice plus Data (V+D);  
Part 10: Supplementary services stage 1;  
Sub-part 18: Barring of Outgoing Calls (BOC)**

---

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 392-10-18 V1.2.1:2003](https://standards.iteh.ai/catalog/standards/sist/49473335-da23-428c-8600-0f58700e96c3/sist-en-300-392-10-18-v1-2-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/49473335-da23-428c-8600-0f58700e96c3/sist-en-300-392-10-18-v1-2-1-2003>



---

Reference

REN/TETRA-03001-10-18

---

Keywordscall barring, data, radio, speech, stage 1,  
supplementary service, TETRA**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 300 392-10-18 V1.2.1:2003<https://standards.iteh.ai/catalog/standards/sist/49473335-da23-428c-8600-0f58700e96c3/sist-en-300-392-10-18-v1-2-1-2003>**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:

[editor@etsi.fr](mailto:editor@etsi.fr)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2002.  
All rights reserved.

**DECT™**, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.  
**TIPHON™** and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.  
**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

# Contents

Intellectual Property Rights .....	5
Foreword.....	5
1 Scope .....	7
2 References .....	7
3 Definitions and abbreviations.....	7
3.1 Definitions .....	7
3.2 Abbreviations .....	8
4 SS-BOC stage 1 specification .....	8
4.1 Description .....	8
4.1.1 General description .....	8
4.1.2 Qualifications on applicability to telecommunication services.....	9
4.2 Procedures .....	9
4.2.1 Provision/Withdrawal .....	9
4.2.2 Normal procedures.....	9
4.2.2.1 Activation, deactivation, definition, registration, interrogation and cancellation.....	9
4.2.2.1.1 Activation/Deactivation.....	9
4.2.2.1.2 Definition.....	9
4.2.2.1.3 Registration .....	9
4.2.2.1.4 Interrogation .....	9
4.2.2.1.5 Cancellation .....	9
4.2.2.2 Invocation and operation.....	9
4.2.3 Exceptional procedures.....	10
4.2.3.1 Activation, deactivation, definition, registration, interrogation and cancellation.....	10
4.2.3.1.1 Activation/Deactivation.....	10
4.2.3.1.2 Definition.....	10
4.2.3.1.3 Registration .....	10
4.2.3.1.4 Interrogation .....	10
4.2.3.1.5 Cancellation.....	10
4.2.3.2 Invocation and operation.....	10
4.3 Interactions with other supplementary services.....	11
4.3.1 Calling Line Identification Presentation (CLIR).....	11
4.3.2 Connected Line Identification Presentation (CLIP).....	11
4.3.3 Calling/Connected Line Identification Restriction (COLP).....	11
4.3.4 Call Report (CR).....	11
4.3.5 Talking Party Identification (TPI) .....	11
4.3.6 Call Forwarding Unconditional (CFU).....	11
4.3.7 Call Forwarding on Busy (CFB).....	11
4.3.8 Call Forwarding on No Reply (CFNRy).....	11
4.3.9 Call Forwarding On Not Reachable (CFNR).....	11
4.3.10 List Search Call (LSC).....	11
4.3.11 Call Authorized By Dispatcher (CAD).....	11
4.3.12 Short Number Addressing (SNA).....	11
4.3.13 Area Selection (AS) .....	12
4.3.14 Access Priority (AP) .....	12
4.3.15 Priority Call (PC).....	12
4.3.16 Call Waiting (CW).....	12
4.3.17 Call Hold (HOLD).....	12
4.3.18 Call Completion to Busy Subscriber (CCBS).....	12
4.3.19 Late Entry (LE).....	12
4.3.20 Void .....	12
4.3.21 Pre-emptive Priority Call (PPC) .....	12
4.3.22 Include Call (IC).....	12
4.3.23 Void .....	12
4.3.24 Barring of Outgoing Calls (BOC).....	12

4.3.25	Barring of Incoming Calls (BIC) .....	12
4.3.26	Discreet Listening (DL) .....	12
4.3.27	Ambience Listening (AL) .....	13
4.3.28	Dynamic Group Number Assignment (DGNA) .....	13
4.3.29	Call completion on No Reply (CCNR) .....	13
4.3.30	Call Retention (CRT) Priority .....	13
4.4	Interworking considerations .....	13
4.5	Overall SDL .....	13
<b>Annex A (informative): Bibliography .....</b>		<b>15</b>
History .....		16

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 392-10-18 V1.2.1:2003](https://standards.iteh.ai/catalog/standards/sist/49473335-da23-428c-8600-0f58700e96c3/sist-en-300-392-10-18-v1-2-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/49473335-da23-428c-8600-0f58700e96c3/sist-en-300-392-10-18-v1-2-1-2003>

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Project Terrestrial Trunked Radio (TETRA).

The present document is part 10, sub-part 18 of a multi-part deliverable covering Voice plus Data (V+D), as identified below:

- EN 300 392-1: "General network design";
- EN 300 392-2: "Air Interface (AI)";
- EN 300 392-3: "Interworking at the Inter-System Interface (ISI)";
- ETS 300 392-4: "Gateways basic operation";
- EN 300 392-5: "Peripheral Equipment Interface (PEI)";
- EN 300 392-7: "Security";
- EN 300 392-9: "General requirements for supplementary services";
- EN 300 392-10: "Supplementary services stage 1";**
  - Sub-part 1: "Call identification";
  - Sub-part 2: "Call report";
  - Sub-part 3: "Talking Party Identification (TPI)";
  - Sub-part 4: "Call Forwarding (CF)";
  - Sub-part 5: "List Search Call (LSC)";
  - Sub-part 6: "Call Authorized by Dispatcher (CAD)";
  - Sub-part 7: "Short number addressing";
  - Sub-part 8: "Area selection";
  - Sub-part 9: "Access priority";
  - Sub-part 10: "Priority Call (PC)";
  - Sub-part 11: "Call Waiting (CW)";
  - Sub-part 12: "Call Hold (CH)";
  - Sub-part 13: "Call completion to busy subscriber";
  - Sub-part 14: "Late Entry (LE)";

Sub-part 15: "Transfer of control";

Sub-part 16: "Pre-emptive priority call";

Sub-part 17: "Include Call (IC)";

**Sub-part 18: "Barring of Outgoing Calls (BOC)";**

Sub-part 19: "Barring of Incoming Calls (BIC)";

Sub-part 20: "Discreet Listening (DL)";

Sub-part 21: "Ambience Listening (AL)";

Sub-part 22: "Dynamic Group Number Assignment (DGNA)";

Sub-part 23: "Call completion on no reply";

Sub-part 24: "Call Retention (CRT)";

EN 300 392-11: "Supplementary services stage 2";

EN 300 392-12: "Supplementary services stage 3";

ETS 300 392-13: "SDL model of the Air Interface (AI)";

ETS 300 392-14: "Protocol Implementation Conformance Statement (PICS) proforma specification";

TS 100 392-15: "TETRA frequency bands, duplex spacings and channel numbering";

TS 100 392-16: "Network Performance Metrics";

TS 100 392-17: "TETRA V+D and DMO Release 1.1 specifications";

SIST EN 300 392-10-18 V1.2.1:2003  
<https://standards.iteh.ai/catalog/standards/sist/300-392-10-18-v1-2-1-2003>  
**National transposition dates**  
 0158700e96c3/sist-en-300-392-10-18-v1-2-1-2003

Date of adoption of this EN:	13 September 2002
Date of latest announcement of this EN (doa):	31 December 2002
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 2003
Date of withdrawal of any conflicting National Standard (dow):	30 June 2003



---

## 1 Scope

The present document defines the stage 1 specification of the Barring of Outgoing Call (BOC) supplementary service for the Trans-European Trunked Radio (TETRA). Stage 1 is an overall service description from the users point of view but does not deal with the details of the human interface itself.

The present document specifies the service description of the supplementary service and the procedures to be expected with successful and unsuccessful outcomes. In addition present document specifies the interactions with other TETRA supplementary services and interworking considerations.

Charging principles are outside the scope of the present document.

The Barring of Outgoing Call (BOC) supplementary service enables barring restriction for outgoing calls to be set.

---

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

- [1] ITU-T Recommendation Z.100: "Specification and description language (SDL)".
- [2] ETSI ETS 300 392-10-4: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Sub-part 4: Call Forwarding (CF)".

<https://standards.iteh.ai/catalog/standards/sist/49473335-da23-428c-8600-0f58700e96c3/sist-en-300-392-10-18-v1-2-1-2003>

---

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the following definitions apply:

**affected user:** user whose outgoing service or services are barred

**authorized user:** user who is permitted to bar outgoing calls of defined users

**bearer service:** type of telecommunication service that provides the capability for the transmission of signals between user-network interfaces

**Switching and Management Infrastructure (SwMI):** all of the TETRA equipment for a Voice plus Data (V+D) network except for subscriber terminals

NOTE: The SwMI enables subscriber terminals to communicate with each other via the SwMI.

**teleservice:** type of telecommunications service that provides the complete capability, including terminal equipment functions, for communication between users according to agreed protocols