

SLOVENSKI STANDARD oSIST prEN ISO 4064-2:2016

01-september-2016

Vodomeri za merjenje hladne pitne vode in vroče vode - 2. del: Preskusne metode (ISO 4064-2:2014)

Water meters for cold potable water and hot water - Part 2: Test methods (ISO 4064-2:2014)

Wasserzähler zum Messen von kaltem Trinkwasser und heißem Wasser - Teil 2: Prüfverfahren (ISO 4064-2:2014)

Compteurs d'eau potable froide et d'eau chaude - Partie 2: Méthodes d'essai (ISO 4064-2:2014) / standards itch ai/catalog/standards/sist/5be77136-a783-40fd-b61b-c2469a8d9c1a/sist-

Ta slovenski standard je istoveten z: prEN ISO 4064-2

ICS:

17.120.10 Pretok v zaprtih vodih Flow in closed conduits 91.140.60 Sistemi za oskrbo z vodo Water supply systems

oSIST prEN ISO 4064-2:2016 en

oSIST prEN ISO 4064-2:2016

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 4064-2:2017

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

DRAFT prEN ISO 4064-2

August 2016

ICS 91.140.60

Will supersede EN ISO 4064-2:2014

English Version

Water meters for cold potable water and hot water - Part 2: Test methods (ISO 4064-2:2014)

Compteurs d'eau potable froide et d'eau chaude -Partie 2: Méthodes d'essai (ISO 4064-2:2014) Wasserzähler zum Messen von kaltem Trinkwasser und heißem Wasser - Teil 2: Prüfverfahren (ISO 4064-2:2014)

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 92.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword	3
Annex ZA (informative) Relationship between this European Standard and the essential	

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 4064-2:2017

European foreword

The text of ISO 4064-2:2014 has been prepared by Technical Committee ISO/TC 30 "Measurement of fluid flow in closed conduits" of the International Organization for Standardization (ISO) and has been taken over as prEN ISO 4064-2:2016 by Technical Committee CEN/TC 92 "Water meters" the secretariat of which is held by SNV.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN ISO 4064-2:2014.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

Endorsement notice

The text of ISO 4064-2:2014 has been approved by CEN as prEN ISO 4064-2:2016 without any modification.

SIST EN ISO 4064-2:2017

Annex ZA (informative)

Relationship between this European Standard and the essential requirements of Directive 2014/32/EU aimed to be covered

This European Standard has been prepared under a Commission's standardization request Mandate to CEN and CENELEC for standardisation in the field of measuring instruments "M/374 EN" to provide one voluntary means of conforming to essential requirements of Directive 2014/32/EC EU of the European Parliament and the Council of 26 February 2014 on measuring instruments (Text with EEA relevance).

Once this standard is cited in the Official Journal of the European Union under that Directive 2014/32/EU, compliance with the normative clauses of this standard given in Table [ZA.1] confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive 2014/32/EU, and associated EFTA regulations.

Introduction:

The column "Comment" the term "Addressed" indicates the compliance between EN ISO 4064-2:2014 and the relevant requirement in Directive 2014/32/EU. The term "Not (fully) addressed" indicates that compliance may not (fully) be realised, whilst "Addressed" may also be qualified in other ways. In the case the requirement is "Not fully addressed", a short statement may explain what is covered. The indication "Not applicable" means that the requirement in Annex I of Directive 2014/32/EU is not relevant for Water Meters

The original Directive 2004/22/EU had been amended by Directive 137/2009/EC. These have been fully replaced by Directive 2014/32/EU. This latest directive has already been amended by Directive 2015/13/EU.

The numbering in the first column will reflects the structure of the new Directive 2014/32/EU.

For purpose of cross-reference the second column indicates the structure of the original Directive 2004/22/EU.

Table ZA.1 — Correspondence between this European Standard and Annex I of Directive 2014/32/EU.

Essential Requirements (ERs) of Directive 32/2014/EU Annex I Essential Requirements Note: Amended by Directive 2015/13/EU	(ERs) of Directive 22/2004/EC	Clause(s)/subclause(s) of this EN	Qualifying remarks/Notes
I.1.1 and 1.2 Allowable errors, Rated operating conditions	I.1.1 and 1.2 Allowable errors, Rated operating conditions	7.4 4	Reference conditions
I.1.3.1 Climatic environments, temperature limits	I.1.3.1 Climatic environments, temperature limits	8.2. 8.3 8.4	Addressed
I.1.3.2 Mechanical environments	I.1.3.2 Mechanical environments	8.6 8.7	Addressed
I.1.3.3 Electromagnetic environments https://standards.iteh.ai/cata	I.1.3.3 Electromagnetic environments Standards.iteh SIST EN ISO 4064-2:2017 log/standards/sist/5be77136-a783 en-iso-4064-2-2017	8.5 8.8 8.9 8.10 8.11 8.12 - b6 1 b - c2 46 9 a 8 d 9 8.13 8.14 8.15	Addressed
I.1.3.4 Other influences	I.1.3.4 Other influences	7.44 8.5.3 8.5.4	Adressed
I.1.4.1 Basic rules for testing	I.1.4.1 Basic rules for testing	7.2.2 7.4.2 7.4.3 7.4.4 7.4.5 8.1	Adressed
I.1.4.2 Ambient humidity	I.1.4.2 Ambient humidity	6.4 / 8.4	Adressed, damp heat cyclic only
I.2 Reproducibility	I.2 Reproducibility	7.2.9.3 (EN ISO 4064 part 1)	Addressed
I.3 Repeatability	I.3 Repeatability	7.4.4 Covered by	Addressed via acceptance criteria

		performance tests	of tests
I.4 Discrimination and sensitivity	I.4 Discrimination and sensitivity	6.4.3.6 Covered by performance tests	Addressed via acceptance criteria of tests
I.5 Durability	I.5 Durability	7.11	Addressed via acceptance criteria of tests
I.6 Reliability	I.6 Reliability	7.11	Addressed via acceptance criteria of tests
I.7 Suitability			
I.7.1 Fraudulent use	I.7.1 Fraudulent use	6.2 , 6.4.4 7.12	Addressed (sealing is addressed in 4064 part 1 chapter 6.8)
I.7.2 Suitable for use	I.7.2 Suitable for use	6.4.3 7 8	Addressed
I.7.3 Unduly biasing	I.7.3 Unduly biasing	7.4 8.17	Addressed (test at Q4 in 7.4)
I.7.4 Insensitivity to measurand fluctuations https://standards.ite/	I.7.4 Insensitivity to measurand fluctuations SIST EN ISO 4064 Lai/catalog/standards/sist/5be771.	8.171.21) -2:2017 6-a783-40fd-b61b-c24	Typically not applicable however, absence of flow addresses in 8.17 of EN ISO 4064 part 2
I.7.5 Robustness and suitability of materials	I.7.5 Robustness and suitability of materials	Addressed by 7.11 and other parts sections 7 and 8	Also addressed in EN ISO 4064 part 1 chapter 6.1
I.7.6 Allow for control after placing on the market	I.7.6 Allow for control after placing on the market.	6.4.3.6.1 6.4.3.6.2 6.4.4 Annex A	Also addressed in EN ISO 4064 part 1 chapter 6.8
I.8.1 Not to be influenced in any admissible way	I.8.1 Not to be influenced in any admissible way	Not addressed in part 2	Addressed in EN ISO 4064 part 1 chapter 5.1.1 and 6.3
I.8.2 Securing of hardware components	I.8.2 Securing of hardware components	Not addressed in part 2	Addressed in EN ISO 4064 part 1 chapter 6.8
I.8.3 Securing and identification of software	I.8.3 Securing and identification of software	Not addressed in part 2	Addressed in EN ISO 4064 part chapter 6.8
	I.8.4 Measurement data adequately protected against corruption	Not addressed in part 2	Addressed in EN ISO 4064 part 1 chapter 6.8

I.8.5 Total quantity supplied not to be reset	I.8.5 Total quantity supplied not to be reset	Not addressed in part 2	Addressed in EN ISO 4064 part 1 chapter 6.8
I.9.1 Inscriptions	I.9.1 Inscriptions	6.4.2	Addressed
I.9.2 Marking of packaging and documents	I.9.2 Marking of packaging and documents	Not addressed in part 2	Addressed in EN ISO 4064 part 1 chapter 6.6
I.9.3 Information on operation	I.9.3 Information on operation	Not addressed in part 2	Addressed EN ISO 4064 part 5 chapter 4.2
I.9.4 Necessity of instruction manual	I.9.4 Necessity of instruction manual	Not addressed in part 2	Addressed EN ISO 4064 part 5 chapter 4.2
I.9.5 Scale interval for the measurand	I.9.5 Scale interval for the measurand	6.4.3.6.2.1	Addressed
I.9.6 Material measure	I.9.6 Unit of measurement	6.4.3.2	Addressed
I.9.7 Unit of measurement	I.9.7 Unit of measurement	Not addressed in part 2	Addressed in EN ISO 4064 part 1 chapter 6.7.1.2
I.9.8 Marking properties	I.9.8 Marking properties	6.4.2	Addressed
I.10.1 Display or hard copy	I.10.1 Display or hard copy	6.4.3	Addressed
I.10.2 Reading properties	I.10.2 Reading properties	6.4.3.1	Addressed
I.10.3 Hard-copy or print properties	I.10.3 Hard-copy or print properties	-40fd-b61b-c2469a8d9	Not applicable
I.10.4 Direct sales trading transactions	I.10.4 Direct sales trading transactions	-	Not applicable
	I.10.5 Properties of display for remote reading	6.4.3	Addressed
I.11.1 Recording properties of non-utility measuring instrument	I.11.1 Recording properties of non-utility measuring instrument	-	Not applicable
I.11.2 Availability of durable proof of measurement result	I.11.2 Availability of durable proof of measurement result	-	Not applicable
I.12 Conformity evaluation	I.12 Conformity evaluation	10	Addressed also in EN ISO 4064 part 1 chapters 3.6 and 7.3
Specific Requirements of Annex III for WATER METERS (MI-001)	_ =	Clause(s)/subclause(s) of this European Standard	Qualifying remarks/Notes
Rated Operating Conditions	Rated Operating Conditions	4	Reference conditions only

			_
MI.1 Values of flow rate range	MI.1 Values of flow rate range	7.4	Addressed
Note: addresses amendment of Directive 2015/13/EU	Note: addresses amendment of Directive 2015/13/EU		
MI.2 Temperature range of the water	MI.2 Temperature range of the water	7.5 7.6	Addressed
MI.3 Relative pressure of the water	MI.3 Relative pressure of the water	7.3 7.7	Addressed
MI.4 Nominal value of AC voltage supply and limits of DC supply	MI.4 Nominal value of AC voltage supply and limits of DC supply	<u> </u>	But addressen in EN ISO 4064 part 5 chapter 4.1
temperature ≤ 30 °C for flow	MI.5 MPE ± 2 % for water temperature ≤ 30 °C for flow rate between Q2 (included) and Q4	7.4.5	Addressed
MI.5 MPE ±3% for water temperature > 30 °C for flow rate between Q2 (included) and Q4	temperature > 30 °C for flow	7.4.5	Addressed
MI.6 MPE ± 5 % for any water temperature for flow rate between Q1 and Q2 (excluded)		7.4.5 REVIEW	Addressed
MI.6 Non exploitation of MPE	(see: Directive 137/2009/EC Requirements below)	22017	
MI.7.1.1 Electromagnetic immunity	MI.7.1.1 Electromagnetic immunity	8.1.3 8.12 8.13	Addressed
MI.7.1.2 Condition after electromagnetic disturbance	MI.7.1.2 Condition after electromagnetic disturbance	8.1.3 8.12 8.13	Addressed
MI 7.1.3 Critical change value	MI 7.1.3 Critical change value	8.1.3 8.12 8.13	Addressed
MI 7.2.1 Variation of measurement after durability	MI 7.2.1 Variation of measurement after durability	7.11	Addressed
MI 7.2.2 Error of indication after durability	MI 7.2.2 Error of indication after durability	7.11	Addressed
MI.8.1 Meter able to be installed in defined position	MI.8.1 Meter able to be installed in defined position	7.4	Addressed
MI.8.2 Meter is not designed to measure reverse flow	MI.8.2 Meter is not designed to measure reverse flow	7.8	Addressed
MI.9 Cubic metre	MI.9 Cubic metre	6.4.3.2	Addressed
MI 10 Putting into use	MI 10 Putting into use	Not addressed in part	Addressed in EN ISO

	2	4064 part 5 chapters 6.2.6 and 8.3.2 and 1.7
Directive 137/2009/EC Requirements	Clause(s)/subclause(s) of this European Standard	
MI 001 6a Exploitation of MPE	7.4.5b)	" non-exploitation of the maximum permissible errors", not addressed

WARNING 1 — Presumption of conformity stays valid only as long as a reference to this European Standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2 — Other Union legislation may be applicable to the product(s) / [service(s)] / [...] falling within the scope of this standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 4064-2:2017

oSIST prEN ISO 4064-2:2016

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 4064-2:2017

oSIST prEN ISO 4064-2:2016

INTERNATIONAL STANDARD

ISO 4064-2

Fourth edition 2014-06-01

Water meters for cold potable water and hot water —

Part 2: **Test methods**

Compteurs d'eau potable froide et chaude —
Partie 2: Méthodes d'essai

(standards.iteh.ai)

SIST EN ISO 4064-2:2017



ISO 4064-2:2014(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 4064-2:2017

https://standards.iteh.ai/catalog/standards/sist/5be77136-a783-40fd-b61b-c2469a8d9c1a/sist-en-iso-4064-2-2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Co	ntents	5	Page
Fore			
1	Scope		1
2	=	ative references	
3		s and definitions	
		ence conditions	
4			
5	-	ols, units and equations	
6		nal examination	
	6.1	General	
	6.2 6.3	Object of the examination Preparation	
	6.4	Examination procedures	
_		•	
7	7.1	rmance tests for all water meters General	
	7.1	Required conditions for all tests	
	7.3	Static pressure test (ISO 4064-1:2014 OIML R 49-1:2013, 4.2.10)	
	7.4	Determination of intrinsic errors (of indication) (ISO 4064-1:2014 OIML R 49-1:2013	3,
		7.2.3)	10
	7.5	Water temperature test (ISO 4064-1:2014 OIML R 49-1:2013, 4.2.8)	18
	7.6	Overload water temperature test (ISO 4064-1:2014 OIML R 49-1:2013, 7.2.5)	18
	7.7	Water pressure test (ISO 4064-1:2014 OIML R 49-1:2013, 4.2.8)	19
	7.8 7.9	Reverse flow test (ISO 4064-1:2014 OIML R 49-1:2013, 4.2.7) Pressure loss test (ISO 4064-1:2014 OIML R 49-1:2013, 6.5)	19 21
	7.10	Flow disturbance tests (ISO 4064-1:2014 OIML R 49-1:2013, 6.3.4)	25
	7.10	Durability tests (ISO 4064-1:2014 0IML R 49-1:2013, 7.2.6)	26
	7.40	Magnetic field testing	31
	7.13	Tests on ancillary devices of a water meter	31
	7.14	Environmental testing	32
8	Perfo	rmance tests related to influence factors and disturbances	32
	8.1	General requirements (ISO 4064-1:2014 OIML R 49-1:2013, A.1)	
	8.2	Dry heat (non-condensing) (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	36
	8.3	Cold (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	
	8.4	Damp heat, cyclic (condensing) (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	
	8.5	Power supply variation (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	
	8.6 8.7	Vibration (random) (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	42
	8.8	AC mains voltage dips, short interruptions and voltage variations (ISO 4064-	43
	0.0	1:2014 OIML R 49-1:2013, A.5)	44
	8.9	Bursts on signal lines (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	45
	8.10	Bursts (transients) on AC and DC mains (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	47
	8.11	Electrostatic discharge (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	48
	8.12	Radiated electromagnetic fields (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	
	8.13	Conducted electromagnetic fields (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	
	8.14	Surges on signal, data and control lines (ISO 4064-1:2014 OIML R 49-1:2013, A.5)	
	8.15 8.16	Surges on AC and DC mains power lines (ISO 4064-1:2014 OIML R 49-1:2013, A.5) Static magnetic field (ISO 4064-1:2014 OIML R 49-1:2013, 7.2.8)	
	8.17	Absence of flow test	
0			
9	Test 1 9.1	orogram for type evaluation Number of samples required	
	9.1 9.2	Performance test applicable to all water meters	
	9.3	Performance tests applicable to electronic water meters, mechanical water meters fit	
		with electronic devices, and their separable parts	