# **TECHNICAL SPECIFICATION**

First edition 2013-07-01

# Intelligent transport systems -Framework for collaborative Telematics **Applications for Regulated commercial** freight Vehicles (TARV) —

Part 9:

Remote electronic tachograph monitoring iTeh ST(RM)ARD PREVIEW

(standards.iteh.ai) Systèmes intelligents de transport — Cadre pour applications télématiques collaboratives pour véhicules de fret commercial https://standards.iteh.avcatalog/standards/sist/af3a3bdc-4302-472f-b6ee-

90 Partie 95 Monitorage du tachygraphe électronique à distance (RTM)



Reference number ISO/TS 15638-9:2013(E)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 15638-9:2013 https://standards.iteh.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-902aa17eb55e/iso-ts-15638-9-2013



# **COPYRIGHT PROTECTED DOCUMENT**

### © ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

# Contents

Forewo	ord	v	
Introductionvii			
1	Scope	1	
2	Conformance	1	
3	Normative references	2	
4	Terms and definitions	2	
	Symbols and abbreviated terms		
6	General overview and framework requirements		
7	Requirements for services using generic vehicle data		
-	Application services that require data in addition to basic vehicle data		
8.1	General	9	
8.2	Quality of service requirements		
8.3 8.4	Test requirements	9 9	
9	Common features of regulated TARV application services		
	General (Standards.iten.al)	9	
9.2	Common role of the jurisdiction, approval authority, service provider and user		
9.3	Common characteristics for instantiations of regulated application services	.11	
9.4 9.5	Common sequence of operations for regulated application services	.11	
9.5 9.6	Information security	11	
9.7	Data naming content and quality		
9.8	Software engineering quality systems		
9.9	Quality monitoring station		
9.10	Audits	.11	
9.11	Data access control policy		
9.12	Approval of IVSs and service providers	.11	
10	Remote tachograph monitoring (RTM)	.12	
10.1	TARV RTM service description and scope		
-	TARV RTM use case		
	Description of TARV RTM regulated application service		
	Description of TARV RTM application service		
10.2	Concept of operations for TARV RTM		
	General Statement of the goals and objectives of the TARV RTM system		
	Strategies, tactics, policies, and constraints affecting the TARV RTM system		
	Organisations, activities, and interactions among participants and stakeholders of TARV	14	
10.2.4	RTM	.14	
10.2.5	Clear statement of responsibilities and authorities delegated for TARV RTM		
10.2.6	Equipment required for TARV RTM	.16	
	Operational processes for the TARV RTM system		
	Role of the jurisdiction for TARV RTM		
	Role of the TARV RTM application service provider		
10.2.11	Role of the TARV RTM user Generic characteristics for all instantiations of the TARV remote tachograph monitoring	.17	
10.2.12	(RTM) application service	.17	

10.3	Sequence of operations for TARV RTM	18
10.3.1	General	
10.4	TARV RTM service elements	20
10.4.1	TARV RTM service element (SE) 1: Establish 'Remote tachograph monitoring'	
	regulations, requirements, and approval arrangements	20
10.4.2	TARV RTM SE2: Request system approval	
10.4.3	TARV RTM SE3: User (operator) contracts with prime service provider	20
10.4.4	TARV RTM SE4: User (operator) equips vehicle with a digital tachograph	20
10.4.5	TARV RTM SE5: User contracts with application service provider	20
10.4.6	TARV RTM SE6: application service provider uploads software into the TARV equipped	
	vehicles of the operator	20
10.4.7	TARV RTM SE7: Create RTMData file	20
10.4.8	TARV RTM SE8: Recording of digital tachograph data	21
10.4.9	TARV RTM SE9: Sending digital tachograph data to application service provider	21
	TARV RTM SE10: 'Interrogated' request for tachograph data	
10.4.10	TARV RTM SE11: End of session	22
10.5	Generic TARV RTM data naming, content and quality	
10.6	TARV RTM application service specific provisions for quality of service	23
10.7	TARV RTM application service specific provisions for test requirements	23
10.8	TARV RTM application specific rules for the approval of IVSs and 'Service Providers'	24
11	Declaration of patents and intellectual property	24
Annex	A (informative) Independent testing of the protocols defined in this Part of ISO 15638	25
A.1	Objectives TEST SCRIPT 2 Core DataSERVICE : VAM VEHICLE ACCESS MONITORING (CoreData)	25
A.2	TEST SCRIPT 2 Core DataSERVICE : VAM VEHICLE ACCESS MONITORING (CoreData)	27
CTP 2.	1.1 Instigated Core Data using 2G. A.N.D.A.R.D. P.R.F.V.L.F.V.L.F.V. 1.2 Interrogated Core Data using 2G	29
CTP 2.	1.2 Interrogated Core Data using 2G	31
CTP 2.	<ol> <li>Interrogated Core Data using 5.9GHz and responding using 2G or 3G</li> <li>Instigated Core Data using 3G</li> </ol>	33
CTP 2.2	2.1 Instigated Core Data using 3G	35
CTP 2.2		37
CTP 2.3		39
CTP 2.3	3.2 Interrogated Core Data using 802.11p (WAVE) 5.9 GHzbdc-4302-4721-b6ce-	41
CTP 2.4		43
CTP 2.4	4.2 Interrogated Core Data using Mesh WiFi	45
Bibliography		

# Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. <u>www.iso.org/patents</u>.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement eh STANDARD PREVIEW

The committee responsible for this document is ISO/TC 204, Intelligent transport systems

ISO 15638 consists of the following parts, under the general title Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV): https://standards.itch.a/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-

- Part 1 Framework and architecture<sup>aa17eb55e/iso-ts-15638-9-2013</sup>
- Part 2: Common platform parameters using CALM

— Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services

- Part 5: Generic vehicle information
- Part 6: Regulated applications [Technical Specification]
- Part 7: Other applications
- Part 8: Vehicle access monitoring (VAM) [Technical Specification]
- Part 9: Remote electronic tachograph monitoring (RTM) [Technical Specification]
- Part 10: Emergency messaging system/eCall (EMS) [Technical Specification]
- Part 11: Driver work records (work and rest hours compliance) (DWR) [Technical Specification]
- Part 12: Vehicle mass monitoring (VMM) [Technical Specification]
- Part 14: Vehicle access control (VAC) [Technical Specification]
- Part 15: Vehicle location monitoring (VLM) [Technical Specification]

# ISO/TS 15638-9:2013(E)

- Part 16: Vehicle speed monitoring (VSM) [Technical Specification]
- Part 17: Consignment and location monitoring (CLM) [Technical Specification]
- Part 18: ADR (Dangerous Goods) transport monitoring (ADR) [Technical Specification]
- Part 19: Vehicle parking facilities (VPF) [Technical Specification]
- The following parts are under preparation:
- Part 4: System security requirements [Technical Specification]
- Part 13: 'Mass' information for jurisdictional control and enforcement

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 15638-9:2013 https://standards.iteh.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-902aa17eb55e/iso-ts-15638-9-2013

# Introduction

Many ITS technologies have been embraced by commercial transport *operators* (4.30) and freight owners, in the areas of fleet management, safety and security. *Telematics* (4.41) applications have also been developed for governmental use. Such regulatory services in use or being considered vary from *jurisdiction* (4.25) to *jurisdiction*, but include electronic on-board recorders, digital *tachograph* (4.40), on-board *mass* (4.28) monitoring, 'mass' data for regulatory control and management (4.29), vehicle *access* (4.1) *methods*, *hazardous goods* (4.21) tracking and e-call (4.17). Additional applications with a regulatory impact being developed include fatigue management, speed monitoring and heavy vehicle penalties imposed based on location, distance and time.

In such an emerging environment of regulatory and *commercial applications (4.12)*, it is timely to consider an overall *architecture (4.8)* (business and functional) that could support these functions from a single platform within a commercial freight vehicle that operates within such regulations. International Standards will allow for a speedy development and *specification (4.39)* of new applications that build upon the functionality of a generic specification platform. A suite of standards is required to describe and define the *framework (4.20)* and requirements so that the on board equipment and back office systems can be commercially designed in an open market to meet common requirements of *jurisdictions (4.25)*.

This suite of standards addresses and defines the *framework* (4.20) for a range of cooperative *telematics* (4.41) applications for *regulated vehicles* (4.34) [such as access methods, driver fatigue management, speed monitoring, on-board *mass* (4.28) monitoring, penalties and levies]. The overall scope includes the concept of operation, legal and regulatory issues, and the generic cooperative provision of services to *regulated vehicles* (4.34), using an on-board ITS platform. The *framework* is based on a (multiple) *service provider* (4.37) oriented approach with provisions for the *approval* (4.5) and *auditing* (4.9) of *service providers*.

This suite of standards/willstandards.iteh.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-

- provide the basis for future development of cooperative *telematics* (4.41) applications for *regulated vehicles* (4.34). Many elements to accomplish this are already available. Existing relevant standards will be referenced, and the *specifications* (4.39) will use existing standards (such as *CALM*) wherever practicable;
- allow for a powerful platform for highly cost-effective delivery of a range of *telematics* applications for *regulated vehicles* (4.34);
- a business architecture (4.8) based on a (multiple) service provider (4.37) oriented approach;
- address legal and regulatory aspects for the approval (4.5) and auditing (4.9) of service providers.

This suite of standards deliverables is timely as many governments (Europe, North America, Asia and Australia/New Zealand) are considering the use of *telematics* (4.41) for a range of regulatory purposes. Ensuring that a single in-vehicle platform can deliver a range of services to both government and industry through open standards and competitive markets is a strategic objective.

This part of the ISO 15638 provides *specifications* (4.39) for remote tachograph monitoring.

NOTE 1 The definition of what comprises a 'regulated' vehicle is regarded as an issue for national decision, and may vary from *jurisdiction* (4.25) to *jurisdiction*. This suite of standards does not impose any requirements on nations in respect of how they define a *regulated vehicle* (4.34).

NOTE 2 The definition of what comprises a 'regulated' service is regarded as an issue for national decision, and may vary from *jurisdiction (4.25)* to *jurisdiction*. This suite of standards does not impose any requirements on nations in respect of which services for *regulated vehicles (4.34) jurisdictions* will require, or support as an option, but will provide standardised sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where implemented.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/TS 15638-9:2013 https://standards.iteh.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-902aa17eb55e/iso-ts-15638-9-2013

# Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) —

# Part 9: Remote electronic tachograph monitoring (RTM)

# 1 Scope

This part of ISO 15638 addresses the provision of '*Remote Tachograph Monitoring*' and specifies the form and content of such data required to support such systems, and access methods to that data.

This part of ISO 15638 provides *specifications (4.39)* for common communications and data exchange aspects of the *application service (4.2)* remote tachograph monitoring that a *regulator (4.35)* may elect to require or support as an option, including: **STANDARD PREVIEW** 

- a) high level definition of the service that a service provider (4.37) has to provide [the service definition describes common service elements, but does not define the detail of how such an application service (4.2) is instantiated, nor the acceptable value ranges of the data concepts defined]; <u>ISO/TS 15638-9:2013</u>
- b) means to realise the service; h.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-902aa17eb55e/iso-ts-15638-9-2013
- c) application data, naming content and quality that an *IVS* (4.22) has to deliver.

The definition of what comprises a 'regulated' service is regarded as an issue for national decision, and may vary from *jurisdiction (4.25)* to *jurisdiction*. This part of ISO 15638 does not impose any requirements on nations in respect of which services for *regulated vehicles (4.34) jurisdictions* will require, or support as an option, but provides standardized sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where instantiated.

ISO 15638 has been developed for use in the context of regulated commercial freight vehicles (hereinafter referred to as 'regulated vehicles'). There is nothing, however, to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

# 2 Conformance

Requirements to demonstrate conformance to any of the general provisions or specific *application services* (4.2) described in this part of ISO 15638 shall be within the regulations imposed by the *jurisdiction* (4.25) where they are instantiated. Conformance requirements to meet the provisions of this part of ISO 15638 are therefore deemed to be under the control of, and to the specification of, the *jurisdiction* where the *application service*(s) is/are instantiated.

The protocols defined in this part of ISO 15638 have been independently tested. Annex A (Informative) provides results of these tests. In any conformance assurance process undertaken by candidate systems, where appropriate the results may be used as part of its process of conformance compliance.

# 3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- ISO 15638-1 Intelligent transport systems Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) Part 1: Framework and architecture
- ISO 15638-2 Intelligent transport systems Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 2: Common platform parameters using CALM
- ISO 15638-3 Intelligent transport systems Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services
- ISO 15638-4 Intelligent transport systems Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 4: System security requirements<sup>1</sup>
- ISO 15638-5 Intelligent transport systems Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) Part 5: Generic vehicle information
- ISO/TS 15638-6 Intelligent transport systems Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) Part 6: Regulated applications

## 4 Terms and definitions

ISO/TS 15638-9:2013

https://standards.iteh.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-

For the purposes of this document, the terms and definitions given in 180 15638-1 and the following apply.

## 4.1

## app

small (usually) Java<sup>™</sup> (4.24) applets, organized as software bundles, that support application services (4.2) by keeping the data pantry (4.14) provisioned with up-to-date data

## 4.2

## application service

service provided by a *service provider* (4.37) enabled by accessing data from the *IVS* (4.22) of a *regulated vehicle* (4.34) via a wireless communications network

## 4.3

# application service provider

# ASP

party that provides an application service (4.2)

# 4.4

# app library

separately secure area of memory in *IVS (4.22)* where apps are stored [with different access controls to *data* pantry (4.14)]

<sup>&</sup>lt;sup>1</sup> Under preparation.

# 4.5

## approval

formal affirmation that an applicant has satisfied all the requirements for appointment as an *application service provider* (4.3) or that an application service delivers the required service levels

## 4.6

## approval agreement

written agreement made between an approval authority (regulatory) (4.7) and a service provider (4.37)

NOTE An approval authority (regulatory) (4.7) approval agreement recognizes the fact that a service provider (4.37), having satisfied the approval authority's requirements for appointment as a Service provider, is appointed in that capacity, and sets out the legal obligations of the parties with respect to the on-going role of the service provider.

## 4.7

## approval authority (regulatory)

organization (usually independent) which conducts *approval* (4.5) and ongoing *audit* (4.9) for *service providers* (4.37) on behalf of a *jurisdiction* (4.25)

## 4.8

## architecture

formalized description of the design of the structure of TARV and its framework (4.20)

## 4.9

## audit/auditing

review of a party's capacity to meet, or continue to meet, the initial and ongoing approval agreements (4.6) as a service provider (4.37) Teh STANDARD PREVIEW

## 4.10

# (standards.iteh.ai)

## basic vehicle data

data that shall be maintained/provided by all IVS (4.22), regardless of jurisdiction (4.25)

4.11 https://standards.iteh.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-

# CALM communications access for land mobiles ts-15638-9-2013

layered solution that enables continuous or quasi continuous communications between vehicles and the infrastructure, or between vehicles, using such (multiple) wireless telecommunications media that are available in any particular location, and which have the ability to migrate to a different available media where required and where media selection is at the discretion of *user* (4.42) determined parameters by using a suite of standards based on ISO 21217 (*CALM* architecture) and ISO 21210 (*CALM* networking) that provide a common platform for a number of standardized media using *ITS-stations* (4.23) to provide wireless support for applications, such that the application is independent of any particular wireless medium

## 4.12

## commercial application(s)

ITS applications in *regulated vehicles (4.34)* for commercial (non-regulated) purposes

EXAMPLE Asset tracking, vehicle and engine monitoring, cargo security, driver management, etc.

## 4.13

## core data

basic vehicle data (4.10) plus any additional data required to provide an implemented regulated application service (4.33)

## 4.14

## data pantry

secure area of memory in *IVS* (4.22) where data values are stored [with different access controls to *app library* (4.4)]

## 4.15

## driver

person driving the regulated vehicle at any specific point in time

## 4.16

## driver work records

## DWR

collection, collation, and transfer of *driver* (4.15) work and rest hours data from an *in-vehicle system* (4.22) to an *application service provider* (4.3)

# 4.17

## eCall

specialized instantiation of an *EMS* (4.18) that provides incident messaging and communication with a public service assistance point via priority wireless telephone communications using its emergency call capabilities

## 4.18

# emergency message system

## EMS

collection, collation, and transfer of emergency message data from an *in-vehicle system* (4.22) to an *application* service provider (4.3)

## 4.19

## facilities

layer that sits on top of the communication stack and helps to provide data interoperability and reuse, and to manage applications and enable dynamic real time loading of new applications

## 4.20

## framework

particular set of beliefs, ideas referred to in order to describe a scenario or solve a problem

## 4.21

# hazardous goods

# (standards.iteh.ai)

HAZMAT see dangerous goods (4.32)/Accord europé<u>eno/relatif<sub>3.8</sub>ay.2</u>transport international des marchandises Dangereuses par Route (ADR) (4.6) https://standards.iteh.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-

902aa17eb55e/iso-ts-15638-9-2013

## 4.22

# in-vehicle system IVS

ITS-station (4.23) and connected equipment on board a vehicle

# 4.23

## ITS-station

## ITS-s

entity in a communication network, comprised of application, *facilities* (4.19), networking and access layer components specified in ISO 21217 that operate within a bounded secure management domain

## 4.24

## Java™

object oriented open source operating language developed by SUN systems

## 4.25

## jurisdiction

government, road or traffic authority which owns the regulatory applications (4.32)

EXAMPLE Country, state, city council, road authority, government department (customs, treasury, transport), etc.

## 4.26

## jurisdiction regulator

agent of the jurisdiction (4.25) appointed to regulate and manage TARV within the domain of the jurisdiction

NOTE This may or may not be the approval authority (regulatory) (4.7).

### 4.27 local data tree LDT

frequently updated data concept stored in the on-board data pantry (4.14) containing a collection of data values deemed essential for either a) TARV regulated application service (4.33), or b) cooperative intelligent transport systems (4.30)

## 4.28

## mass

mass of a given heavy vehicle as measured by equipment affixed to the regulated vehicle (4.34)

## 4 29

### 'mass' data for regulatory control and management MRC

collection, collation, and transfer of vehicle mass (4.28) data from an in-vehicle system (4.22) to an application service provider (4.3) to enable data provision to jurisdictions (4.25) for the control and management of equipped vehicles based on the mass of the regulated vehicle (4.34), or use of such data to enable compliance with the provisions of regulations

## 4.30

## operator

fleet manager of a regulated vehicle (4.34)

## 4.31

## prime service provider

service provider (4.37) who is the first contractor to provide regulated application services (4.33) to the regulated vehicle (4.34), or a nominated successor on termination of that initial contract

The prime service provider (4.31) is also responsible for maintaining the installed IVS (4.22); if the IVS was not NOTE installed during the manufacture of the vehicle, the prime service provider (4.31) is also responsible for installing and commissioning the IVS (4.22). ISO/TS 15638-9:2013

https://standards.iteh.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-

## 902aa17eb55e/iso-ts-15638-9-2013

## regulated/regulatory application

application arrangement using TARV utilized by jurisdictions (4.25) for granting certain categories of commercial vehicles rights to operate in regulated circumstances subject to certain conditions, or indeed to permit a vehicle to operate within the jurisdiction

NOTE This may be mandatory or voluntary at the discretion of the jurisdiction.

## 4.33

4.32

## regulated application service

TARV application service to meet the requirements of a regulated application that is mandated by a regulation imposed by a jurisdiction (4.25), or is an option supported by a jurisdiction

## 4.34

## regulated vehicle

vehicle that is subject to regulations determined by the jurisdiction (4.25) as to its use on the road system of the jurisdiction in regulated circumstances, subject to certain conditions, and in compliance with specific regulations for that class of regulated vehicle

NOTE At the option of jurisdictions, this may require the provision of information via TARV or provide the option to do SO.

## 4.35

regulator see jurisdiction regulator (4.26)

## 4.36

# remote tachograph monitoring

## RTM

collection, collation, and transfer of data from an on-board electronic *tachograph* (4.40) system to an *application service provider* (4.3)

## 4.37

## service provider

party which is certified by an approval *authority (regulatory)* (4.7) as suitable to provide regulated or commercial ITS *application services* (4.2)

## 4.38

### session

wireless communication exchange between the *ITS-station* (4.23) of an *IVS* (4.22) and the *ITS-station* of its *application service provider* (4.3) to achieve data update, data provision, upload apps, or otherwise manage the provision of the *application service* (4.2), or a wireless communication provision of data to the *ITS-station* of an *IVS* (4.22) from any other *ITS-station* 

## 4.39

## specification

explicit and detailed description of the nature and functional requirements and minimum performance of equipment, service or a combination of both

## 4.40

## tachograph

sender unit mounted to a vehicle gearbox, a tachograph head and a digital driver card, which records the *regulated vehicle (4.34)* speed and the times at which it was driven and aspects of the *driver's (4.15)* activity selected from a choice of modes

## 4.41

# ISO/TS 15638-9:2013

use of wireless media to obtain and transmit (data) from a distant/source(c-4302-472f-b6ee-902aa17eb55e/iso-ts-15638-9-2013

# 4.42

# user

individual or party that enrols in and operates within a regulated or *commercial application (4.12) service (4.2)* 

EXAMPLE Driver (4.15), transport operator (4.30), freight owner, etc.

# 4.43

# vehicle access control

# VAC

control of *regulated vehicle's* ingress to and egress from controlled areas and associated penalties and levies

# 4.44

# vehicle access management

# VAM

monitoring and management of regulated vehicles approaching or within sensitive and controlled areas

# 4.45

# vehicle location monitoring

## VLM

collection, collation, and transfer of vehicle location data from an *in-vehicle system* (4.22) to an *application* service provider (4.3)

## 4.46

# vehicle mass monitoring

## VMM

collection, collation, and transfer of vehicle *mass* (4.28) data from an *in-vehicle system* (4.22) to an *application* service provider (4.3)

### 4.47 vehicle parking facilities VPF

system for booking and access (4.1) to and egress from a vehicle parking facility (VPF) (4.47)

# 4.48

# vehicle speed monitoring

VSM

collection, collation, and transfer of vehicle speed data from an in-vehicle system (4.22) to an application service provider (4.3)

# 5 Symbols and abbreviated terms

# ADR

Accord européen relatif au transport international des marchandises Dangereuses par Route (4.6) [dangerous goods (4.32)]

## app

applet (JAVA<sup>TM</sup> application or similar) (4.1)

AS

application service

# ASP

application service provider (4.3)

## CALM

communications access for land mobiles a dards.iteh.ai)

## CAN

ISO/TS 15638-9:2013 controller area network (4.20) https://standards.iteh.ai/catalog/standards/sist/af3a3bdc-4302-472f-b6ee-902aa17eb55e/iso-ts-15638-9-2013

# DWR

driver work records (4.16)

## EMS

emergency message system (4.18)

## ID

identity

# **ITS-S**

ITS station (4.23)

## IVS

In-vehicle system (4.22)

## LDT

local data tree (4.27)

## MRC

'mass' data for regulatory control and management (4.29)

## RTM

remote tachograph monitoring (4.36)

## SE

service element