

Geometrical product specifications (GPS) — Filtration —

Part 32:
Robust profile filters: Spline filters

Spécification géométrique des produits (GPS) — Filtrage —

Partie 32: Filtres de profil robustes: Filtres spline

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/FDIS 16610-32](https://standards.iteh.ai/catalog/standards/iso/4dfebad0-253f-4aff-aa22-aeecadfd7cfe/iso-fdis-16610-32)

<https://standards.iteh.ai/catalog/standards/iso/4dfebad0-253f-4aff-aa22-aeecadfd7cfe/iso-fdis-16610-32>

Contents

Page

Foreword	iv
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Robust spline filters	2
4.1 Weighting function	2
4.2 Filter formulae	2
4.2.1 General	2
4.2.2 Filter formula of the robust spline filter for open profiles	2
4.2.3 Filter formula of the robust spline filter for closed profiles	3
4.3 Transmission characteristic	3
5 Recommendations	4
5.1 Nesting index (cut-off value λ_c)	4
5.2 Tension parameter (β)	4
5.3 Implementation	4
5.4 Filter designation	4
Annex A (informative) Examples	5
Annex B (informative) Relationship to the filtration matrix model	8
Annex C (informative) Relation to the GPS matrix model	9
Bibliography	10

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 ([see www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received ([see www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#).

The committee responsible for this document is ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

This first edition of ISO 16610-32 cancels and replaces ISO/TS 16610-32:2009, which constitutes a minor revision.

ISO 16610 consists of the following parts, under the general title *Geometrical product specifications (GPS) — Filtration*:

- Part 1: Overview and basic concepts
- Part 20: Linear profile filters: Basic concepts
- Part 21: Linear profile filters: Gaussian filters
- Part 22: Linear profile filters: Spline filters [\[Technical Specification\]](#)
- Part 28: Profile filters: End effects [\[Technical Specification\]](#)
- Part 29: Linear profile filters: Spline wavelets
- Part 30: Robust profile filters: Basic concepts [\[Technical Specification\]](#)
- Part 31: Robust profile filters: Gaussian regression filters [\[Technical Specification\]](#)
- Part 32: Robust profile filters: Spline filters

- Part 40: Morphological profile filters: Basic concepts [\[Technical Specification\]](#)
- Part 41: Morphological profile filters: Disk and horizontal line-segment filters [\[Technical Specification\]](#)
- Part 49: Morphological profile filters: Scale space techniques [\[Technical Specification\]](#)
- Part 60: Linear areal filters: Basic concepts
- Part 61: Linear areal filters: Gaussian filters
- ~~— Part 62: Linear areal filters: Spline filters~~
- Part 85: Morphological areal filters: Segmentation

The following parts are planned:

- Part 26: Linear profile filters: Filtration on nominally orthogonal grid planar data sets
- Part 27: Linear profile filters: Filtration on nominally orthogonal grid cylindrical data sets
- Part 42: Morphological profile filters: Motif filters
- Part 69: Linear areal filters: Spline wavelets
- Part 70: Robust areal filters: Basic concepts
- Part 71: Robust areal filters: Gaussian regression filters
- Part 72: Robust areal filters: Spline filters
- Part 80: Morphological areal filters: Basic concepts
- Part 81: Morphological areal filters: Sphere and horizontal planar segment filters
- Part 82: Morphological areal filters: Motif filters
- Part 89: Morphological areal filters: Scale space techniques

See [Annex B](#) for relationships with other filtration documents.

Introduction

This part of ISO 16610 is a geometrical product specification (GPS) standard and is to be regarded as a global GPS standard (see ISO 14638). It influences the chain links C and F of all chains of standards.

The ISO/GPS Matrix model given in ISO 14638 gives an overview of the ISO/GPS system of which this document part of ISO 16610 is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document part of ISO 16610 and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document part of ISO 16610, unless otherwise indicated.

For more detailed information of the relation of this part of ISO 16610 to the GPS matrix model, see Annex C.

This part of ISO 16610 develops the terminology and concepts of robust spline filters. The robust spline filter has the advantage over a conventional phase correct filter that the edges of the measured profile are still usable. This is important especially in the case of form filtering. Moreover, the robust spline filter is tolerant against outliers.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 16610-32

<https://standards.iteh.ai/catalog/standards/iso/4dfebad0-253f-4aff-aa22-aeecadfd7cfe/iso-fdis-16610-32>

Geometrical product specifications (GPS) — Filtration —

Part 32:

Robust profile filters: Spline filters

1 Scope

This part of ISO 16610 specifies the characteristics of robust spline filters for surface profiles. It specifies in particular how to separate the long and short wave content of a surface profile.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4287:1997, *Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters*

ISO 16610-1:2015, *Geometrical product specifications (GPS) — Filtration — Part 1: Overview and basic concepts*

ISO 16610-22:2015, *Geometrical product specifications (GPS) — Filtration — Part 22: Linear profile filters: Spline filters*

ISO 16610-30:2009, *Geometrical product specifications (GPS) — Filtration — Part 30: Robust profile filters: Basic concepts*

ISO/IEC Guide 99:2007, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*

¹ To be published. (Revision of ISO/TS 16610-1:2006)

² To be published. (Revision of ISO/TS 16610-22:2006)

³ To be published. (Revision of ISO/TS 16610-30:2009)