



**5G;
5GS;
User Equipment (UE) conformance specification;
Part 1: Protocol
(3GPP TS 38.523-1 version 16.7.0 Release 16)**

ETSI TS 138 523-1 V16.7.0 (2021-06)
<https://portal.etsi.org/standards-store/etd/49167d7490b5-49167d7490b5-07e136f43ee2/etsi-ts-138-523-1-v16-7-0-2021-06>



Reference

RTS/TSGR-0538523-1vg70

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

ITih STANDARD PREVIEW
(standards.iteh.ai)

Legal notice

This Technical Specification (TS) has been produced by the ETSI 3rd Generation Partnership Project (3GPP).
<https://standards.iteh.ai/catalog/standards/sis/84942c7d-498c-41e1-b74b-07e136f43ee2/etsi-ts-138-523-1-v16-7-0-2021-06>

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal notice	2
Modal verbs terminology.....	2
Foreword.....	18
1 Scope	20
2 References	20
3 Definitions, symbols and abbreviations	22
3.1 Definitions	22
3.2 Symbols.....	22
3.3 Abbreviations	22
4 Overview	22
4.1 Test methodology	22
4.1.1 Testing of optional functions and procedures	22
4.1.2 Test interfaces and facilities.....	23
4.2 Implicit testing.....	23
4.3 Repetition of tests	23
4.4 Handling of differences between conformance requirements in different releases of core specifications	23
5 Reference conditions, generic and test procedures, test parameters.....	24
5.1 Reference conditions.....	24
5.2 Generic and test procedures.....	24
5.3 Test parameters	24
5.3.1 PLMNs.....	24
5.3.2 Cells.....	24
5.3.3 USIM	25
5.3.4 Messages and Information Elements (IEs)	25
6 Idle mode and RRC Inactive state operations	25
6.1 NR idle mode operations.....	25
6.1.1 NG-RAN Only PLMN Selection	25
6.1.1.1 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode	25
6.1.1.2 PLMN selection of "Other PLMN/access technology combinations" / Automatic mode	34
6.1.1.3 Cell reselection of ePLMN in manual mode	40
6.1.1.4 PLMN selection in shared network environment / Automatic mode	44
6.1.1.5 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode / User reselection.....	50
6.1.1.6 PLMN selection / Periodic reselection / MinimumPeriodicSearchTimer	56
6.1.1.7 PLMN selection of RPLMN or (E)HPLMN; Automatic mode	61
6.1.1.8 PLMN selection of RPLMN or (E)HPLMN; Manual mode	64
6.1.2 NG-RAN Only Cell Selection	67
6.1.2.1 Cell selection / Qrxlevmin & Cell reselection (Intra NR).....	67
6.1.2.2 Cell selection / Qqualmin / Intra NR / Serving cell becomes non-suitable (Srxlev > 0, Squal < 0).....	77
6.1.2.3 Cell selection / Intra NR / Serving cell becomes non-suitable (S<0, MIB Indicated barred).....	87
6.1.2.4 Cell reselection for interband operation	92
6.1.2.5 Cell reselection for interband operation using Pcompensation / Between FDD and TDD	96
6.1.2.6 100	
6.1.2.7 Cell reselection / Equivalent PLMN	100
6.1.2.8 Cell reselection / Equivalent PLMN / Single Frequency operation	105
6.1.2.9 Cell reselection using Qhyst, Qoffset and Treselection	108
6.1.2.10 117	
6.1.2.11 Area Specific SIBs using systemInformationAreaID.....	117
6.1.2.12 Cell reselection using cell status and cell reservations / cellReservedForOtherUse	123
6.1.2.13 Cell reselection using cell status and cell reservations / Access Identity 0, 1, 2 and 12 to 14 – cellReservedForOperatorUse	127

6.1.2.14	Cell reselection using cell status and cell reservations / Access Identity 11 or 15 - cellReservedForOperatorUse	129
6.1.2.15	Cell reselection in shared network environment	132
6.1.2.16	Inter-frequency cell reselection (equal priority).....	136
6.1.2.17	Cell reselection / Cell-specific reselection parameters provided by the network in a neighbouring cell list	138
6.1.2.18	Cell reselection, Sintrasearch, Snonintrasearch.....	140
6.1.2.19	Speed-dependent cell reselection	147
6.1.2.20	Inter-frequency cell reselection according to cell reselection priority provided by SIBs.....	154
6.1.2.21	Cell reselection, SintraSearchQ and SnonIntraSearchQ	159
6.1.2.22	Inter-frequency cell reselection based on common priority information with parameters ThreshX, HighQ, ThreshX, LowQ and ThreshServing, LowQ	169
6.1.2.23	Cell reselection / MFBI.....	178
6.2	Multi-mode environment.....	186
6.2.1	Inter-RAT PLMN selection	186
6.2.1.1	Inter-RAT PLMN Selection / Selection of correct RAT for OPLMN / Automatic mode.....	186
6.2.1.2	Inter-RAT PLMN Selection / Selection of correct RAT for UPLMN / Automatic mode.....	189
6.2.1.3	Inter-RAT PLMN Selection / Selection of correct PLMN and RAT in shared network environment / Automatic mode.....	191
6.2.1.4	Inter-RAT PLMN Selection / Selection of correct RAT from the OPLMN list / Manual mode.....	196
6.2.1.5	Inter-RAT Background HPLMN Search / Search for correct RAT for HPLMN / Automatic Mode	199
6.2.2	Inter-RAT Cell Selection	204
6.2.2.1	Inter-RAT cell selection / From NR RRC_IDLE to EUTRA_Idle / Serving cell becomes non-suitable	204
6.2.2.2	Inter-RAT cell selection / From E-UTRA_Idle to NR RRC_IDLE / Serving cell becomes non-suitable	211
6.2.3	Inter-RAT Cell Reselection	219
6.2.3.1	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE (lower priority & higher priority, Srxlev based).....	219
6.2.3.2	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE (lower priority & higher priority, Squal based)	228
6.2.3.3	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA_IDLE (lower priority & higher priority, Srxlev based).....	236
6.2.3.4	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA_IDLE (lower priority & higher priority, Squal based)	243
6.2.3.5	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA_IDLE according to RAT priority provided by dedicated signalling (RRCRelease).....	250
6.2.3.6	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE according to RAT priority provided by dedicated signalling (RRCConnRelease).....	258
6.2.3.7	Inter-RAT cell reselection / From NR RRC_IDLE to E-UTRA RRC_IDLE, Snonintrasearch.....	265
6.2.3.8	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to NR RRC_IDLE, Snonintrasearch	269
6.2.3.9	Void.....	275
6.2.3.10	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE / schedulingInfoList-v12j0.....	275
6.2.3.11	Inter-RAT cell reselection / From E-UTRA_IDLE to NR RRC_IDLE / schedulingInfoListExt-r12	283
6.3	5GS Steering of Roaming.....	291
6.3.1	Steering of Roaming	291
6.3.1.1	Steering of UE in roaming during registration/security check successful using List Type 1	291
6.3.1.2	Steering of UE in roaming during registration/security check successful but SOR Transparent container indicates ACK has been NOT been requested.....	298
6.3.1.3	Steering of UE in roaming during registration/security check unsuccessful/Automatic mode	306
6.3.1.4	Steering of UE in roaming during registration/security check unsuccessful/Manual mode.....	312
6.3.1.5	Steering of UE in roaming during registration/UE configured to receive Steering of Roaming information but does not receive Steering of Roaming from Network	317
6.3.1.6	322	
6.3.1.7	Steering of UE in roaming during registration/security check unsuccessful but emergency service pending to be activated.....	322
6.3.1.8	Steering of UE in roaming after registration/Automatic PLMN selection mode	327
6.3.1.9	Steering of UE in roaming after registration/Manual PLMN selection mode	331
6.4	UE Procedures in RRC_INACTIVE state.....	335
6.4.1	NG-RAN Only PLMN Selection in RRC_INACTIVE state	335

6.4.1.1	PLMN Selection/Higher priority/HPLMN in Automatic PLMN Selection Mode	335
6.4.1.2	Cell reselection of ePLMN in manual mode	344
6.4.2	Cell Selection/Qrxlevmin & Cell Reselection (Intra NR in RRC_INACTIVE state).....	351
6.4.2.1	Cell Selection/Qrxlevmin & Cell Reselection (Intra NR in RRC_INACTIVE state).....	351
6.4.2.2	Inter-frequency cell reselection according to cell reselection priority provided by SIBs in RRC_INACTIVE state.....	359
6.4.3	Inter-RAT Cell Reselection	364
6.4.3.1	Inter-RAT cell reselection From NR RRC_INACTIVE to E-UTRA RRC_IDLE (lower priority & higher priority, Srxlev based).....	364
7	Layer 2.....	372
7.1	NR Layer 2	372
7.1.0	Common test case specific values for Layer 2.....	372
7.1.1	MAC	372
7.1.1.0	Default Pre-Test Conditions for all MAC test cases	372
7.1.1.1	Random Access Procedures	374
7.1.1.1.1	Correct selection of RACH parameters / Random access preamble and PRACH resource explicitly signalled to the UE by RRC / contention free random access procedure	374
7.1.1.1.1a	Correct selection of RACH parameters / Random access preamble and PRACH resource explicitly signalled to the UE by PDCCH Order / contention free random access procedure.....	381
7.1.1.1.2	Random access procedure / Successful / C-RNTI Based / Preamble selected by MAC itself.....	388
7.1.1.1.3	Random access procedure / Successful / SI request	404
7.1.1.1.4	Random access procedure / Successful / Beam Failure / Preamble selected by MAC itself / Non Contention Free RACH procedure	414
7.1.1.1.5	Random access procedure / Successful / Supplementary Uplink	430
7.1.1.1.6	Random access procedure / Successful/ Temporary C-RNTI Based / Preamble selected by MAC itself	435
7.1.1.2	Downlink Data Transfer	449
7.1.1.2.1	Correct Handling of DL MAC PDU / Assignment / HARQ process	449
7.1.1.2.2	Correct Handling of DL HARQ process PDSCH Aggregation.....	460
7.1.1.2.3	Correct HARQ process handling / CCCH	466
7.1.1.2.4	Correct HARQ process handling / BCCH	471
7.1.1.3	Uplink Data Transfer	474
7.1.1.3.1	Correct Handling of UL MAC PDU / Assignment / HARQ process	474
7.1.1.3.2	Logical channel prioritization handling.....	486
7.1.1.3.2b	Logical channel prioritization handling with Mapping restrictions	489
7.1.1.3.3	Correct handling of MAC control information / Scheduling requests.....	498
7.1.1.3.4	Correct handling of MAC control information / Buffer status / UL data arrive in the UE Tx buffer / Regular BSR	503
7.1.1.3.5	Correct handling of MAC control information / Buffer Status / UL resources are allocated / Padding BSR	513
7.1.1.3.6	Correct handling of MAC control information / Buffer status / Periodic BSR timer expires.....	520
7.1.1.3.7	UE power headroom reporting / Periodic reporting / DL pathloss change reporting	527
7.1.1.3.8	UE power headroom reporting / SCell activation / DL pathloss change reporting.....	534
7.1.1.3.8.1	UE power headroom reporting / SCell activation / DL pathloss change reporting/ Intra- band Contiguous CA.....	534
7.1.1.3.8.2	UE power headroom reporting / SCell activation / DL pathloss change reporting / Inter- band CA	542
7.1.1.3.8.3	UE power headroom reporting / SCell activation / DL pathloss change reporting / Intra- band non-Contiguous CA	543
7.1.1.3.9	Correct Handling of UL HARQ process / PUSCH Aggregation.....	543
7.1.1.3.10	Correct Handling of HARQ process / Multiple CORESETPoolIndex	549
7.1.1.3.11	Correct handling of UL grant prioritization.....	551
7.1.1.4	Transport Size Selection	557
7.1.1.4.1	DL-SCH Transport Block Size Selection	557
7.1.1.4.1.0	Common parameters for DL-SCH Transport Block Size Selection.....	557
7.1.1.4.1.1	DL-SCH Transport Block Size selection / DCI format 1_0.....	558
7.1.1.4.1.2	Void	566
7.1.1.4.1.3	DL-SCH transport block size selection / DCI format 1_1 / RA type 0/RA Type 1 / 2 Codewords enabled.....	566
7.1.1.4.1.4	DL-SCH transport block size selection / DCI format 1_1 / RA type 0/RA Type 1 / 2 Codewords enabled / 256QAM.....	579

7.1.1.4.2	UL-SCH Transport Block Size Selection	594
7.1.1.4.2.0	Common parameters for UL-SCH Transport Block Size Selection.....	594
7.1.1.4.2.1	UL-SCH Transport Block Size selection / DCI format 0_0 / Transform precoding disabled	594
7.1.1.4.2.2	Void	605
7.1.1.4.2.3	UL-SCH transport block size selection / DCI format 0_1 / RA type 0/RA Type 1 / Transform precoding disabled	605
7.1.1.4.2.4	UL-SCH transport block size selection / DCI format 0_1 / RA type 0/RA Type 1 / 256QAM / Transform precoding disabled	621
7.1.1.4.2.5	UL-SCH Transport Block Size selection / DCI format 0_0 / Transform precoding and 64QAM	636
7.1.1.5	Discontinuous reception.....	647
7.1.1.5.0	DRX Common Definitions	647
7.1.1.5.1	DRX operation / Short cycle not configured / Parameters configured by RRC	647
7.1.1.5.2	DRX operation / Short cycle not configured / Long DRX command MAC control element reception	653
7.1.1.5.3	DRX operation / Short cycle configured / Parameters configured by RRC	658
7.1.1.5.4	DRX operation / Short cycle configured / DRX command MAC control element reception.....	662
7.1.1.5.5	DRX operation / Short cycle configured / Long DRX command MAC control element reception	668
7.1.1.6	Semi-Persistent Scheduling.....	673
7.1.1.6.1	Correct handling of DL assignment / Semi-persistent case	673
7.1.1.6.2	Correct handling of UL grant / configured grant Type 1.....	681
7.1.1.6.3	Correct handling of UL grant / configured grant Type 2.....	691
7.1.1.6.4	Correct handling of DL assignment / Multi Semi-persistent configuration.....	702
7.1.1.7	Activation/Deactivation of SCells.....	710
7.1.1.7.1	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer	710
7.1.1.7.1.1	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Intra-band Contiguous CA.....	710
7.1.1.7.1.2	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Inter-Band CA.....	716
7.1.1.7.1.3	Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Intra-band non-Contiguous CA.....	716
7.1.1.8	Bandwidth Part (BWP) operation	716
7.1.1.8.1	Bandwidth Part (BWP) operation UL/DL	716
7.1.1.9	MAC Reconfiguration and Reset	729
7.1.1.9.1	MAC Reset.....	729
7.1.1.10	Other Procedures.....	735
7.1.1.10.1	DataInactivityTimer expiry	735
7.1.1.10.2	Recommended Bit Rate	736
7.1.1.11	NR Dual Connectivity.....	741
7.1.1.11.1	DC power headroom reporting / PSCell activation and DL pathloss change reporting	741
7.1.1.12	UE power saving.....	745
7.1.1.12.1	Cross-slot scheduling / DCI 1_1.....	745
7.1.1.12.2	749	
7.1.1.12.3	DRX adaptation / UE wakeup indication	749
7.1.1.12.4	DRX adaptation / SCell dormancy indication	761
7.1.1.12.4.1	DRX adaptation / SCell dormancy indication / Intra-band Contiguous CA	761
7.1.1.12.4.2	DRX adaptation / SCell dormancy indication / Intra-band non Contiguous CA	771
7.1.1.12.4.3	DRX adaptation / SCell dormancy indication / Inter-band CA.....	771
7.1.2	RLC	771
7.1.2.1	Default Pre-Test Conditions for all RLC test cases.....	771
7.1.2.1.1	Default Pre-Test Conditions for AM RLC test cases.....	771
7.1.2.1.2	Default Pre-Test Conditions for UM RLC test cases.....	772
7.1.2.2	RLC Unacknowledged mode	773
7.1.2.2.1	UM RLC / Segmentation and reassembly / 6-bit SN / Segmentation Info (SI) field.....	773
7.1.2.2.2	UM RLC / Segmentation and reassembly / 12-bit SN / Segmentation Info (SI) field.....	777
7.1.2.2.3	UM RLC / 6-bit SN / Correct use of sequence numbering.....	779
7.1.2.2.4	UM RLC / 12-bit SN / Correct use of sequence numbering.....	783
7.1.2.2.5	UM RLC / Receive Window operation and t-Reassembly expiry.....	787
7.1.2.2.6	UM RLC / RLC re-establishment procedure.....	792

7.1.2.3	RLC Acknowledged Mode	796
7.1.2.3.1	AM RLC / 12-bit SN / Segmentation and reassembly / Segmentation Info (SI) field.....	796
7.1.2.3.2	AM RLC / 18-bit SN / Segmentation and reassembly / Segmentation Info (SI) field.....	800
7.1.2.3.3	AM RLC / 12-bit SN / Correct use of sequence numbering.....	802
7.1.2.3.4	AM RLC / 18-bit SN / Correct use of sequence numbering.....	806
7.1.2.3.5	AM RLC / 12-bit SN / Control of transmit window / Control of receive window	807
7.1.2.3.5a	AM RLC / 18-bit SN / Control of transmit window / Control of receive window	811
7.1.2.3.6	AM RLC / Polling for status.....	812
7.1.2.3.7	AM RLC / Receiver status triggers	818
7.1.2.3.8	AM RLC / Reconfiguration of RLC parameters by upper layers.....	823
7.1.2.3.9	AM RLC / Reassembling of AMD PDUs	829
7.1.2.3.10	AM RLC / Re-transmission of RLC PDU with and without re-segmentation	837
7.1.2.3.11	AM RLC / RLC re-establishment procedure.....	844
7.1.3	PDCP	849
7.1.3.0	Default Pre-Test Conditions for all PDCP test cases	849
7.1.3.1	Maintenance of PDCP sequence numbers for radio bearers	850
7.1.3.1.1	Maintenance of PDCP sequence numbers / User plane / 12 bit SN	850
7.1.3.1.2	Maintenance of PDCP sequence numbers / User plane / 18 bit SN	855
7.1.3.2	PDCP integrity protection.....	855
7.1.3.2.1	Integrity protection / Correct functionality of integrity algorithm SNOW3G / SRB / DRB	855
7.1.3.2.2	Integrity protection / Correct functionality of integrity algorithm AES / SRB / DRB	863
7.1.3.2.3	Integrity protection / Correct functionality of integrity algorithm ZUC / SRB / DRB	864
7.1.3.3	PDCP Ciphering and deciphering	865
7.1.3.3.1	Ciphering and deciphering / Correct functionality of encryption algorithm SNOW3G / SRB / DRB.....	865
7.1.3.3.2	Ciphering and deciphering / Correct functionality of encryption algorithm AES / SRB / DRB ...	870
7.1.3.3.3	Ciphering and deciphering / Correct functionality of encryption algorithm ZUC / SRB / DRB...	871
7.1.3.4	PDCP Handover	872
7.1.3.4.1	PDCP handover / Lossless handover / PDCP sequence number maintenance / PDCP status report to convey the information on missing or acknowledged PDCP SDUs at handover / In-order delivery and duplicate elimination in the downlink	872
7.1.3.4.2	PDCP handover / Non-lossless handover / PDCP sequence number maintenance	881
7.1.3.5	PDCP other	885
7.1.3.5.1	PDCP Discard	885
7.1.3.5.2	PDCP Uplink Routing / Split DRB	887
7.1.3.5.3	PDCP Data Recovery	892
7.1.3.5.4	PDCP reordering / Maximum re-ordering delay below t-Reordering / t-Reordering timer operations	899
7.1.3.5.5	PDCP Duplication	904
7.1.3.5.6	PDCP Duplication / 3 RLC entities.....	910
7.1.3.5.7	Ethernet header compression and decompression / Correct functionality of ethernet header compression and decompression	915
7.1.4	SDAP	918
7.1.4.1	SDAP Data Transfer and PDU Header Handling UL/DL.....	918
7.1.4.2	SDAP Data Transfer handling without Header UL/DL	927
8	RRC	934
8.1	NR RRC	934
8.1.1	RRC connection management procedures	934
8.1.1.1	Paging	934
8.1.1.1.1	RRC / Paging for connection / Multiple paging records.....	934
8.1.1.1.2	RRC / Paging for connection / Shared network environment.....	939
8.1.1.2	RRC connection establishment	945
8.1.1.2.1	RRC connection establishment / Return to idle state after T300 expiry.....	945
8.1.1.2.2	Void.....	949
8.1.1.2.3	RRC connection establishment / RRC Reject with wait time.....	949
8.1.1.2.4	RRC connection establishment / Extended and spare fields in SI	952
8.1.1.3	RRC release.....	955
8.1.1.3.1	RRC connection release / Redirection to another NR frequency.....	955
8.1.1.3.2	RRC connection release / Redirection from NR to E-UTRA	958
8.1.1.3.3	RRC connection release / Success / With priority information	961
8.1.1.3.4	RRC connection release / Success / With priority information / E-UTRA.....	972

8.1.1.3.5	Void.....	981
8.1.1.3.6	Void.....	981
8.1.1.4	RRC resume	981
8.1.1.4.1	RRC resume / Suspend-Resume / RNA update / Success	981
8.1.1.4.2	RRC resume / Suspend-Resume / RRC setup / T319 expiry.....	988
8.1.1.4.3	Void.....	993
8.1.2	RRC reconfiguration.....	993
8.1.2.1	Radio bearer establishment / reconfiguration / release.....	993
8.1.2.1.1	RRC reconfiguration / DRB / SRB / Establishment / Modification / Release / Success	993
8.1.2.1.2	RRC reconfiguration / RRC bearer establishment / uplinkTxDirectCurrentList	1002
8.1.2.1.3	Void.....	1005
8.1.2.1.4	RRC reconfiguration / Dedicated RLF timer.....	1005
8.1.2.1.5	NR CA / RRC reconfiguration / SCell addition / modification / release / Success	1008
8.1.2.1.5.1	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Intra-band Contiguous CA.....	1008
8.1.2.1.5.2	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Inter-band CA	1012
8.1.2.1.5.3	NR CA / RRC reconfiguration / SCell addition / modification / release / Success / Intra-band non-contiguous CA	1012
8.1.3	Measurement configuration control and reporting.....	1013
8.1.3.1	Intra NR measurements.....	1013
8.1.3.1.1	Measurement configuration control and reporting / Intra NR measurements / Event A1 / Event A2.....	1013
8.1.3.1.2	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Intra-frequency measurements	1024
8.1.3.1.3	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Inter-frequency measurements	1034
8.1.3.1.4	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Inter-band measurements	1036
8.1.3.1.5	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Intra-frequency measurements	1038
8.1.3.1.6	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Inter-frequency measurements	1046
8.1.3.1.7	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Inter-band measurements	1049
8.1.3.1.8	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Intra-frequency measurements	1051
8.1.3.1.9	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Inter-frequency measurements	1060
8.1.3.1.10	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Inter-band measurements	1063
8.1.3.1.11	Measurement configuration control and reporting / Intra NR measurements / Two simultaneous events A3 (intra and inter-frequency measurements) / RSRQ based measurements	1065
8.1.3.1.12	Measurement configuration control and reporting / Intra NR measurements / Two simultaneous events A5 (intra and inter-frequency measurements) / SINR based measurements	1075
8.1.3.1.13	Measurement configuration control and reporting / SS/PBCH block based / CSI-RS based intra-frequency measurements / Measurement of Neighbour NR cell.....	1085
8.1.3.1.14	Void.....	1106
8.1.3.1.14A	Measurement configuration control and reporting / SS/PBCH block based / CSI-RS based inter-frequency measurements / Measurement of Neighbour NR cell.....	1106
8.1.3.1.15	Void.....	1112
8.1.3.1.15A	Measurement configuration control and reporting / Intra NR measurements / Blacklisting	1112
8.1.3.1.16	Measurement configuration control and reporting / Intra NR measurements / Whitelisting.....	1126
8.1.3.1.17	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6	1135
8.1.3.1.17.1	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6 / Intra-band Contiguous CA.....	1135
8.1.3.1.17.2	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6 / Inter-band CA	1145

8.1.3.1.17.3	NR CA / Measurement configuration control and reporting / Intra NR measurements / Event A6 / Intra-band non Contiguous CA.....	1147
8.1.3.1.18	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting	1147
8.1.3.1.18.1	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting / Intra-band Contiguous CA	1147
8.1.3.1.18.2	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting / Inter-band CA	1158
8.1.3.1.18.3	NR CA / Measurement configuration control and reporting / Intra NR measurements / Additional measurement reporting / Intra-band non Contiguous CA	1159
8.1.3.1.19	1160	
8.1.3.1.20	Measurement configuration control and reporting / Measurement Gaps / gapFR1	1160
8.1.3.1.21	Measurement configuration control and reporting / Measurement Gaps / gapFR2	1167
8.1.3.1.22	1176	
8.1.3.1.23	Measurement configuration control and reporting / Intra NR measurements / Continuation of the measurements after RRC Resume	1176
8.1.3.2	Inter-RAT measurements	1183
8.1.3.2.1	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / Measurement of E-UTRA cells	1183
8.1.3.2.2	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of E-UTRA cells	1193
8.1.3.2.3	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of E-UTRA cells / RSRQ based measurements	1203
8.1.3.2.4	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of E-UTRA cells / SINR based measurements	1212
8.1.3.2.5	Void	1222
8.1.3.2.6	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / NR to UMTS	1222
8.1.3.2.7	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / NR to UMTS	1229
8.1.3.3	Measurement for self-optimized networks	1238
8.1.3.3.1	Measurement configuration control and reporting / CGI reporting of NR cell	1238
8.1.3.3.2	Measurement configuration control and reporting / CGI reporting of E-UTRA cell	1250
8.1.4	Handover	1263
8.1.4.1	Intra NR handover	1263
8.1.4.1.1	Void	1263
8.1.4.1.2	Intra NR handover / Success / Inter-frequency	1263
8.1.4.1.3	Void	1279
8.1.4.1.4	Void	1279
8.1.4.1.5	Intra NR handover / Failure / Re-establishment successful	1279
8.1.4.1.6	Intra NR handover / Failure / Re-establishment failure	1286
8.1.4.1.7	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release	1291
8.1.4.1.7.1	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release / Intra-band Contiguous CA	1291
8.1.4.1.7.2	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release / Inter-band CA	1296
8.1.4.1.7.3	NR CA / Intra NR handover / Success / PCell Change and SCell addition / SCell release / Intra-band non-contiguous CA	1297
8.1.4.1.8	NR CA / Intra NR handover / Success / PCell Change / SCell no Change	1297
8.1.4.1.8.1	NR CA / Intra NR handover / Success / PCell Change / SCell no Change / Intra-band Contiguous CA	1297
8.1.4.1.8.2	NR CA / Intra NR handover / Success / PCell Change / SCell no Change / Inter-band CA	1301
8.1.4.1.8.3	NR CA / Intra NR handover / Success / PCell Change / SCell no Change / Intra-band non-contiguous CA	1302
8.1.4.1.9	NR CA / Intra NR handover / Failure / Re-establishment successful	1303
8.1.4.1.9.1	NR CA / Intra NR handover / Failure / Re-establishment successful / Intra-band Contiguous CA	1303
8.1.4.1.9.2	NR CA / Intra NR handover / Failure / Re-establishment successful / Inter-band CA	1314
8.1.4.1.9.3	NR CA / Intra NR handover / Failure / Re-establishment successful / Intra-band non-contiguous CA	1315
8.1.4.2	Inter-RAT handover	1315
8.1.4.2.1	Inter-RAT handover from NR	1315

8.1.4.2.1.1	Inter-RAT handover / From NR to E-UTRA / Success	1315
8.1.4.2.1.2	Inter-RAT handover / From NR to EN-DC / Success	1321
8.1.4.2.2	Inter-RAT handover to NR	1328
8.1.4.2.2.1	Inter-RAT handover / From E-UTRA to NR / Success	1328
8.1.4.3	DAPS handover	1333
8.1.4.3.1	DAPS handover / Success	1333
8.1.4.4	Conditional handover	1343
8.1.4.4.1	Conditional handover / Success / A3 / A5 / A3+A5	1343
8.1.4.4.2	Conditional handover / modify conditional handover configuration	1354
8.1.4.4.3	Conditional handover / Failure	1364
8.1.5	RRC others	1375
8.1.5.1	UE capability transfer	1375
8.1.5.1.1	UE capability transfer / Success	1375
8.1.5.2	SI change / On-demand SIB	1393
8.1.5.2.1	SI change / Notification of BCCH modification / Short message for SI update	1393
8.1.5.2.2	SI change / Notification of BCCH modification / Short message for SI update in NR RRC_CONNECTED state	1396
8.1.5.3	PWS notification	1399
8.1.5.3.1	PWS notification / PWS reception in NR RRC_IDLE state	1399
8.1.5.3.2	PWS notification / PWS reception in NR RRC_INACTIVE state	1401
8.1.5.3.3	PWS notification / PWS reception in NR RRC_CONNECTED state	1402
8.1.5.3.4	PWS notification / PWS reception using dedicatedSystemInformationDelivery	1403
8.1.5.4	Counter check	1409
8.1.5.4.1	Counter check / Reception of CounterCheck message by the UE	1409
8.1.5.5	Redirection to NR	1413
8.1.5.5.1	Redirection to NR / From E-UTRA / Success	1413
8.1.5.6	Radio link failure	1418
8.1.5.6.1	Radio link failure / RRC connection re-establishment success	1418
8.1.5.6.2	Void	1426
8.1.5.6.3	Radio link failure / T311 expiry	1426
8.1.5.6.4	Void	1430
8.1.5.6.5	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on Pcell	1430
8.1.5.6.5.1	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Intra- band Contiguous CA	1430
8.1.5.6.5.2	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Inter- band CA	1434
8.1.5.6.5.3	NR CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Intra- band non-Contiguous CA	1435
8.1.5.7	Failure information	1435
8.1.5.7.1	Failure information / RLC failure / MCG	1435
8.1.5.7.1.1	Failure information / RLC failure / MCG / Intra-band Contiguous CA	1435
8.1.5.7.1.2	Failure information / RLC failure / MCG / Inter-band CA	1440
8.1.5.7.1.3	Failure information / RLC failure / MCG / Intra-band non Contiguous CA	1441
8.1.5.8	Processing delay	1442
8.1.5.8.1	Processing delay / RRC_Idle to RRC_Connected / RRC_Inactive to RRC_Connected / Success / Latency check	1442
8.1.5.8.2	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition	1451
8.1.5.8.2.1	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition / Intra-band Contiguous CA	1451
8.1.5.8.2.2	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition / Inter-band CA	1456
8.1.5.8.2.3	Processing delay / RRC_Inactive to RRC_Connected / Success / Latency check / SCell addition / Intra-band non-Contiguous CA	1456
8.1.6	SON and MDT support for NR	1457
8.1.6.1	Intra NR MDT	1457
8.1.6.1.1	Immediate MDT	1457
8.1.6.1.1.1	Immediate MDT / Measurement reporting / Location information	1457
8.1.6.1.1.2	Immediate MDT / Measurement / Latency metrics for UL PDCP Packet Delay per DRB ...	1464
8.1.6.1.2	Logged MDT	1469
8.1.6.1.2.1	Logged MDT / RRC_IDLE / Logging and reporting / Intra-frequency measurement	1469
8.1.6.1.2.2	Logged MDT / RRC_INACTIVE / Logging and reporting / Inter-frequency measurement	1476

8.1.6.1.2.3	Logged MDT / Intra-frequency measurement, logging and reporting	1482
8.1.6.1.2.4	Logged MDT/ RRC_IDLE / Logging and reporting / periodic measurement trigger	1488
8.1.6.1.2.5	Logged MDT/ RRC_IDLE / Logging and reporting / event-based trigger	1494
8.1.6.1.2.6	Logged MDT/ RRC_IDLE / Logging and reporting / event-based trigger/ out-of-coverage	1500
8.1.6.1.2.7	Logged MDT / Logging and reporting / Indication of logged measurements at NR reestablishment	1507
8.1.6.1.2.8	Logged MDT / Logging and reporting / Reporting at RRC reconfiguration	1509
8.1.6.1.2.9	Logged MDT / Location information	1513
8.1.6.1.2.10	Logged MDT / Maintaining logged measurement configuration / UE mobility	1517
8.1.6.1.2.11	Logged MDT / UE state transitions	1521
8.1.6.1.2.12	Logged MDT / Release of logged MDT measurement configuration / Expire of duration timer	1525
8.1.6.1.2.13	Logged MDT / Release of logged MDT measurement configuration / / Reception of new logged measurement configuration	1531
8.1.6.1.3	Radio Link Failure report	1535
8.1.6.1.3.1	Radio Link Failure / Reporting of Intra-frequency measurements	1535
8.1.6.1.3.2	Radio Link Failure / Reporting of Inter-frequency measurements	1545
8.1.6.1.3.3	Radio Link Failure / Reporting at RRC connection establishment and reestablishment	1547
8.1.6.1.4	1556	
8.1.6.1.4.1	1556	
8.1.6.1.4.2	1556	
8.1.6.1.4.3	Connection Establishment Failure / Logging and reporting / Reporting at intra-NR handover	1556
8.1.6.1.4.4	Connection Establishment Failure / Logging and reporting / Reporting at RRC connection re-establishment	1561
8.1.6.1.4.5	Connection Establishment Failure / Logging and reporting / Location Information	1563
8.1.6.1.4.6	Connection Establishment Failure / Logging and reporting / Reporting of Intra-frequency measurements	1566
8.1.6.1.4.7	Connection Establishment Failure / Logging and reporting / Reporting of Inter-frequency measurements	1569
8.1.6.1.4.8	Connection Establishment Failure / Logging and reporting / RACH failure report	1573
8.2	MR-DC RRC	1577
8.2.1	UE Capability	1577
8.2.1.1	UE capability transfer / Success	1577
8.2.1.1.1	UE capability transfer / Success / EN-DC	1577
8.2.1.2	Void	1611
8.2.2	Radio Bearer Addition, Modification and Release	1611
8.2.2.1	Radio Bearer Addition, Modification and Release / SRB	1611
8.2.2.1.1	SRB3 Establishment, Reconfiguration and Release / NR addition, modification and release / EN-DC	1611
8.2.2.1.2	SRB3 Establishment, Reconfiguration and Release / NR addition, modification and release / NR-DC	1621
8.2.2.2	Split SRB Establishment and Release	1629
8.2.2.2.1	Split SRB Establishment and Release / EN-DC	1629
8.2.2.3	Simultaneous SRB3 and Split SRB / Sequential message flow on SRB3 and Split SRB	1639
8.2.2.3.1	Simultaneous SRB3 and Split SRB / Sequential message flow on SRB3 and Split SRB with one UL path / EN-DC	1639
8.2.2.4	PSCell addition, modification and release / SCG DRB	1649
8.2.2.4.1	PSCell addition, modification and release / SCG DRB / EN-DC	1649
8.2.2.4.2	PSCell addition, modification and release / SCG DRB / NR-DC	1659
8.2.2.5	PSCell addition, modification and release / Split DRB	1666
8.2.2.5.1	PSCell addition, modification and release / Split DRB / EN-DC	1666
8.2.2.5.2	PSCell addition, modification and release / Split DRB / NR-DC	1675
8.2.2.6	Bearer Modification / MCG DRB	1684
8.2.2.6.1	Bearer Modification / MCG DRB / SRB / PDCP version change / EN-DC	1684
8.2.2.7	Bearer Modification / Handling for bearer type change without security key change	1696
8.2.2.7.1	Bearer Modification / Handling for bearer type change without security key change / EN-DC	1696
8.2.2.7.2	Bearer Modification / Handling for bearer type change without security key change / NR-DC	1710
8.2.2.8	Bearer Modification / Handling for bearer type change with security key change	1722
8.2.2.8.1	Bearer Modification / Handling for bearer type change with security key change / EN-DC	1722
8.2.2.8.2	Bearer Modification / Handling for bearer type change with security key change / NR-DC	1746
8.2.2.9	Bearer Modification / Uplink data path / Split DRB Reconfiguration	1768

8.2.2.9.1	Bearer Modification / Uplink data path / Split DRB Reconfiguration / EN-DC	1768
8.2.2.9.2	Bearer Modification / Uplink data path / Split DRB Reconfiguration / NR-DC	1776
8.2.3	Measurement Configuration Control and Reporting / Handovers	1781
8.2.3.1	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / Measurement of NR cells.....	1781
8.2.3.1.1	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / Measurement of NR cells / EN-DC	1781
8.2.3.2	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / Measurement of NR cells / RSRQ based measurements.....	1792
8.2.3.2.1	Measurement configuration control and reporting / Inter-RAT measurements / Event B1 / Measurement of NR cells / RSRQ based measurements / EN-DC.....	1792
8.2.3.3	Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of NR cells.....	1802
8.2.3.3.1	Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of NR cells / EN-DC	1802
8.2.3.4	Measurement configuration control and reporting / Event A1 / Measurement of NR PSCell	1813
8.2.3.4.1	Measurement configuration control and reporting / Event A1 / Measurement of NR PSCell / EN-DC.....	1813
8.2.3.5	Measurement configuration control and reporting / Event A2 / Measurement of NR PSCell	1822
8.2.3.5.1	Measurement configuration control and reporting / Event A2 / Measurement of NR PSCell / EN-DC.....	1822
8.2.3.6	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cells	1828
8.2.3.6.1	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cells / Intra-frequency measurements / EN-DC	1828
8.2.3.6.1a	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Intra-frequency measurements / EN-DC	1836
8.2.3.6.1b	Measurement configuration control and reporting / Event A3 / Measurement of Neighbour NR cell / Inter-band measurements / EN-DC	1839
8.2.3.7	Measurement configuration control and reporting / Event A4 (intra-frequency, inter-frequency and inter-band measurements) / Measurement of Neighbour NR cell	1842
8.2.3.7.1	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Intra-frequency measurements / EN-DC	1842
8.2.3.7.1a	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Intra-frequency measurements / EN-DC	1852
8.2.3.7.1b	Measurement configuration control and reporting / Event A4 / Measurement of Neighbour NR cell / Inter-frequency measurements / EN-DC	1855
8.2.3.8	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell.....	1858
8.2.3.8.1	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Intra-frequency measurements / EN-DC	1858
8.2.3.8.1a	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Intra-frequency measurements / EN-DC	1869
8.2.3.8.1b	Measurement configuration control and reporting / Event A5 / Measurement of Neighbour NR cell / Inter-band measurements / EN-DC	1873
8.2.3.9	Measurement configuration control and reporting / SS/PBCH block based / CSI-RS based intra- frequency measurements / Measurement of Neighbour NR cell.....	1876
8.2.3.9.1	Measurement configuration control and reporting / SS/PBCH block based / CSI-RS based Intra-frequency measurements / Measurement of Neighbour NR Cell / EN-DC	1876
8.2.3.10	Measurement configuration control and reporting / SS/PBCH block based / CSI-RS based inter- frequency measurements / Measurement of Neighbour NR cell.....	1897
8.2.3.10.1	Measurement configuration control and reporting / SS/PBCH block based /CSI-RS based Inter-frequency measurements/ Measurement of Neighbour NR Cell / EN-DC	1897
8.2.3.11	Measurement configuration control and reporting / Measurement Gaps	1920
8.2.3.11.1	Measurement configuration control and reporting / Measurement Gaps / NR FR1 / EN-DC	1920
8.2.3.11.2	Measurement configuration control and reporting / Measurement Gaps / NR FR2 / EN-DC	1936
8.2.3.12	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of NR cells.....	1945
8.2.3.12.1	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of NR cells / EN-DC	1945
8.2.3.13	PCell Handover with SCG change / Reconfiguration with sync / SCG DRB	1957
8.2.3.13.1	PCell Handover with SCG change / Reconfiguration with sync / SCG DRB / EN-DC	1957

8.2.3.14	SCG change / Reconfiguration with sync / Split DRB.....	1964
8.2.3.14.1	SCG change / Reconfiguration with sync / Split DRB / EN-DC.....	1964
8.2.3.14.2	SCG change / Reconfiguration with sync / Split DRB / NR-DC.....	1970
8.2.3.15	Measurement configuration control and reporting / Two simultaneous events A2 and A3 (intra-frequency measurements) / Measurement of Neighbour NR cells.....	1976
8.2.3.15.1	Measurement configuration control and reporting / Two simultaneous events A2 and A3 (intra-frequency measurements) / Measurement of Neighbour NR cells / EN-DC	1976
8.2.3.16	Measurement configuration control and reporting / SRB3	1986
8.2.3.16.1	Measurement configuration control and reporting / SRB3 / Intra NR measurements / EN-DC..	1986
8.2.3.16.2	Measurement configuration control and reporting / SRB3 / Intra NR measurements / NR-DC..	1993
8.2.4	Carrier Aggregation	2000
8.2.4.1	NR CA / NR SCell addition / modification / release / Success	2000
8.2.4.1.1	NR CA / NR SCell addition / modification / release / Success / EN-DC	2000
8.2.4.1.1.1	NR CA / NR SCell addition / modification / release / Success / EN-DC / Intra-band Contiguous CA	2000
8.2.4.1.1.2	NR CA / NR SCell addition / modification / release / Success / EN-DC / Intra-band non-Contiguous CA	2011
8.2.4.1.1.3	NR CA / NR SCell addition / modification / release / Success / EN-DC / Inter-band CA	2011
8.2.4.2	NR CA / Simultaneous PSCell and SCell addition / PSCell and SCell change / CA Release	2012
8.2.4.2.1	NR CA / Simultaneous PSCell and SCell addition / PSCell and SCell change / CA Release / EN-DC	2012
8.2.4.2.1.1	NR CA / Simultaneous PSCell and SCell addition / PSCell and SCell change / CA Release / EN-DC / Intra-band Contiguous CA	2012
8.2.4.2.1.2	NR CA / Simultaneous PSCell and SCell addition / PSCell and SCell change / CA Release / EN-DC / Intra-band non-Contiguous CA	2026
8.2.4.2.1.3	NR CA / Simultaneous PSCell and SCell addition / PSCell and SCell change / CA Release / EN-DC / Inter-band CA	2027
8.2.4.3	NR CA / SCell change / Intra-NR measurement event A6 / SRB3.....	2027
8.2.4.3.1	NR CA / SCell change / Intra-NR measurement event A6 / SRB3 / EN-DC	2027
8.2.4.3.1.1	NR CA / SCell change / Intra-NR measurement event A6 / SRB3 / EN-DC / Intra-band Contiguous CA	2027
8.2.4.3.1.2	NR CA / SCell change / Intra-NR measurement event A6 / SRB3 / EN-DC / Intra-band non-Contiguous CA	2040
8.2.4.3.1.3	NR CA / SCell change / Intra-NR measurement event A6 / SRB3 / EN-DC / Inter-band CA	2040
8.2.5	Reconfiguration Failure / Radio link failure	2042
8.2.5.1	Radio link failure / PSCell addition failure	2042
8.2.5.1.1	Radio link failure / Random access problem / EN-DC.....	2042
8.2.5.1.2	Radio link failure / Random access problem / NR-DC.....	2044
8.2.5.2	Radio link failure / PSCell out of sync indication.....	2047
8.2.5.2.1	Radio link failure / PSCell out of sync indication / EN-DC	2047
8.2.5.2.2	Radio link failure / PSCell out of sync indication / NR-DC.....	2050
8.2.5.3	Radio link failure / rlc-MaxNumRetx failure.....	2054
8.2.5.3.1	Radio link failure / rlc-MaxNumRetx failure / EN-DC	2054
8.2.5.3.2	Radio link failure / rlc-MaxNumRetx failure / NR-DC.....	2057
8.2.5.4	Reconfiguration failure / SCG change failure	2060
8.2.5.4.1	Reconfiguration failure / SCG change failure / EN-DC	2060
8.2.5.4.2	Reconfiguration failure / SCG change failure / NR-DC	2065
8.2.5.5	Reconfiguration failure / SCG Reconfiguration failure / SRB3.....	2069
8.2.5.5.1	Void.....	2069
8.2.5.6	Reconfiguration failure / SCG Reconfiguration failure / SRB1.....	2069
8.2.5.6.1	Void.....	2069
8.2.6	MR-DC RRC others.....	2069
8.2.6.1	Failure information / RLC failure / SCG.....	2069
8.2.6.1.1	Failure information / RLC failure / SCG / EN-DC.....	2069
8.2.6.1.1.1	Failure information / RLC failure / SCG / EN-DC / Intra-band Contiguous CA	2069
8.2.6.1.1.2	Failure information / RLC failure / SCG / EN-DC / Inter-band CA.....	2078
8.2.6.1.1.3	Failure information / RLC failure / SCG / EN-DC / Intra-band non Contiguous CA	2079
8.2.6.1.2	Failure information / RLC failure / SCG / NR-DC.....	2079
8.2.6.1.2.1	Failure information / RLC failure / SCG / NR-DC / Intra-band Contiguous CA	2079
8.2.6.1.2.2	Failure information / RLC failure / SCG / NR-DC / Inter-band CA	2089
8.2.6.1.2.3	Failure information / RLC failure / SCG / NR-DC / Intra-band non Contiguous CA	2090
8.2.6.2	Processing delay.....	2090

8.2.6.2.1	Processing delay / PSCell addition / SCG DRB / Success / Latency check / EN-DC	2090
9	Mobility management.....	2094
9.1	5GS Mobility Management	2094
9.1.1	Primary authentication and key agreement.....	2094
9.1.1.1	EAP based primary authentication and key agreement / EAP-AKA' related procedures.....	2094
9.1.1.2	EAP based primary authentication and key agreement / Reject.....	2098
9.1.1.3	EAP based primary authentication and key agreement / EAP message transport / Abnormal.....	2103
9.1.1.4	5G AKA based primary authentication and key agreement / 5G-AKA related procedures	2108
9.1.1.5	5G AKA based primary authentication and key agreement / Reject.....	2115
9.1.1.6	5G AKA based primary authentication and key agreement / Abnormal.....	2118
9.1.2	Security mode control	2123
9.1.2.1	NAS security mode command.....	2123
9.1.2.2	Protection of initial NAS signalling messages	2129
9.1.2.3	Integrity protection / Correct functionality of 5G NAS integrity algorithm / SNOW3G	2131
9.1.2.4	Integrity protection / Correct functionality of 5G NAS integrity algorithm / AES	2134
9.1.2.5	Integrity protection / Correct functionality of 5G NAS integrity algorithm / ZUC.....	2135
9.1.2.6	Ciphering and deciphering / Correct functionality of 5G NAS encryption algorithm / SNOW3G...	2136
9.1.2.7	Ciphering and deciphering / Correct functionality of 5G NAS encryption algorithm / AES	2138
9.1.2.8	Ciphering and deciphering / Correct functionality of 5G NAS encryption algorithm / ZUC	2139
9.1.3	Identification.....	2140
9.1.3.1	Identification procedure	2140
9.1.4	Generic UE configuration update	2145
9.1.4.1	Generic UE configuration update / New 5G-GUTI, NITZ, registration requested, Network slicing indication, New Allowed NSSAI / acknowledgement from the UE.....	2145
9.1.5	Registration.....	2157
9.1.5.1	Initial Registration.....	2157
9.1.5.1.1	Initial registration / Success / 5G-GUTI reallocation, Last visited TAI	2157
9.1.5.1.2	Initial registration / 5GS services / Equivalent PLMN list handling	2162
9.1.5.1.3	Initial registration / 5GS services / NSSAI handling	2166
9.1.5.1.3a	Initial registration / 5GS services / NSSAI handling / NSSAI Storage	2176
9.1.5.1.4	Initial registration / 5GS services / MICO mode / TAI list handling	2186
9.1.5.1.5	Initial registration / Abnormal / Failure after 5 attempts	2189
9.1.5.1.6	Initial registration / Rejected / Illegal UE	2193
9.1.5.1.7	Void	2196
9.1.5.1.8	Initial registration / Rejected / Serving network not authorized	2196
9.1.5.1.9	Initial registration / Abnormal / Change of cell into a new tracking area.....	2197
9.1.5.1.10	Initial registration / Rejected / PLMN not allowed.....	2200
9.1.5.1.11	Initial registration / Rejected / Tracking area not allowed.....	2203
9.1.5.1.12	Initial registration / Rejected / Roaming not allowed in this tracking area.....	2207
9.1.5.1.13	Initial registration / Rejected / No suitable cells in tracking area	2211
9.1.5.1.14	Initial registration / Rejected / Congestion / Abnormal cases / T3346	2214
9.1.5.1.15	Initial registration / Success / Extended and spare fields in UE Network Capability	2218
9.1.5.2	Mobility and periodic registration update	2226
9.1.5.2.1	Mobility registration update / TAI list handling.....	2226
9.1.5.2.2	Periodic registration update / Accepted	2232
9.1.5.2.3	2234	
9.1.5.2.4	Mobility registration update / The lower layer requests NAS signalling connection recovery ...	2234
9.1.5.2.5	Void	2238
9.1.5.2.6	Void	2238
9.1.5.2.7	Mobility and periodic registration update / Rejected / UE identity cannot be derived by the network.....	2238
9.1.5.2.8	Mobility and periodic registration update / Rejected / Implicitly de-registered	2240
9.1.5.2.9	Void.....	2244
9.1.6	De-registration	2244
9.1.6.1	UE-initiated de-registration.....	2244
9.1.6.1.1	UE-initiated de-registration / Switch off / Abnormal / De-registration and 5GMM common procedure collision	2244
9.1.6.1.2	UE-initiated de-registration / Normal de-registration / Abnormal / Transmission failure without TAI change from lower layers, De-registration and 5GMM common procedure collision, T3521 timeout.....	2248
9.1.6.1.3	UE-initiated de-registration / Abnormal / Change of cell into a new tracking area.....	2252