
Graphic technology — Prepress data exchange — Tone adjustment curves exchange

*Technologie graphique — Échange de données pré-imprimées —
Échanges des courbes d'ajustement des tons*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 18620:2016

<https://standards.iteh.ai/catalog/standards/sist/35d708c1-0841-4779-ac8b-0e7bf190a8f5/iso-18620-2016>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 18620:2016

<https://standards.iteh.ai/catalog/standards/sist/35d708c1-0841-4779-ac8b-0e7bf190a8f5/iso-18620-2016>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	1
4.1 Text styles.....	1
4.2 Data types.....	1
5 Requirements	2
5.1 XML Namespace.....	2
5.2 File structure	2
5.2.1 General.....	2
5.2.2 TransferCurveSet.....	2
5.2.3 FormPreparationDetails.....	3
5.2.4 PrintingCondition	3
5.2.5 TransferCurve.....	4
5.3 Interpretation of TransferCurve	5
5.4 Examples	5
5.4.1 Example 1.....	5
5.4.2 Example 2.....	6
Annex A (informative) Schema (standards.iteh.ai)	8
Bibliography	10

ISO 18620:2016

<https://standards.iteh.ai/catalog/standards/sist/35d708c1-0841-4779-ac8b-0e7bf190a8f5/iso-18620-2016>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 130, *Graphic technology*.

[ISO 18620:2016](https://standards.iteh.ai/catalog/standards/sist/35d708c1-0841-4779-ac8b-0e7bf190a8f5/iso-18620-2016)

<https://standards.iteh.ai/catalog/standards/sist/35d708c1-0841-4779-ac8b-0e7bf190a8f5/iso-18620-2016>

Introduction

The aim of this International Standard is to define a simple format to exchange data of Tone Adjustment Curves (also called transfer functions and plate curves) between applications including, but not limited to, colour management, calibration and raster image processor systems.

In many cases, it is useful to be able to provide calibration data for printing plates in a standard form to ensure easy and accurate exchange of data. Graphic arts raster image processor vendors all provide support for printing plate calibration and adjustment of tone curves for digital presses using essentially the same data, however, each uses a proprietary format. One consequence of this is that companies providing tools to support print certification need to provide support for many different file formats. Increasingly, the importance of calibration is being recognized by printers who wish to provide a single, often centralized, solution for calibration and in this context it is becoming increasingly difficult to keep up with the many different formats in use.

TC 130 experts know of no commercial reason for each vendor to adopt a different standard and believe that if there was an ISO standard format, this would be likely to be adopted by the industry. This International Standard aims to define the minimum set of data required by all of today's applications and provide a format that is easily extensible so that additional metadata can be included when agreed on between the parties.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 18620:2016

<https://standards.iteh.ai/catalog/standards/sist/35d708c1-0841-4779-ac8b-0e7bf190a8f5/iso-18620-2016>

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

ISO 18620:2016

<https://standards.iteh.ai/catalog/standards/sist/35d708c1-0841-4779-ac8b-0e7bf190a8f5/iso-18620-2016>

Graphic technology — Prepress data exchange — Tone adjustment curves exchange

1 Scope

This International Standard specifies a simple extensible format for the exchange of tone adjustment curves between applications including but not limited to colour management, calibration and raster image processor systems.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Namespaces in XML 1.0 (Third Edition), W3C (World Wide Web Consortium) Recommendation 8 December 2009¹⁾

XML Schema Part 2: Datatypes (Second Edition), W3C (World Wide Web Consortium) Recommendation 28 October 2004²⁾

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

transfer curve

curve that defines the relationship between input code values and output values, imaged or printed

4 Symbols and abbreviated terms

4.1 Text styles

The following documentation conventions are used.

Names of XML elements are shown in bold type, for example **TransferCurve**.

Names of XML attributes are shown in italics, for example *SpotColorName*.

4.2 Data types

All datatypes used in this International Standard are as defined by XML Schema Part 2: Datatypes.

1) Available at <http://www.w3.org/TR/REC-xml-names/>. [Accessed 21st December 2015].

2) Available at <http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/>. [Accessed 21st December 2015].

5 Requirements

5.1 XML Namespace

This International Standard relies on XML to ensure clear communication of metadata. It is very likely that different systems will want to add elements and attributes whose intended use falls outside of this specification.

Extension of this sort is well supported by XML and the following rules apply.

- All elements and attributes defined by this International Standard shall use the namespace '<http://www.npes.org/schema/ISO18620/>'.
- Vendor-specific attributes and elements may be included and when included shall be defined in a vendor-specific namespace as described in “Namespaces in XML 1.0”.
- Compliant reader applications may safely ignore vendor specific attributes and elements. These attributes and elements may enable additional functionality in closed environments but shall not change the base functionality as defined in elements and attributes defined in this International Standard.

Such proprietary elements and attributes are out of the scope of this International Standard.

5.2 File structure

5.2.1 General

The file is intended to contain a single set of transfer curves comprising one or more transfer curves. A schema is provided in [Annex A](#) for information.

The first line of the file shall be as follows:

```
<?xml version="1.0" encoding="UTF-8"?>
```

5.2.2 TransferCurveSet

A single **TransferCurveSet** element shall be included and shall be as shown in [Table 1](#).

Table 1 — TransferCurveSet element

Name	Cardinality ^a	Data type	Description
<i>xmlns</i>	Required	anyURI	The namespace shall be declared in accordance with <i>Namespaces in XML 1.0 (Third Edition)</i> , Clause 3 and shall be ' http://www.npes.org/schema/ISO18620/ '.
<i>Creator</i>	Optional	string	Describes the creator of the document. This is usually the name and version of the authoring application used.
<i>CreationDate</i>	Optional	dateTime	The date and time when the file was created.
<i>OperatorName</i>	Optional	string	Describes the operator who created the file.
<i>PressName</i>	Optional	string	The name used to describe the press for which the data has been created.
<i>MediaName</i>	Optional	string	The name used to describe the media for which the data has been created

^a Cardinality: unless otherwise specified, only a single instance of each element or attribute may be included.

Table 1 (continued)

Name	Cardinality ^a	Data type	Description
<i>Side</i>	Optional	enumeration	The side of the sheet for which the data has been created. One of Front or Back. Note that this attribute should be omitted if the data applies to both sides of the sheet.
<i>MeasurementFile</i>	Optional (more than one may be provided)	anyURI	URI providing the location of one or more measurement file(s) from which the data has been derived. Note that there is no convention specified for the URI or for the content of the files.
<i>TransferCurveSetID</i>	Optional	NMTOKEN	TransferCurveSet identifier. The value selected for this ID should be agreed between stakeholders.
FormPreparationDetails	Optional	element	Provides details of any specific form preparation configuration, for example, the screening family, gravure engraving parameters, flexo anilox lpi, etc. to which the data relates. This information is likely to be vendor-specific.
PrintingCondition	Optional (unless match a standard printing condition)	element	Metadata describing the printing condition that this adjustment applies to. This shall be included when the TransferCurveSet is being used to match a standard printing condition.
TransferCurve	Required (more than one may be provided)	element	Transfer curve element for a single colorant.

^a Cardinality: unless otherwise specified, only a single instance of each element or attribute may be included.

<https://standards.iteh.ai/catalog/standards/sist/35d708c1-0841-4779-ac8b-0e7bf190a8f5/iso-18620-2016>

5.2.3 FormPreparationDetails

The **FormPreparationDetails** element may be included and when included shall be as shown in Table 2. When included, it provides details of any specific form preparation configuration, for example, the screening family, gravure engraving parameters, flexo anilox lpi, etc. to which the data relates. This information is likely to be vendor-specific.

Table 2 — FormPreparationDetails element

Name	Cardinality	Data type	Description
<i>Description</i>	Required	string	Human readable description of the key form preparation parameters. This string should be suitable for presentation on a user interface.
NOTE This element can be used to provide additional details about the form preparation in a more structured way than can be achieved using a simple text description. The way in which this is done is outside of the scope of this International Standard.			

5.2.4 PrintingCondition

The **PrintingCondition** element may be included and when included shall be as shown in Table 3. When included, this information identifies the printing condition used and allows the user to check that the adjustment meets the intended aims.